



MDCCCXCVII

Digitized by:




ASSOCIATION FOR PRESERVATION TECHNOLOGY, INTERNATIONAL www.apti.org


BUILDING TECHNOLOGY HERITAGE LIBRARY


https://archive.org/details/buildingtechnologyheritagelibrary


From the collection of:

Michael Lynch, P.E., AIA, FAPT









Builders' Hardware

. . Made by . .

Russell & Erwin Mfg. Co.,

NEW BRITAIN, CONNECTICUT,

U. S. A.

Warehouses:

NEW YORK: - 43, 45, and 47. Chambers Street.

PHILADELPHIA: — 19 North Fifth Street.

LONDON, E. C.: - Brooks Wharf, Upper Thames Street.

BALTIMORE: - Wm. H. Cole & Sons, Agents, 17 South Charles St.


Sample Office:

CHICAGO, ILLS.: - 941-2 Marquette Building.

THE CASE, LOCKWOOD & BRAINARD CO., HARTFORD, CONN.

INDEX OF DESIGNS.

Design.	School.							Page.		
Aegina .				Grecian .				40A	to	40D
Arabian .								113	to	116
BASE AND BEVEI	.—Pla	in						8A	to	8D
BAVARIAN .								109	to	112
BEVELED EDGE-	-Plair	1						5	to	8
BRUNSWICK .								116A	to	116D
CALVERT .				Colonial .				28A	to	28D
CAMBRIDGE .				Colonial .				21	to	24
CANTERBURY				Old English				41	to	44
CELLINI .				Renaissance				65	to	68
CHRISTESEN .				Naturalistic				89	to	92
CLERMONT .								108A	to	108D
COURTENAY .				French Rena	aissanc	е.		61	to	64
DE BERCY .								105	to	108
DEDHAM .				Colonial .				25	to	28
DELPHI .				Grecian .				33	to	36
DIJON				Gothic .				85	to	88
ELEUSIS .				Grecian .				37	to	40
FRANKFORT .				German Roc	eoco			73	to	76
GRAVELOT .			. 10	Louis XV				81	to	84
HARRINGTON				Renaissance				57	to	60
LEXINGTON .				Colonial .				17	to	20
MAYFLOWER				Colonial .				29	to	32
MOREAU .				Louis XVI.				53	to	56
NORMANDIE .							٠.	101	to	104
PISANO				Italian Rena	aissanc	e .		69	to	72
PRISCILLA .				Colonial .				24A	to	24D
PRUDHON .				Empire .				45	to	48
ROPE				Colonial .				9	to	12
Rope-Oval				Colonial .				13	to	16
ROUNDED EDGE-	–Plai	n						I	to	4
ROUNDED EDGE-	-Plai	n O	val					16A	to	16D
Verocchio .				Italian Rena	issanc	€ .		77	to	80
Walsingham				Romanesque	e .		.*	49	to	52



INDEX.

A	age.	D .	age.
Adjusters, Casement Windows,	0	Door Bolts, Flush, 256 to	
Axle Pulleys, 228 to		7.7	143
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	231		260
В		" Checks,	
	193		264
Bars, Espagniolette,	262	" Handles, 201 to	
" Shutter,	232	" Hangers, 225,	
Bolts, Flush, 250 to	259	" Knobs, 179 to	181
	261	" Locks and Latches, 117 to	
" " Mortise,	260	" Pulls, 197 to	199
	143	" Pulls, 197 to Rails, Sliding,	227
" Dutch Door, .	147	" Sheaves, 223 to	226
" Door and Latch		Drawer Pulls, 264 to	266
combined, 143,		Dutch Door Bolt, Mortise, .	147
" Square, Cased, Water Closet Indicator,	256	" " Flush, .	261
	263		
Bommer's Spring Hinges, 274,		E	
Buttons, Push,	185	Elbour Catabas	
Butts, Fast Joint,	190		25I 185
"Shutter,			262
"Wrought Brass, 192, 194,		Espagniolette bars,	202
Wrought Brass, 192, 194,	195	F	
C		-	
Cased Bolts,	256	Fasteners, Casement Window,	
Casement Window Adjusters,	250	" Sash, 234, Fastenings, Chain Door, .	235
" Fasteners,	251		
Catches, Cupboard,	252	Flaps, Back,	
" Elbow,	251	Flush Bolts, 256 to	
" French Window, .	253	" Sash Lifts, 236,	237
" Transom,	254	" " and Locks, comb.,	237
Centers, Sash, 240,	241	French Window Catches, .	
Chain Door Fastenings,	264		146
Chains, Transom,	242	" " Locks, . 117,	118
" Sash,	272	1.7	
Coat and Hat Hooks, . 267 to	269	Н	
Cord Irons, Sash,	227	Handles, Lever, 183, Store Door, . 201 to	184
Cupboard Catches,	252		
"Knobs,		" Т,	
" Turns, 254,	255	Hangers, Sliding Door,	226

Page.	Page.
Hat and Coat Hooks, . 267 to 269	
Hinges, Bronze; 190	Office Doors, . 133
" Pocket,	" Horizontal Rim Night.
64 61 44	Columbia, 173
// C : NT T3	" Water Closet, 263
Spring, New Idea, . 273	Lever Handles, 183, 184
" Bommer's, 274, 275	Lifts, Sash and Window, 235 to 238
1 1001, Matchess, 2/0	" " Lock, combined, 235
Hinge Plates, 191	" Transom, 243 to 249
Hooks, Ceiling, 270	
" Coat and Hat, . 267 to 269	Locks, Mortise Knob, Wrought Steel; Steel. Brass, and
" Pull Down, 239	Bronze Fronts, Iron and
" School-House, 270	Steel Keys, 119 to 121
	" Mortise Knob, Bronze Fr'ts,
I	Steel Keys, 117, 118, 122 to 125
	" Mortise Knob, Bronze
Irons, Sash Cord, 227	Fr'ts, 3 Bolts, Steel Keys, 126
	" Mortise Knob, Master-
K	Keyed, 127 to 131
	"Columbia, Master-Keyed,
Kick Plates, 191 Knobs, Door, 179	for Offices, 132, 134
	" Mortise Knob, for French
	Windows,
Cupboard, 181	Mortise Knob, Rab d Fr ts, 135
mortise boil of frail, . 151	" Mortise Knob, Front Doors,
" Shutter, 233	Flat Front, . 150, 152, 154
*	Mortise Knob, Front Doors,
L	Flat Fr't, Col'bia, 156, 158, 160
Latches Elevator	" Mortise Knob, Front Doors, Rabbeted Front, 161, 165
Latches, Elevator, 149	" Mortise Knob, Front Doors,
French Window, . 140	Rabbeted Front, Col'bia, 163
Mortise and Boil com-	" Mortise Dead, Horizontal,
bined, 143, 144	Iron and Brass Fronts, 140
Mortise Knob, 145	" Mortise Dead, Horizontal,
Mortise, and run comb d.	Brass and Bronze Fronts, 141
for Sliding Doors, 139	" Mortise Dead, Columbia,
Mortise, Night, 148	Horizontal, 142
Khob, vestibule	" Mort., Sliding Door, 136 to 138
D'r, Flat Fr ts, 151, 153, 155	" Rim Knob, Horizontal, 168, 169
"Mortise, Knob, Vestibule Door, Flat Fronts, Co-	" " Upright, . 167
lumbia, 157, 159	" Master-
" Mortise, Knob, Vestibule	Keyed for Hotels, 170, 171
Door, Rabbeted, 162, 166	" Rim Dead, Horizontal, for
" Mortise, Knob, Vestibule	Closets, etc., 172
Door, Rabbeted, Co-	" Rim Dead, Horizontal, for
lumbia, 164	Store Doors, Columbia, 176

Page.	1	Page.
Locks, Rim Dead, Upright, for	School-House Hooks,	270
Store Doors, 174	Screw Pulleys, :	232
" Rim Dead, Columbia, 175	Sets, Villa, 177,	178
Lock Sets, Villa, 177, 178	Sheaves, Door, 223 to	226
	Shutter Bars,	232
M		192
Master-Keyed Locks, . 127 to 134	"Knobs,	233
Matchless Floor Hinges, . 276	" Sheaves, 223,	224
Mortise Bolts,	Sliding Door Latches,	139
" Flush Bolts, 260	" " Locks, . 136 to	138
" Bolt and Lat'es comb., 143, 144	" " Pulls,	139
" Bolt Knobs, 181	" " Rail,	227
	" " Sheaves, . 223 to	
N	Sockets, Sash,	239
- •	Spindles, Knob,	180
New Idea Spring Hinges, . 273	Spring Hinges, 273 to Square Cased Bolts,	276
Numbers, 271	Square Cased Bolts,	256
P	Store Door Handles, . 201 to	222
-	Swivel Spindles,	180
Pins, Transom, 242		
Plates, Sash, 239	Т	
" Transom, 240, 241		
Pocket Hinges,		182
Pulleys, Axle, 228 to 231 "Screw, 232	Thumb Pieces and Roses, .	
	Transom Catches,	
	Chains,	242
	13111615, 243 10	
" Drawer, 264 to 266 Push Buttons,		242
Tush Buttons,	1 lates, 240,	
R	Turnbuckles,	251
	Turns, Cupboard, 254,	255
Rail, Sliding Door, 227		
	V -	
S	Villa Door Sets, 177,	178
Sash Centers, 240, 241	4	
" Chains, 272		
" Cord Irons, 227	W	*
" Fasteners, 234, 235	Window Stop Bead Screws, and	
" Lifts, 235 to 238	Washers,	232
" and Locks comb'd, 235, 237	Water Closet Indicator Bolts,	263
" Plates, 239	" " Latches,	263
" Sockets, 239	Wrought Brass Butts, 192, 194,	195

NET ADDITIONS FOR SPECIAL FINISHES.

Finishes.

: (Nos 6, 7, 7½, 7¾, 9, 9½, 9¾ and 10.	Nos. 02A, 06, 07, 07½, 07¾, 09, 09½, 09¾, 011, 20, 27, 27½ and 27¾.	Nes. 4, 8, 68, 8½, 18 and 28.
Adjustors Cocoment Window			
Adjusters, Casement Window, Bars, Espagniolette,			S11.25 dozen.
"Shutter,	.50 dozen.	.50 each. .65 dozen.	2.75 each.
Bolts, Flush, 8 to 24 inch,	1.50 "	.05 dozen.	1.25 dozen.
" 30 inch and longer,	1.50	2.25	7.50
" Mortise Flush,	1.15 "	3.75 '' 1.50 ''	11.25 "
" Indicator or W. C	0		3.75 " 11.25 "
" Square Cased,	3.11	3.75 " 1.25 "	2.50 "
Butts and Hinges, Door:	1.00	1.25	2.50
$2 \times 2 \text{ to } 3\frac{1}{2} \times 3\frac{1}{2},$.o7 pair.	.12½ pair.	.25 pair.
$4 \times 4 \text{ to } 4 \frac{1}{2} \times 4 \frac{1}{2}, \dots$.19 "	.45 ''
5×4 to 6×6, .	•	.25 ''	.50 ''
6×8,	.25 ''	1.00	1.50 "
" and Hinges, Shutter, .			.95 doz. prs.
Buttons, Push,	. 1	. 75 dozen.	3.75 dozen.
Catches, Cupboard,	3.75 gross.	5.25 gross.	11.25 gross.
" French Window, .		5.25 "	11.25 "
"Transom,		5.25 ''	11.25 "
Chains, "		1.60 dozen.	
Escutcheons, Wrought Bronze,	-	.50 ''	2.25 dozen.
" Cast Bronze, to 8 in		.60 ''	2.70 "
" " ov. 8 in		1.35 "	3.75 "
TOTAL A	.15 "	.25 ''	.45 " .
" Slid'g D'r (set of 4)		.25 set.	.50 set.
	50 dozen.	.65 dozen.	1.90 dozen.
" Chain Door,		1.60 "	-5.35 "
" Sash, Iron,	.65 "	.75 ''	1.25 "
" Bronze, .	.1834 "	.37 1/2 ''	1.25 ''
Handles, Store Door,		.65 set.	1.90 set.
" Lever No. 708, .	.40 ''	.50 ''	1.50 "
" Nos: 070, etc., 02	71, .75 doz. prs	90 doz. prs.	3.00 doz. prs.
	35 dozen.	.50 dozen.	1.00 dozen.
Hooks, Coat and Hat,	2.25 gross.	5.25 gross.	15.00 gross.
" Pull Down,	.20 dozen.	.45 dozen.	1.25 dozen.
* Knobs, Door,	75 doz. prs	90 doz. prs.	3.00 doz. prs.
" Mortise Bolt or Half, .	40 dozen.	.50 dozen.	1.50 dozen.
" Shutter,	.121/2 "	.19 ''	.65 ''
Lifts, Sash, Hook,	16 ''	.25 ''	.50 ''
" " Flush,	35 ''	•45 ''	.95 ''
The state of the s	50 ''	.65 ''	1.25 "
" and Locks, Sash, .	50 ''	.65 ''	1.25 "

NET ADDITIONS FOR SPECIAL FINISHES. Continued.

		Tillisiles.	
•	Nos. 6, 7, 7½, 7¾, 9, 9½, 9¾ and 10.	Nos. o2A, o6, o7, o7½, o7¾, o9, o9½, o9¾, o11, 20, 27, 27½ and 27¾.	8½, 18 and 28.
Lifts, Transom, 3 feet,	\$0.10 each.	\$0.20 each.	
" " 4 "	.12 ''	.30 "	
	.15 ''	.40 ''	
	.20 ''	.50 ''	
Locks, 3½, 4, and 4½ in. Mort.		.60 dozen.	\$2.70 dozen.
" 5 inch Mortise,	-	.70 ''	3.00 "
"Three-bolt,	.55 ''	.80 ''	3.00 ''
11 N	.70 ''	.60 ''	2.70 ''
No. 235,	.50 ''	.80 ''	•
u 01 11 0m	.70 "		3.00 "
///! 1 D D	1.10 "	1.35 "	3.50 "
" 4¾ inch Front Door, " All other Front Door,	.90	1.10 "	3.25
Latches, Columbia Office.	1.10	1.35	3.50
	1.10	1.35 "	3.50
3/2 men vestibule, .	.90	1.10	3.25
All other vestibilie, .	1.10	1.35	3.50
Locks, Sliding Door, Single,	. 10 set.	.15 set.	.30 set.
Single (with Esc.),	.20 ''	• 45	.55
Double,	.15 ''	.20	.50 ''
(With Esc.),	-35 ''	.45 ''	1.00 "
Latches, Sliding Door Single, .	.15 "	.20 ''	.50 ''
Double, .	.25 ''	.35 ''	.80 ''
Numbers,	.02½ each	o3 each.	.09 each.
Plates, Center and Corner, .			3.90 dozen.
" Letter Box,	1.60 dozen.	2.05 dozen.	3.75 ''
" Push,	.75 ''	1.15 "	11.25 ''
" Hinge,	.25 each.	.50 each.	.95 each.
" Sash Pull,	.16 dozen.	.35 dozen.	.45 dozen.
Pulls, Bell,	1.15 ''	1.50 "	4.50 ''
" Door,	1.90 ''	3.75 ''	11.25 ''
" Drawer,	3.75 gross.	5.25 gross.	11.25 gross.
" " Drop,		. ,	1.45 dozen.
Pulleys,	.60 dozen.	.65 dozen.	1.90 ''
Sockets, Sash,	.16 ''	.35 ''	•45 ''
Thumb Pieces,	.25 ''	.75 ''	1.50 ''
Turns, Cupboard,	.50 ''	.65 ''	1.90 ''
Turnbuckles,	.50 ''	.65 ''	1.90 ''
Checks, Door, polished,	2.00 each.	2.25 each.	
" unpolished, .	.50 ''	.75 "'	
	Fin. 4.	Fin. 8.	
" polished,	2.00 each.	2.75 each.	
" " unpolished, .	.50 "	1.25 "	

Net additions for Gold Plated goods will be furnished upon application.


DESCRIPTION OF FINISHES.

No.	02A	Copper Color.
6.6	21/2	Chocolate Background, Light Polished Surface.
6 6	3	Black Background, Light Polished Surface.
4.6	4	Nickel Plated.
4.6	6	Dark Copper.
4.4	06	" " Sand Finish.
4 4	7	Old Copper.
4 4	07	" " Sand Finish.
6.6	7 1/2	" " Mottled.
6 6	071/2	" " Sand Finish.
4 6	73/4	" " Shaded.
4 6	073/4	" " Sand Finish.
4 4	8	Oxidized Silver.
4.4	08	" Sand Finish.
	8 1/2	" " Mottled.
	9	Dull Brass, Plain Surface.
4 6	09	" " Sand Finish.
"	91/2	" " " Mottled.
6.6	091/2	" " Sand Finish.
4.4	93/4	·· ·· ·· Shaded.
4.6	093/4	" Sand Finish.
4.6	10	Polished Brass, Plain Surface.
6.6	11	" Bronze, Natural Color.
4.4	011	Bronze, Natural Color, Sand Finish.
4.4	18	Satin Silver.
4.4	19	Gold.
4.6	20	Goldine, Gold Color, Sand Finish.
4.6	27	Oxidized Copper, Sand Finish.
4.6	27 ½	" Mottled, Sand Finish.
6 6	273/4	" " Shaded, " "
4.4	28	Satin Silver, Sand Finish.
4.6	29	Gold, Sand Finish.
		Barff Finish, Rustless Iron.

Bevel of Doors.


In ordering locks for doors with Special Bevel, be particular to state THICKNESS of DOORS, as measured by one arm of a square, and the amount of bevel, as shown on the other arm.

Illustration shows a bevel of 1/4 on 21/4 inches.




Hand of Locks.

RIM LOCKS.



MORTISE LOCKS.



Doors which require Right Hand Reverse Bevel Locks, need

Left Hand Butts, and vice versa.

INDEX OF LOCKS AND LATCHES.


Numerically Arranged.

		Numerically A	rrangec		
Lock No.	Page.	Lock No.	Page.	Lock No.	Page.
71/2	129.	0127	150.	738	118.
8	130.	0127 1/2	151.	739	118.
08	130.	0128	150.	R762	125.
81/2	130.	0128 1/2	151.	R 764	125.
00121/4	126.	R 0140	153.	R 766	125.
00123/	126.	R 01401/2	153.	R 770	125.
R 0013	125.	0151	154.	R 775	125.
R 001334	125.	0151 1/2	155.	778	141.
014	123.	0172	126.	790	141.
018	123.	00173	123.	0790	141.
030	145.	001731/2	123.	790 1/2	141.
0030	136.	R 00174	125.	7903/4	141.
0030 ½	136.	R 01783/	125.	791	141.
00303/	136.	0189	147.	792	141.
0031	136.	C 230	144.	881	170.
0031 1/2	136.	C 235	144.	882	170.
0031 3/4	136.	0325	139.	883	170.
0034	138.	0325 1/2	139.	884	170.
0034 ½	138.	03253/	139.	. 885	171.
0034 34	138.	390	122.	886	171.
R 045	145.	3903/4	122.	0893	178.
047	145.	394	122.	1040	145.
050	146.	3943/4	122.	01040	145.
052	146.	C497	175.	1041 ½	145.
00551/4	117.	608	131.	1070	140.
0057	117.	678	141.	1071	140.
0591/2	146.	680	149.	1073	140.
065	143.	680 1/4	149.	10731/2	140.
065 1/2	143.	681	149.	10733/4	140.
089	143.	681 1/4	149.	11243/4	119.
095	146.	683	128.	011243/	119.
096	146.	0683	128.	11643/	120.
R 0101	152.	685	141.	011643/4	120.
0102	150.	693	128.	R 01174	125.
0102 1/2	151.	0693	128.	R0117834	125.
0103	150.	6931/2	128.	01184	121.
01031/2	151.	06931/2	128.	011843/4	121.
0104	165.	7153/4	124.	C 1225M	132.
01041/2	166.	715¾ M	124.	C12251/2M	132.
0108	165.	07181/2	125.	C 1226M	132.
01081/2	166.	0725	135.	C 1226 1/2 M	132.
R 0110	161.	R 730½	125.	C 1227M	132.
R0115	162.	R 732 ½	125.	C 1227 1/2 M	132.
R 0120	152.	R 736	125.	C 1230	156.

INDEX OF LOCKS AND LATCHES. Continued.

Numerically Arranged.

		romeneumy re	irangeu.		
Lock No.	Page.	Lock No.	Page.	Lock No.	Page.
C1232	157.	1327	135.	3206	168.
C 1234	163.	01330	137.	3210	168.
C 1236	164.	01330 1/2	137.	3212	163.
C 1242	160.	013303/4	137.	3214	168.
C 1250	158.	01335	137.	3216	168.
C 1252	158.	013351/2	137.	3240	169.
C1254	159.	013353/4	137.	3242	169.
C 1255M	133.	1390	122.	3244	169.
C 1256M	133.	139034	122.	3246	169.
C 1260	158.	1394	122.	3250	169.
C 1262	158.	13943/	122.	3252	169.
C 1264	159.	C 1455M	134.	3254	169.
C1265M	133.	C1456M	134.	3256	169.
C1266M	133.	C 1465M	134.	3340	166.
C1282	176.	C 1466M	134.	3342	169.
C1282M	176.	1721	119.	3360	169.
C 1284	142.	1724	119.	3362	169.
C1284M	142.	1724 3/4	119.	3600	171.
C12841/2	142.	1750	119.	3602	171.
C 1284 1/2 M	142.	1751	119.	3606	171.
C 1285	142.	1753	119.	3610	171.
C 1285M	142.	1754	119.	3612	171.
C 1285 1/2	142.	1761	120.	3612 1/2	171.
C1285 1/2 M	142.	17613/	120.	36123/4	171.
C 1286	142.	1764	120.	3616	171.
C 1286M	142.	01764	120.	36161/2	171.
C 12861/2	142.	17643/4	120.	36163/4	171.
C 1286 1/2 M	142.	017643/4	120.	3632	171.
C 1288 1/2	142.	1784	121.	3800	167.
C 1288 ½ M	142.	01784	121.	3802	167.
C 1290	173.	017843/4	121.	3804	167.
C1290M	173.	1893	177.	3806	167.
C 01290	173.	2004	119.	3820	167.
C 01290M	173.	2004N	119.	3822	167.
C 1290 1/4	173.	02004N	119.	3824	167.
C 1290 1/4 M	173.	2006N	110.	3826	167.
C 1294	148.	02006N	119.	3830	167.
C1294M	148.	2458	174.	3832	167.
01304	118.	2459	174.	3834	167.
R 1324	135.	2498	174.	3836	167.
R 01324	135.	2499	174.	3920	167.
1325	135.	3200	168.	3922	167.
01325	135.	3202	168.	C7290	173.
1326	135.	3204	168.	C7290M	173.



PLAIN ROUNDED GDGE.



A — Knob No. 377
Escutcheon No. 047 1/8
B — Knob No. 378

Escutcheon No. 0144

D—Sash Lift No. 044 E—Push Button No. 65

C - Escutcheon No. 0346

Plain, Rounded Edge.

		PLAIN,	ROU	NDED	EDG	E.		9
No.	Size, inches.	,	Real 1	Bronze.			Pe	er doz. pairs.
377	21/4×21/4	Door Knob,			in Spi	ndle,.		\$25.20
378	21/2×21/4							28.80
379	3 ×2½		5-16	4 61				150.00
	, , 2	For Swivel Sp		add \$3	.60 per	doz. to 1	ist price	S.
		Roses	AND E	SCUTCH	EONS (COMBINE	D.	Per dozen.
0142	12 ×3	For Columbia	Cyline	ler From	nt Doo	r Locks	outside	\$36.00
01421/4	12 ×3	66 66	"	11	"	"	inside,	42.00
0140		WROUGHT M	ETAI	for C	olumb	ia Fron		
0,10	7(-/4	Locks, or			0144110	1101	1001	12.00
01401/	IO ×23/	WROUGHT M			olumb	ia Fron	t Door	
0710/4	10 / 2/4	Locks, in			orumb	1101	it Door	18.00
0143	85/8×25/8	For Columbia	Office	Locks	Outsi	de	• •	15.00
01431/4		11 11	. 011100	"	insid	ας, .	• •	21.00
0144	85/8×25/8	66 66	Cylind	er West	ihule I	Latches,	onteida.	
01441/4	85/8×25/8	66 66	Cyllind	CI V CSL	16		inside,	21.00
01465/8	65/8×21/8	WROUGHT ME	TAT f	or Com	nunio			
071078	078/2/8	No. C 23	IAL, I	or Comm	mumice	iting Do	OI LOCK	
047RI	nk 63/4 × 21/8	For Columbia	Cylin	der Vec	tibula	Latches	incide	13.20
0411/4	7½×2½ 7½×2½	" COIDING	Cyllin	Ero	nt Do	or Locks	incide,	17.40
041 1/2		" 434 inch		110	noles .	ol Ducks	, mside,	
042 1/2	$7\frac{1}{4} \times 2\frac{1}{8}$ $6\frac{1}{2} \times 2\frac{1}{8}$	" 3½ "	Vectil	ula To	olze o	ll Nos.,	,	20.40
046	$6\frac{1}{2} \times 2\frac{1}{8}$	11 21/ 11	Mortio	o Vnot	I col	s, all N		17.40
047 1/8			14101 (1	e Knor	LOCE	is, all Iv	., .	17.40
047	$6\frac{3}{4} \times 2\frac{1}{8}$	4 "	6.6	6.6	4.6			17.40
0146		WPOUGHT ME			oh Mo	rt Tools	. all No	17.40
01471/8	65/8×21/8 65/8×21/8	WROUGHT ME	IAL, IC	1 3 /2 111	CH MO	rt. Lock	s, all 110	
0147	65/8×21/8	- 66 6		4 .		6.6	66 6	7.20
049	098 × 278	Plate Escutch		4/2				7.20
0346	61/Va1/	WROUGHT M	ECH,	T'leach	Cun	Egoutoh		7.80
0510	072 1278	Sliding I	loor I	ooks N	Cup	Escuten	eon for	
0347	61/2016	WROUGHT M	ET AT	Fluch	Cup	Frontsh	oon for	\$3.00
0017	072 1278	Sliding D	LIAL LOOP T	coles Ma	Cup	Escutch	eon tor	
		Silding L	7001 1	OCKS IV	os. 015	330, 0133	5, etc.,	3.00 Per dozen.
65	41/×21/	Push Button,	Fibre	Back.				\$12.35
651/2	4½×2½	11 11		Rubbe	r Bac	k		14.10
377		Bell Pull,			1 1140	·	•	•
049		Push Plate,		•	•			24.75 15.00
052	12 X3	" "		•	•	• •		22.80
055 1/2	15 ×4	66 66		•	•			41.00
05534	15 ×5	66 66		·	•			50.00
	3 /13				•			Each.
1	17½×16×	43/8 Hinge P	late, .					\$16.50
2	17 ×17×		66					15.75
07.10		D D !!						Per dozen.
0740	13 ×3	Door Pull,						\$54.00
0742	13 ×3	(1)		•				51.00
040	2	Shutter Bar,						7.55
041	2 1/2							8.00
055	1 1/8	" Knob						5.60
044	$3\frac{1}{8} \times 1\frac{5}{8}$	Flush Sash L						4.60
310		Sash Fastene	r, .					6.00
320		6.6 6.6						8.40
041	2.1	Desause De 11						Per gross.
041		Drawer Pull,						\$64.20
	37/8			•				73.20
		h: Finish No.		-1 ·	. D.	r 17: • •		1

Barff: These goods can be furnished in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

For Lock Sets complete with Rounded Edge goods, see page 4.

PLAIN, ROUNDED EDGE.

Front	Door	Sets.
T.LOII	DOOL	OC LO

		I TOIL DOOL DEED		
Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
0127	43/4×35/8	378	041½×049	\$8.15
0103	43/4×35/8	378	041½×049	8.85
C 1250	5½×4	378	0143	15.95
C 1250	5½×4	378	0143×041¼	17.65
	4 88 4		T 1 3T ()	

For Locks Nos. 0127 and 0103, see page 150; Lock No. C 1250, page 158.

Vestibule Door Sets.

Latch No. 0127 ½	Size, inches. $3\frac{3}{8} \times 3\frac{5}{8}$	Knobs No.	Escutcheons No. 042 1/2	Per set. \$6.65
01031/2	33/8×35/8	378	042 1/2	7.40
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	378	0144	11.95
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	378	0144 X 047 Blank.	13.40
		/	T -4-1- NT	- C

For Latches Nos. 0127½ and 0103½, see page 151; Latch No. C 1254, page 159.

Inside Door Sets.

Lock No. 01784	Size, inches. $3\frac{1}{2} \times 3\frac{1}{4}$	Knobs No.	Escutcheons No.	Per set. \$6.10
017843/	$3\frac{1}{2} \times 3\frac{1}{4}$	377	046	6.25
390	$3\frac{1}{2}\times 3\frac{1}{4}$	377	046	6.25
390¾	3/2×31/4	377	046	6.45
01764	4 ×3½	377	047 1/8	6.45
017643/	4 ×3½	377	047 1/8	6.70
R 001334	$4\frac{1}{2} \times 3\frac{1}{2}$	377	047	7.75
73 T 1	37 0	1 0 0/	Tooled Ma	ban one ne

For Locks Nos. 01784 and 0178434, see page 121; Locks Nos. 390 and 39034, page 122; Locks Nos. 01764 and 0176434, page 120; Lock No. Roo1334, page 125.

Sliding Door Sets.

Lock No.									Per set.
01330	Flush	Escutcheons	No.	0347 (4	Escutcheor	is),		٠	\$6.00
013301/2	6.6		6 6	0347 (2	6.6),			3.75
013303/	4.6	4.6	6.6	0347 (4	6.6),	•		7.00
0034	6.6	4.4	6.6	0346 (4	6.6),		•	9.00
0034 1/2	4.6	6.6	4.6	0346 (2	4.4),		•	7.00
00343/	4.4	6.6	4 4	0346 (4	4.4),			10.00
T T	4 37	4			T colea Moa	0004	oto	name	T28

For Locks Nos. 01330, etc., see page 137; Locks Nos. 0034, etc., page 138.

Communicating Door Set.

Lock No. C 235	Size, inches. $4\frac{1}{2} \times 3\frac{1}{2}$	Knobs No.	Escutcheons No. 0146 5/8 × 0146 5/8	Per set. \$7.40
	For Lock	No. C 235, see	page 144.	

Master-keyed Columbia Cylinder Office Sets.


Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
C 1225 M	$5\frac{1}{2}\times 3\frac{3}{4}$	377	0143	\$13.35
C 1225 M	5½×3¾	377	0143×0143 ¹ / ₄	14.60
C 1456 M	$5\frac{1}{2} \times 3\frac{3}{4}$	377	0143	16.65
C 1456 M	$5\frac{1}{2} \times 3\frac{3}{4}$	377	0143×0143 ¹ / ₄	17.90

For Lock No. C1225 M, see page 132; Lock No. C1456 M, page 134.



PLAIN BEVELED EDGE.





A — Knob No. 376
Escutcheon No. 057

B — Knob No. 376½ Escutcheon No. 055 C — Escutcheon No. 035

D-Sash Lift No. 0541/2

E-Push Button No. 54

PLAIN, BEVELED EDGE.

NT.	G:	Real Bronze.	
No.	Size, inches.		Per doz.
376 376½ 390 392 394 398	$ \begin{array}{c} 2\frac{1}{4} \times 2\frac{1}{4} \\ 2\frac{1}{2} \times 2\frac{1}{4} \\ 2\frac{1}{2} \\ 2\frac{1}{8} \\ 2\frac{1}{2} \\ 3 \end{array} $	Door Knob, 5-16 inch Plain Spindle,	pairs. \$21.00 25.00 56.40 67.80 75.00
	0	For Swivel Spindles, add \$3.60 per doz. to list price	64.20
		Roses and Escutcheons Combined.	25.
055 055 ¼ 057 ¼ 050 050 ¼ 057 № 051 ½ 052 ½ 051 % 0056 0057 % 0057 %	12 ×3 12 ×3 6½×2¼ 8½×2¼ 8½×2¼ 7¼×2¼ 6 ×2¼ 6 ×2¼ 6 ×2¼ 6 ½×2¼ 6 ½×2¼ 6 ½×2¼ 6 ½×2¼	For Columbia Front Door Locks, outside, """""""""""""""""""""""""""""""""""	Per dozen. \$36.00 42.00 21.00 19.20 25.20 15.00 19.20 15.00 25.20 15.00 8.00 15.00 8.00 15.00 3.00
035	7 ×3	Flush Cup Escutcheon for Sliding Door Locks,	Per set (4). \$7.50
54 54½ 0390 019 023 028 0750 0551 050 0551 050 053 054½ 22 22½ 23 23½	4¼ × 2¾ 4¼ × 2¾ 4 × 1½ 8 × 2¾ 12 × 4 18 × 4 9½ × 2½ 12 × 3 2½ 11 1¼ 3¼ × 15% 7¼ × 2¾ 7½ × 2½ 17% × 2½ 17% × 2½ 7½ × 2½ 17% × 2½ 7½ × 2½ 17% × 2½ 18 × 4 19½ × 2½ 10 × 10 × 10 × 10 × 10 × 10 × 10 × 10 ×	Push Button, Fibre Back, "" Hard Rubber Back, Bell Pull, Oval Knob, Push Plate, "" " Door Pull, "" Knob, "" Knob, "" Knob, "" Letter Box Plate, "" " (Inside Plate for No. 22),	Per dozen. \$12.35 14.10 35.30 15.00 34.20 54.00 33.00 6.20 6.80 2.25 2.85 4.60 8.40 10.00
-5/2	1/8/12/8	" (Inside Plate for No. 23),	9 40

Regular Finish: Finish No. 11.

Barff: These goods can be furnished in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.


For Lock Sets complete with Beveled Edge goods, see page 8



set.
.05
.40
.65
3.
set.
.15
.85
3.40
ı.65
254,
set.
1.20
4.35
1.35
1.50
4.55
4.80
7.00
and
3¾,
= cot
r set.
1.30
1.30 6.40
6.40
6.40 2.30
6.40 2.30 3.50
6.40 2.30
6.40 2.30 3.50 9.25 4.50
6.40 2.30 3.50 9.25
6.40 2.30 3.50 9.25 4.50 8.
6.40 2.30 3.50 9.25 4.50 8. 8.75
6.40 2.30 3.50 9.25 4.50 8.75 er set. 13.35 14.95
6.40 2.30 3.50 9.25 4.50 8. er set. 3.35 4.95 66.65
6.40 2.30 3.50 9.25 4.50 8.75 er set. 13.35 14.95

PLAIN . .

Base and Bevel.



A—Knob No. 376 Escutcheon No. 0157

B — Knob No. 376½ Escutcheon No. 0155 C — Escutcheon No. 0134

D-Sash Lift No. 0115

E—Push Button No. 0154



PLAIN.-BASE AND BEVEL.

	Real Bronze.
No. Size, inches. 376 2 1/4 × 2 1/4	pairs
-/+/\-/+	φ21.00
376½ 2½×2¼	" 5-16 " " 25.00
	For Swivel Spindles, add \$3.60 per doz. to list prices.
	Roses and Escutcheons Combined.
0155 12 ×3	Per dozen.
	For all Front Door and Office Locks, outside, \$43.20
0155¼ 12 ×3	"Columbia Front Door and Office Locks, inside,
0157¼ 7¾×2¾	
	" Columbia Front Door Locks, inside, . 24.00
0157 $7\frac{3}{8} \times 2\frac{3}{8}$	" all Vestibule Latches and Inside Locks, . 18.00
0157 _{Blank} 73/8×23/8	" Columbia Vestibule Latches, inside, . 18.00
0157 5% 73/8×23/8	" Communicating Door Locks No. C235, . 24.00
0153	Plate Escutcheon,
	Flush Cup Escutcheon for Sliding Door Locks Per set (4).
× × = /2	Non-seed
0135 6 ×2½	
0133 0 ×21/2	Flush Cup Escutcheon for Sliding Door Locks
0154	Nos. 01330, 01335, etc., 9.00 Per dozen.
0154 4·×2½	Push Button, Fibre Back, \$14.85
0154½ 4 ×2½	" Hard Rubber Back, 16.60
0122 12 ×3	" Plate,
0126 16 ×4·	
0152 12 ×3	Door Pull,

Regular Finish: Finish No. 11.

 $3\frac{3}{4} \times 2$

0115

Barff: These goods cannot be furnished in Barff Finish.

Flush Sash Lift, .

Special Finishes: Prices for Special Finishes on page VIII.

For Lock Sets complete with Base and Bevel goods, see page 8 D.

PLAIN.-BASE AND BEVEL.

E.		D.		Sets.
Гr	ont	LO	Or-	Dets

Size, inches.	Knobs No.	Escutcheons No.	Per set.
$4\frac{34}{4} \times 3\frac{5}{8}$	376 1/2	0155×0153	\$9.35
$4\frac{3}{4} \times 3\frac{5}{8}$	376 1/2	0155×0153	10.05
5½×4	3761/2	0155	18.00
5½×4	376 1/2	0155×0157¼	19.50
	$4\frac{34}{4} \times 3\frac{5}{8}$ $4\frac{34}{4} \times 3\frac{5}{8}$ $5\frac{1}{2} \times 4$	4¾×3¾ 376½ 4¾×3¾ 376½ 5½×4 376½	4¾ × 3½ 376½ 0155×0153 4¾ × 3½ 376½ 0155×0153 5½ × 4 376½ 0155

For Locks Nos. 0127 and 0103, see page 150; Lock No. C 1250, page 158.

Vestibule Door Sets.

		1 00000000 2000	0000	
Latch No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
0127 ½	$3\frac{3}{8}\times 3\frac{5}{8}$	376 1/2	0157	\$6.40
01031/2	$3\frac{3}{8} \times 3\frac{5}{8}$	376 1/2	0157	7.10
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	376 1/2	0157	11.90
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	376 1/2	0157×0157 Blank.	13.40
For Latches	Nos 01271/	and orogid, see	nage ISI . Latch N	VO C. 1254

page 159.

Inside Door Sets

	1.1	iside Door Dets.	•	
Lock No. 01784	Size, inches. $3\frac{1}{2}\times3\frac{1}{4}$	Knobs No. 376	Escutcheons No.	Per set. \$5.85
017843/4	$3\frac{1}{2}\times3\frac{1}{4}$	376	0157	6.00
390	3½×3¼	376	0157	6.00
3903/4	$3\frac{1}{2}\times 3\frac{1}{4}$	376	0157	6.20
01764	$4 \times 3\frac{1}{2}$	376	0157	6.20
017643/	4 ×3½	376	0157	6.45
R001334	$4\frac{1}{2}\times3\frac{1}{2}$	376	0157	7.50

For Locks Nos. 01784 and 01784¼, see page 121; Locks Nos. 390 and 390¼, page 122; Locks Nos. 01764 and 01764¾, page 120; Lock No. R 0013¾,

page 125.

Lock No.	Sliding Door Sets.						Per set.			
01335	Flush	Escutcheons	No.	0135	(4	Escutcheo	ns),			\$12.80
013351/2	6.6	4.6	6.6	0135	(2	4.6),			7.15
0133534	4.4	4.4	4.4	0135	(4	4.4),			13.80
0034	6.6	4.6	6.6	0135	(4	6.6),			15.00
0034 1/2	6.6	4.4	4.4	0135	(2	6.6),			10.00
00343/4	4.6	6.6	6.6	0135	(4	4.6),			16.00
For I on	Ire Noc	exact etc c	00 00	~~ ×a		Looles Mon	0001	oto	-	7.00

For Locks Nos. 01335, etc., see page 137; Locks Nos. 0034, etc., page 138.

Communicating Door Set.


Lock No. C 235			Escutcheons No.	Per set. \$8.85	
G m a c	For Lock N	376 o. C 235, see		******	

Master-Keyed Columbia Cylinder Office Sets.

Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
C 1225 M	$5\frac{1}{2} \times 3\frac{3}{4}$	376	0155	\$15.35
C 1225 M	5½×3¾	376	0155×0155¼	18.95
C1456 M	$5\frac{1}{2}\times 3\frac{3}{4}$	376	0155	18.65
C 1456 M	$5\frac{1}{2} \times 3\frac{3}{4}$	376	0155×01551/4	22.25

For Lock No. C 1225 M, see page 132; Lock No. C 1456 M, page 134.

 $D^{\text{ESIGN:}-}$ Rope . . School:- Colonial.



- A Knob No. 387
 Escutcheon No. 076

 R Knob No. 380
- B—Knob No. 380 Escutcheon No. 075
- C Escutcheon No. 039
- D-Sash Lift No. 074
- E Push Button No. 75

ROPE.—COLONIAL.

		Real Bronze.	D 1
No.	Size, inches.		Per doz.
380	21/4×21/4	Door Knob, 5-16 inch Plain Spindle,	\$37.80
381	$2\frac{1}{2} \times 2\frac{1}{4}$	5-16 "	42.00
387	21/4×21/4	5-16	30.00
388	21/2×21/4	" " 5-16 " " "	33.60
389	$2\frac{1}{2} \times 2\frac{1}{2}$	5-16 " "	43.20
		For Swivel Spindles, add \$3.60 per doz. to list prices.	15
0.77		Roses and Escutcheons Combined. Pe	r dozen.
075	9 ×23/4	For Columbia F'nt Door and Vestibule L'ks, outside,	\$21.00
0751/4	9 X234	" " " inside.	27.00
0711/4	7½×2	" Cylinder Front Door Locks. "	27.00
073	9×234	" Front Door and Office " outside.	21.00
0731/4	9×23/4	" inside,	27.00
U//Blar	1k 63/4×2	" Cylinder Vestibule Latches, inside	18.00
071 1/2	71/4×2	" 434 inch Front Door Locks, all Nos.	21.00
072 1/2	61/8×2	" 3½ " Vestibule Locks, all Nos.	18.00
0715/8	71/4×2	"Communicating Door Lock No. C 235.	27.00
076	$6\frac{3}{4} \times 2$	" 3½ inch Mortise Locks, all Nos	18.00
077 1/8	$63/4 \times 2$	4 4 4 4	18.00
077	$6\frac{3}{4}\times 2$	" 4½ " Mortise Locks,	18.00
0174		Plate Escutcheon,	2.40
		Flush Cup Escutcheons:—	set (4).
037	25/8×25/8	For Sliding Door Locks,	
038	5 X2	" " " "	\$3.00
039	7 ×3		3.00
		Pe	7.50 r dozen.
75	41/4×21/4	Push Button, Fibre Back, .	\$14.10
751/2	41/4×21/4	" Hard Rubber Back.	15.85
071	11 ×33/4	Push Plate,	28.80
072	12 ×3	66 66	30.00
076	16 ×4	"	68.00
078	18 ×4	" "	78.00
0757	11 ×35/8	Door Pull,	60.00
075	1 1/8	Shutter Knob,	5.60
072	.//	Hook Sash Lift,	4.00
074 075	$3\frac{1}{4} \times 1\frac{5}{8}$	Flush " "	6.40
075	$4\frac{1}{2} \times 1\frac{1}{2}$	Bar " "	9.00
78	2 XI	Sash Pull Plate,	1.25
70	6 ×17/8	Mortise Flush Bolts:—	-
		12 18 24 30 36 inch.	
		\$21.00 21.60 22.20 22.80 23.40 per dozen.	
		42 48 54 60 66 inch.	
		\$24.00 24.60 25.20 25.80 26.40 per dozen.	
071	3 1/2		r gross.
.072	37/8	" " "	\$78.00
		· · · · · · · · · · · · · · · · · · ·	87.00

Regular Finish: Finish No. 11.

Barff: These goods can be furnished in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

For Lock Sets complete with Rope goods, see page 12.

ROPE.-COLONIAL.

Frank	Door	Cake
r roni	LOOUL	Ders

Lock No. 0127	Size, inches.	Knobs No.	Escutcheons No.	Per set. \$8.15
0127	$4\frac{3}{4} \times 3\frac{5}{8}$	300	0/1/2 × 01/4	φο.15
0103	$4\frac{34}{3} \times 3\frac{5}{8}$	388	071½×0174	8.85
C 1250	5½×4	388	073	16.85
C 1250	5½×4	388	073×071¼	18.60

For Locks Nos. 0127 and 0103, see page 150; Lock No. C 1250, page 158.

Vestibule Door Sets.

Latch No. 0127 ½	Size, inches. $3\frac{3}{8} \times 3\frac{5}{8}$	Knobs No.	Escutcheons No.	Per set. \$7.10
0103½	33/8×35/8	388	0721/2	7.85
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	388	075	12.85
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	388	075×077 Blank.	14.35
For Latcher	Nos organi	and arout/ see	name Trr. Latch N	JO CTOEA

For Latches Nos. 0127½ and 0103½, see page 151; Latch No. C1254, page 159.

Inside Door Sets.

	A.	iside Door Dets	•	
Lock No. 01784	Size, inches. $3\frac{1}{2} \times 3\frac{1}{4}$	Knobs No. 387	Escutcheons No.	Per set. \$6.60
017843/	$3\frac{1}{2}\times 3\frac{1}{4}$	387	076	6.75
390	3½×3¼	387	076	6.75
3903/4	$3\frac{1}{2}\times 3\frac{1}{4}$	387	076	6.95
01764	4 ×3½	387	077 1/8	6.95
017643/4	4 ×3½	387	0771/8	7.20
R 001334	4½×3½	387	077	8.25

For Locks Nos. 01784 and 01784¾, see page 121; Locks Nos. 390 and 390¾, page 122; Locks Nos. 01764 and 01764¾, page 120; Lock No. R 0013¾, page 125.

Lock No.			Slid	ing	D_0	or Sets.			Per set.
01335	Flush	Escutcheon	No.	038	(4	Escutcheon	s),		\$6.80
013351/2	6.6	6.6	4.4	038	(2	4.6),		4.15
013353/	6.6	4.4	4.4	038	(4	4.4),		7.80
0034	4.4	4.4	6.6	039	(4	6.6),		13.50
0034 1/2	6.6	4.4	4.4	039	(2	6.6),		9.25
00343/	6.6	4.6	4.4	039	(4	6.6),		14.50

For Locks Nos. 01335, etc., see page 137; Locks Nos. 0034, etc., page 138.

Communicating Door Set.

Lock No. C235	Size, inches. $4\frac{1}{2} \times 3\frac{1}{2}$	Knobs No. 387	Escutcheons No. 071 1/8 × 071 1/8	Per set. \$10.10
	For Lock	Jo Case see	nage IAA	


Master-keyed Columbia Cylinder Office Sets.

	Triaster-Reyes	Coldinata Cymics	1 Ollico Dotto	
Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
C 1225 M	5½×3¾	387	073	\$14.25
C 1225 M	5½×3¾	387	073×073¼	16.00
C 1456 M	$5\frac{1}{2} \times 3\frac{3}{4}$	387	073	17.55
C1456M	$5\frac{1}{2} \times 3\frac{3}{4}$	387	073×073¼	19.30

For Lock No. C 1225 M, see page 132; Lock No. C 1456M, page 134.



Design: $-\Theta$ val Rope. School: -G olonial.



A — Knob No. 388 Escutcheon No. 075 ½

B-Knob No. 384 Escutcheon No. 076½ C - Escutcheon No. 038 1/2

D-Sash Lift No. 073

E-Drop Drawer Pull No. 1578

Oval Rope. - Colonial.



Per doz.

OVAL ROPE. - COLONIAL.

Real Bronze.

387		4×2¼	Door	Knob,	5-16	inch	Plain S	Spindle	е,			pairs. \$30.00	
388	2 1	2×2¼	4.4	4 4	5-16				•			33.60	
384	2 1	2×2½	6.6	6.6	5-16	4.6	6.6	" O	val F	atter	1,	52.80	
]	For Sw	ivel Si	bindl	es, ado	d \$3.60 j					5	
							ons Con			•			
075 5/8	9	$\times 2\frac{3}{4}$	For C	olumb	іа Су	linder	Front 1	Door L	ocks	, insid	Pe le.	r dozen. \$27.00	
0753/4	9	×2¾	6.6				Office 1					27.00	
076 1/2	Blank	7×2¼	6.6	6.6			Vestibu					18.00	
0751/2	9	×2¾	" F	ront I	Door		Office L					21.00	
0765/8	7	×21/4					oor Lo					24.00	
0761/2	7	×21/4		nside :								18.00	
0176			Plate	Escute	cheor	١, ٠.						2.40	
0381/2	7	×21/4	Flush	Cup E	Scrit		for Slie			T1	Pe	set (4).	
075		, ,							JOOF	Locks		\$7.50 r dozen.	
	5,	2×2¼					ack, .			٠		\$14.10	
0751/2	- /	2×2¼	6.6	4.6		ard R	ubber I	Back,		٠		15.85	
072 ½		×3		Plate,		•						30.00	
073	4	, , ,	Flush	Sash	Lift,	•				٠		7.40	
1578	4	X13/4	Drop	Drawe	er Pu	111,						15.00	
78 ½	6	\times 1 $\frac{7}{8}$	Morti	se Flu	sh B	olts:-	-						
]	12	18	24	30	36	inch	ies.			
			\$30	0.00 3	0.60	31.20	31.80	32.40	per	dozer	1.		
			4	12	48	54	60	66	incl	ies.			
			\$33	3.00 3	3.60	34.20	34.80	35.40	per	dozer	1.		
_													

Regular Finish: Finish No. 11.

No. Size, inches.

Barff: These goods can be furnished in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

For Lock Sets complete with Oval Rope goods, see page 16.

OVAL ROPE. - COLONIAL.

Frank	Door	Sata
rroni	12000	Dels

Lock No. 0127	Size, inches.	Knobs No.	Escutcheons No.	Per set. \$9.75
0103	43/4×35/8	384	075½×0176	10.45
C 1250	5½×4	384	0751/2	18.45
C 1250	5½×4	384	075½×075¾	20.20

For Locks Nos. 0127 and 0103, see page 150; Lock No. C 1250, page 158.

Vestibule Door Sets.

Latch No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
0127 ½	$3\frac{3}{8} \times 3\frac{5}{8}$	384	0761/2	\$8.70
01031/2	33/8×35/8	384	0761/2	9.45
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	384	075 1/2	14.45
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	384	075 1/2 × 076 1/2 Blank.	15.95
For Latches	Nos. 01271/	and orogia see	page Ist: Latch No.	

For Latches Nos. 01271/2 and 01031/2, see page 151; Latch No. C 1254 page 159.

Inside Door Sets.

	1.	iside Door Sets	•	
Lock No. 01784	Size, inches. $3\frac{1}{2} \times 3\frac{1}{4}$	Knobs No. 384	Escutcheons No.	Per set. \$8.50
017843/	$3\frac{1}{2}\times 3\frac{1}{4}$	384	0761/2	8.65
390	3½×3¼	384	0761/2	8.65
390¾	3½×3¼	384	0761/2	8.85
01764	4 ×3½	384	0761/2	8.85
017643/	$4 \times 3\frac{1}{2}$	384	076 1/2	9.10
R 001334	$4\frac{1}{2} \times 3\frac{1}{2}$	384	0761/2	10.15
Don I colon	NT 1	- 0 0/	T 1 3T	-

For Locks Nos. 01784 and 01784¾, see page 121; Locks Nos. 390 and 390¾, page 122; Locks Nos. 01784 and 01784¾, page 120; Lock No. R 0013¾, page 125.

Lo	ck No.	Sliding Door Sets.						Per set.			
0	1335	Flush	Escutcheon	No.	0381/2	(4	Escutcheon	ıs),			\$11.30
0	13351/2	6.6	4.6	6.6	0381/2	(2	4.6),			6.40
0	13353/	6.6	+ 6	4.4	0381/2	(4	4.4),			12.30
	0034	4.4	4.4	4.4	038 1/2	(4	4.4),			13.50
	0034 1/2	6.6	6.6	4.6	0381/2	(2	6.6),			9.25
	00343/	6.6	6.6	4.6	038 1/2	(4	4.6),			14.50
	For Loc	ks Nos	. 01335, etc.,	see p	age 13	7;	Locks Nos.	0034	etc.,	page	138.

Communicating Dan Sat

	Commi	unicating Door	r Set.	
Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
C 235	$4\frac{1}{2}\times3\frac{1}{2}$	384	0765/8 × 0765/8	\$12.00
	For Lock 1	VO. C.235 See	nage IAA	

Master-keyed Columbia Cylinder Office Sets.


Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
C 1225 M	5½×3¾	384	075 1/2	\$16.15
C 1225 M	5½×3¾	384	075½×075¾	17.90
C 1456 M	5½×3¾	384	075 1/2	19.45
C 1456 M	5½×3¾	384	075½×075¾	21.20
77 7 1 37	~			

For Lock No. C 1225 M, see page 132; Lock No. C 1456 M, page 134.



PLAIN OVAL.

ROUNDED GDGE.



A — Knob No. 390 Escutcheon No. 0076½ B — Knob No. 398

Escutcheon No. 00172 1/2

C — Escutcheon No. 0038 1/2

D - Sash Lift No. 0073

E — Push Button No. 0075

PLAIN OVAL.—ROUNDED EDGE.

			Real Bro	onze.				
No. 390	Size, inches.	D	15					Per doz. pairs.
		Door Knob, (Plain	Spindl	le, \$52.80
398	3 ×2		44			6 6	4 4	64.20
	Fo	or Swivel Sp	indles, a	dd \$3.	60 per d	loz. to	list pri	ces.
		Roses and	Еѕситсн	EONS (Combini	ED.		
00172 ½	11½×3	For all From	nt Door	Locks	s, outsid	le,		Per dozen \$32.00
00751/2	85/8×25/8	" Columbia	Front I	Door a	nd Offic	e Locl	ks, out	side, 21.00
00753/4	85/8×25/8	66 66	4.4					side, 27.00
00761/2	7½×2¼	" Vestibule	Latches	and i	Inside I	Locks,		. 18.00
0076 1/2 1	Blank 7 1/8 × 2 1/4	" Columbia	Vestibu	ıle La	tches,	inside,	, .	. 18.00
0076 5/8	7½×2¼	" Commun	cating I	Door L	ocks, N	Io. C 2	35,	. 24.00
00176	23/8×11/8	Plate Escu	tcheon,					. 3.60
00381/2	7 ×2½	Flush Cup I	Scutched	on for	Sliding	Door	Locks	Per set (4).
0075	5½×2½	Push Butto						Per dozen.
00751/2	5½×2½	4.6			er Bac			15.85
0072 ½	11½×3	Push Plate						
0073	4½×1	Flush Sash	Lift,					
Rea	ular Finish	Finish No.	TT					, ,
				. 1 1		~ ~~		
Dari	. These g	oods cannot	be furn	ished	in Bari	t Fini	sh.	

Special Finishes: Prices for Special Finishes on page VIII.

For Lock Sets complete with Oval Rounded Edge goods, see page 16 D.

PLAIN OVAL.-ROUNDED EDGE.

	F	Front Door Sets.		
Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
0127	4¾×3½	398	$0075\frac{1}{2} \times 00176$	\$10.80
0103	43/4×35/8	398	0075½×00176	11.45
C 1250	5½×4	398	00172 1/2	20.35
C 1250	5½×4	398	00172½×0075¾	22.10
The Tarte Man			T1- NT- C	** * * * * * * * * * * * * * * * * * *

For Locks Nos. 0127 and 0103, see page 150; Lock No. C 1250, page 158.

	Ve	stibule Door Se	ets.	
Latch No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
01271/2	$3\frac{3}{8} \times 3\frac{5}{8}$	398	00761/2	\$9.65
01031/2	33/8×35/8	398	00761/2	10.40
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	398	00761/2	15.15
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	398	0076 1/2 X 0076 1/2 Blank.	16.65
For Latches	Nos. 01271/2 an	d 0103½, see	page 151; Latch No.	C 1254,

For Latches Nos. 0127½ and 0103½, see page 151; Latch No. C1254, page 159.

	It	nside Door Sets.		
Lock No. 01784	Size, inches. $3\frac{1}{2} \times 3\frac{1}{4}$	Knobs No. 390	Escutcheons No.	Per set. \$8.50
017843/	3½×3¼	390	00761/2	8.65
390	$3\frac{1}{2}\times 3\frac{1}{4}$	390	00761/2	8.65
3903/4	$3\frac{1}{2} \times 3\frac{1}{4}$	390	00761/2	8.85
01764	$4 \times 3\frac{1}{2}$	390	00761/2	8.85
0176434	$4 \times 3\frac{1}{2}$	390	00761/2	9.10
R 001334	$4\frac{1}{2} \times 3\frac{1}{2}$	390	00761/2	10.15

For Locks Nos. 01784 and 01784¾, see page 121; Locks Nos. 390 and 390¾, page 122; Locks Nos. 01764 and 01764¾, page 120; Lock No. R 0013¾, page 125.

1 0								
Lock No.			Slidi	ng Door S	Sets.			Per set.
01335	Flush	Escutcheons	No.	00381/2 (4	Escutched	ons),		\$11.30
013351/2	4.6	6.6	4.4	00381/2 (2	6.6),		6.40
013353/		6 6	6.6	00381/2 (4	6.6),		12.30
0034	6.6	6.6	4.6	00381/2 (4	6.6),		13.50
0034 ½	4 4	6.4	6 6	00381/2 (2	6.6),		9.25
00343/	6.6	4.4	4.6	00381/2 (4	6.6),		14.50
T3 T								

For Locks Nos. 01335, etc., see page 137; Locks Nos. 0034, etc., page 138.


	Comm	unicating Door	Set.	
Lock No.	Size, inches. $4\frac{1}{2} \times 3\frac{1}{2}$	Knobs No.	Escutcheons No.	Per set. \$11.50
		Vo. C 235, see	. ,	# 3 -

	Master-Keyed	Columbia Cylinde	r Office Sets.	
Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
C 1225 M	$5\frac{1}{2} \times 3\frac{3}{4}$	390	0075 1/2	\$16.15
C 1225 M	$5\frac{1}{2}\times3\frac{3}{4}$	390	0075½×0075¾	17.90
C 1456 M	$5\frac{1}{2} \times 3\frac{3}{4}$	390	00751/2	19.45
C 1456 M	5½×3¾	390	0075½×0075¾	21.20

For Lock No. C 1225 M, see page 132; Lock No. C 1456 M, see page 134.



Design:— Lexington. School:—Golonial.



- A Knob No. 374 Escutcheon No. 067
- B Knob No. 372 Escutcheon No. 065
- C Escutcheon No. 480
- D-Sash Lift No. 1183
- E Push Button No. 145

LEXINGTON. - COLONIAL.

Real Bronze.

No.	Size, inches.	Per doz pairs.
372	$2\frac{1}{2}\times2\frac{1}{2}$	Door Knob, Round Pattern, 5-16 inch Plain
		Spindle,
374	$2\frac{1}{2} \times 2\frac{1}{2}$	Door Knob, Oval Pattern, 5-16 inch Plain
		Spindle, 42.00
]	For Swivel Spindles, add \$3.60 per doz. to list prices.
		7
		Roses and Escutcheons Combined.
065	11½×3	For all Front Door Locks, outside, \$30.00
066 1/4	9¾×3	" Columbia Office and Front Door Locks, inside, 33.00
066	$9\frac{3}{4} \times 3$	" Vestibule and Office Door Locks, outside, 27.00
067_{Blan}	ak 7½×2¼	" Columbia Cylinder Vestibule Latches, inside, 18.00
066 5%	9¾×3	" Communicating Door Locks No. C235, . 33.00
067	$7\frac{1}{2}\times2\frac{1}{4}$	" Inside Door Locks,
0169	2½×1¼	Plate Escutcheon, 3.20
480	7½×2½	Plush Can Frankshaue for Olivia Per set (4).
100	1/4 /\2/2	
145	6½×2¼	Push Button, Fibre Back,
1451/2	6½×2¼	" " TI1 D 11 D 1
065	11½×3	Duch Diete
1183	, =	50.00
1102	$4\frac{1}{8} \times 1\frac{7}{8}$	Flush Sash Lift, 9.60

Regular Finish: Finish No. 11.

Barff: These goods can be furnished in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

For Lock Sets complete with Lexington goods, see page 20.

LEXINGTON.—COLONIAL.

T 1 37		Front Door	Sets.		
Lock No. 0127	Size, inches. $4\frac{3}{4} \times 3\frac{5}{8}$	Knobs 372 01		Escutcheons No. 065 × 0169	Per set.
0103	4¾×35/8	372 ''			\$9.65
C 1250	5½×4	372 ''		57 (0 9	18.30
C 1250	5½×4	372 ''	374	065×066¼	20 55
FOI LOCKS NO	os. 0127 and 010	3, see page	150;	Lock No. C 1250, page	158.

			0 11-0	- 500
		Vestibule Door Sets	5.	
Latch No. 0127 ½	Size, inches. $3\frac{3}{8} \times 3\frac{5}{8}$	Knobs No. 372 Or 374	Escutcheons No.	Per set.
01031/2	33/8×35/8	372 ' 374	066	\$8.55
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	372 '' 374	066	9.30 14.05
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	372 '' 374	066×067 Blank.	T
page 159.	Nos. 0127 ½	and 01031/2, see p	page 151; Latch No.	C 1254,
		_		

T 1 37		Inside Door Sets.		
Lock No. 01784	Size, inches.	Knobs No.	Escutcheons No.	Per set.
017843/	3½×3¼	372 or 374 372 '' 374	067	\$7.60
390	3½×3¼	372 ° 374	067	7.75
3903/	3½×3¼	372 " 374 372 " 374	067	7.75
01764	4 ×3½	372 ° 374	067	7.95
017643/	4 ×3½	372 " 374	067	7.95
R 001334	4½×3½	372 " 374	067	8.20
For Locks	Nos ores and		067	9.25

For Locks Nos. 01784 and 01784¾, see page 121; Locks Nos. 390 and 390¾, page 122; Locks Nos. 01764 and 01764¾, page 120; Lock No. R 0013¾, page 125.

Lock No.			Slidi	ng D	oor	Sets.					_
01335	Flush	Escutcheon	s No.	480	(4)	Escutcheon	e)				Per set.
01335 1/2	4.4	1.6	4.4	480		"	٠),	•		•	\$10.80
013353/	6.6	4.6	4.4		,),	٠			6.15
/ T				480	(4	4.4),				11.80
0034	4.4	4.4	4.4	480	(4	4.4).				13.00
0034 1/2	6.6	4.4	4.4	480	(2	4.4)		•	•	
00343/	4 4	4.4	4.4	480	,	4.4	/1	•	•		9.00
	les Mos	01335, etc),				14.00
1.01 1700	PO TAOS	01335. erc.	SEE T	1 AME	07.	Looled Man					_

For Locks Nos. 01335, etc., see page 137; Locks Nos. 0034, etc., page 138.


T 1 27		nicating Door Set.		
Lock No. C 235	Size, inches.	Knobs No.	Escutcheons No.	Per set.
0 = 00		372 or 374	066 5% × 066 5%	\$12.10
	For Lock N	o. C235, see page	144.	

	Master-keyed	Columbia Cylinder Of	fice Sets.	
Lock No. C 1225 M	Size, inches. $5\frac{1}{2} \times 3\frac{3}{4}$	Knobs No.	Escutcheons No.	Per set.
C1225M	5½×3¾	372 or 374 372 '' 374	066 066×066¼	\$15.75
C1456M	$5\frac{1}{2} \times 3\frac{3}{4}$	372 '' 374	066	18.00
C1456M	5½×3¾	372 '' 374	066×066¼	21.30
For Lock	NO. C 1225 M c	ee name ran: I only M.	0 . 7.5	. 5 -

For Lock No. C 1225 M, see page 132; Lock No. C 1456 M, page 134.

DESIGN:- CAMBRIDGE.

 $S{\tt CHOOL}\!:=\!G{\tt OLONIAL}.$



A — Knob No. 374 Escutcheon No. 086

B — Knob No. 372 Escutcheon No. 083 C - Escutcheon No. 036 1/2

D-Sash Lift No. 084

E-Push Button No. 85

Cambridge.—Colonial.

CAMBRIDGE. - COLONIAL.



Per doz.

Real Bronze.

No.	Size, inches		pairs.
372	$2\frac{1}{2}\times2\frac{1}{2}$, o	\$42.00
374	$2\frac{1}{2}\times2\frac{1}{2}$	" " 5-16 " " Oval Pattern,	42.00
		For Swivel Spindles, add \$3.60 per doz. to list prices.	
		Roses and Escutcheons Combined.	
083	9½×2⅓	For Columbia Cylinder Front Door and Office Locks, outside,	\$21.60
0831/4	9½×2½	" Columbia Cylinder Front Door and Office Locks, inside,	27.60
085	9½×2½	" Front Door and Vestibule Locks, outside,	21 60
080 1/4	834×21/8	" Columbia Cylinder Front Door Locks, inside,	27.60
080	83/×21/8	" Front Door Locks, outside,	21.60
081 1/2	73/×21/8	" Front Door Locks, "	21.60
082 1/2	65/8×21/8	" Vestibule Door Locks,	18.00
087 _{Bls}	ink 6 7/8 × 2 1/8	" Columbia Cylinder Vestibule Latches, inside,	18.00
081 5%	7¾×2½	" Communicating Door Lock No. C 235, .	27.60
086	$6\frac{1}{2} \times 2\frac{1}{8}$	" 3½ inch Mortise Locks, all Nos.,	18.00
087 1/8	67/8×21/8		18.00
087	67/8×21/8	" 4½ " "	18.00
0189	23/8×11/8	Plate Escutcheon,	7.50
036 ½	7 ×2	Flush Cup Escutcheons for Sliding Door Locks,	set (4). \$4.50
85	5 ×2½	Per	dozen. \$14.10
851/2	5 ×2½	" Hard Rubber Back,	15.85
372	4 ×2½	Bell Pull,	26.60
082	12 ×3	Push Plate,	30.00
084	47/8×17/8	Flush Sash Lift,	5.75
D.	aufan Finish	Finish No. 11	

Regular Finish: Finish No. 11.

Barff: These goods can be supplied in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

For Lock Sets complete with Cambridge goods, see page 24.

CAMBRIDGE. - COLONIAL.

		Front Door Sets.					
Lock No. 0127	Size, inches. $4\frac{34}{4} \times 3\frac{5}{8}$	Knobs No. 372 Or 374	Escutcheons No. 081 ½ × 0189	Per set. \$9.35			
0103	43/4×35/8	372 '' 374	081½×0189	10.05			
C 1250 C 1250	5½×4 5½×4	372 '' 374 372 '' 374	083	17.60			
5½ X4 372 " 374 083 X 080							

		Vestibule Door Sets.		
Latch No. 0127 ½	Size, inches. $3\frac{3}{8} \times 3\frac{5}{8}$	Knobs No. 372 or 374	Escutcheons No. 082 1/2	Per set. \$7.80
0103½	33/8×35/8	372 " 374	082 1/2	8.55
C 1254 C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$ $3\frac{3}{4} \times 3\frac{3}{4}$	372 '' 374 372 '' 374	085	13.60
For Latches page 159.		and 0103½, see page	085×087 Blank. 151; Latch No.	15.10 C 1254,

_		Inside Door Sets.		
Lock No. 01784	Size, inches. $3\frac{1}{2} \times 3\frac{1}{4}$	Knobs No. 372 or 374	Escutcheons No.	Per set. \$7.60
017843/ 390	3½×3¼	372 '' 374	086	7.75
3903/	$3\frac{1}{2} \times 3\frac{1}{4}$ $3\frac{1}{2} \times 3\frac{1}{4}$	372 '' 374 372 '' 374	086 086	7.75
01764	4 ×3½	372 " 374	0871/8	7·95 7·95
017643/ R 00133/	$4 \times 3\frac{1}{2}$ $4\frac{1}{2} \times 3\frac{1}{2}$	372 '' 374	0871/8	8.20
7.1		372 " 374	087	9.25

For Locks Nos. 01784 and 01784¾, see page 121; Locks Nos. 390 and 390¾, page 122; Locks Nos. 01764 and 01764¾, page 120; Lock No. R 0013¾, page 125.

Lock No.			Slidi	ng Doo	r	Sets.				70
01335	Flush	Escutcheon	No.	036 1/2 ((4	Escutcheon	S).			Per set. \$8.30
01335 1/2	6.6	6 4 4		0361/2)	-		- 0
0133534	4.4			- / -	•),	•	٠	4.90
0034	6.4	6.6		0361/2 (),	•	•	9.30
0034 1/2	4.4	6.4		- /- '),	•	•	10.50
00343/	6.6	6.6		0361/2 (),	٠	٠	7.75
For Los	1 NT			036 1/2 (4	4.4),			11.50

For Locks Nos. 01335, etc., see page 137; Locks Nos. 0034, etc., page 138.

Communicating Door Set.

Lock No. C 235	Size, inches. $4\frac{1}{2} \times 3\frac{1}{2}$	Knobs No. 372 or 374	Escutcheons No. 0815/8 × 0815/8	Per set. \$11.20
	For Lock No.	C 235, see page	144.	


Master-keyed Columbia Cylinder Office Sets.

	,		CITICE OCIS	
Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
C 1225 M	$5\frac{1}{2} \times 3\frac{3}{4}$	372 or 374	083	\$15.30
C1225 M	5½×3¾	372 '' 374	083×0831/4	17.10
C1456 M	$5\frac{1}{2} \times 3\frac{3}{4}$	372 '' 374	083	18.60
C 1456 M	5½×3¾	372 " 374	3	
D- I	1 37 0 374	3/2 3/4	083×0831/4	20.40

For Lock No. C 1225 M, see page 132; Lock No. C 1456 M, page 134.

DESIGN:-PRISCILLA.

SCHOOL:-GOLONIAL.



A — Knob No. 3757 Escutcheon No. 761

B — Knob No. 3758 Escutcheon No. 760 C - Escutcheon No. 1761

D-Sash Lift No. 764

E-Push Button No. 763

14.00

PRISCILLA.—COLONIAL.

Real Bronze. Per doz. No. Size, inches. pairs. 3757 Door Knob, Oval Pattern, 5-16 inch Screwless 2 1/2 × 1 1/2 Spindle, . \$84.00 3758 X13/ Door Knob, Oval Pattern, 5-16 inch Screwless Spindle, 88.20 For Swivel Spindles, add \$3.60 per doz. to list prices. Roses and Escutcheons Combined. Per dozen. 760 105/8×31/4 For all Front Door and Office Locks, outside, \$80.00 760¼ 105/8×3¼ Columbia Front Door and Office Locks, inside, 86.00 761 1/4 $9 \times 2\frac{1}{2}$ Columbia Front Door Locks, inside, 66.00 761 9 X21/2 Vestibule Latches and inside Locks, 60.00 761 Blank 9 X2 1/2 Columbia Vestibule Latches, inside. 60.00 761 5/8 9 X21/2 " Communicating Door Lock No. C 235, 66.00 763 11/2× 7/8 Plate Escutcheon, 7.00 Per set (4). 1760 Flush Cup Escutcheon for Sliding Door Locks 9 ×23/ Nos. 0034, 0034½, 0034¾, \$35.00 1761 Flush Cup Escutcheon for Sliding Door Locks 9 ×23/4 Nos. 01330, 01335, etc., 35.00 Per dozen. 763 6 X21/4 Push Button, Fibre Back, . \$44.00 763 1/2 6 X21/ Hard Rubber Back, 45.75 760 105/8×31/4 " Plate 74.00 764 41/4×11/2 Flush Sash Lift, . 20.00 765 Bar

Regular Finish: Finish No. 11. HAND CHASED.

Barff: These goods cannot be furnished in Barff Finish.

Special Finishes: Prices of Special Finishes on page VIII.

For Lock Sets complete with Priscilla goods, see page 24 D.

R 001334

PRISCILLA.—COLONIAL.

Lock No. 0127 0103 C 1250 C 1250	Size, inches. 4 ³ / ₄ × 3 ⁵ / ₈ 4 ³ / ₄ × 3 ⁵ / ₈ 5 ¹ / ₂ × 4	Front Door Sets. Knobs No. 3758 3758 3758	Escutcheons No. 760×763 760×763 760	Per set. \$18.00 18.70 26.35
For Looks Nos	5½×4	3758	760×761¼	31.35

or Locks Nos. 0127 and 0103, see page 150; Lock No. C 1250, page 158.

*		Vestibule Door Sets.	•	
Latch No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
0127 ½	$3\frac{3}{8} \times 3\frac{5}{8}$	3758	761	\$15.15
01031/2	33/8×35/8	3758	761	15.90
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	3758		
C 1254	- / 1 - / 1	- 1 -	761	20.65
	3¾×3¾	3758	761×761 Blank.	25.65
For Latches	Nos. 0127 1/2	and 01031/2, see pa	age 151; Latch No.	C 1254.
Dage Ito		_	0 0 ,	

page 159. Inside Door Sets. Lock No. Size, inches. Knobs No. Escutcheons No. Per set. 01784 3½×3¼ 3757 761 \$18.10 0178434 3½×3¼ 3757 761 18.25 390 31/2×21/4 3757 761 18.25 390 3/ 31/2×31/4 3757 761 18.45 01764 4 ×3½ 3757 761 18.45 0176434 4 X31/2 3757 761 18.70

4½×3½ 3757 761 19.75 For Locks Nos. 01784 and 0178434, see page 121; Locks Nos. 390 and 390¾, page 122; Locks Nos. 01764 and 01764¾, page 120; Lock No. R 0013¾, page 125.

Lock No.			Slidi	ng Door	Sets.				D .
01335	Flush	Escutcheon	No.	1761 (4	Escutcheo	ns)			Per set. \$38.80
01335 1/2	4 6	6.6	6.6	1761 (2	66)	•	•	- 0
013353/	6.6	6.6	6.6	,),	•	٠	20.15
0034	6.6	4.4		1761 (4	4.6),		•	39.80
				1760 (4	4.6),			41.00
00341/2	4 6	6.6	4 4	1760 (2	4.6).			23.00
00343/	4.4	4.4	4.4	1760 (4	4.6),	•	•	
For Loc	le Noc	OTGGT oto		2/00 (4	T 1 37),	•	•	42.00

ks Nos. 01335, etc., see page 137; Locks Nos. 0034, etc., page 138.

Communicating Door Set.

C 235	Size, inches. $4\frac{1}{2} \times 3\frac{1}{2}$	Knobs No. 3757	Escutcheons No. 761 1/8 × 761 1/8	Per set. \$21.10
	For Lock N			φ21.10

Master-Keyed Columbia Cylinder Office Sets.


Lock No. C 1225 M	Size, inches. $5\frac{1}{2} \times 3\frac{3}{4}$	Knobs No.	Escutcheons No.	Per set. \$23.70
C 1225 M	$5\frac{1}{2} \times 3\frac{3}{4}$	3757	760×760¼	30.35
C 1456 M	$5\frac{1}{2} \times 3\frac{3}{4}$	3757	760	27.00
C 1456 M	$5\frac{1}{2} \times 3\frac{3}{4}$	3757	760×760¼	33.65

For Lock No. C 1225 M, see page 132; Lock No. C 1456 M, page 134.

Design:— Dedham.

SCHOOL:-GOLONIAL.





A — Knob No. 689 Escutcheon No. 0971/8

B—Knob No. 359 Escutcheon No. 091½ C - Escutcheon No. 496

D-Sash Lift No. 094

E - Push Button No. 94

Per doz.

DEDHAM. - COLONIAL.

Real Bronze.

359	ol/Yol/	Door Vrobe # 76 inch Dlain Spindle	Paris.
	21/4×21/4	Door Knobs, 5-16 inch Plain Spindle, .	-0.
689	21/4×21/4	" " 5-16 " "	. 30.00
	F	for Swivel Spindles, add \$3.60 per doz. to list pr	rices.
		_	
		Roses and Escutcheons Combined.	Per dozen.
091 1/2	9¾×2¾	For Front Door and Office Locks, outside,	. \$18.00
0911/4	93/4×23/8	" Columbia Cylinder Front Door and Office	ce
		Locks, inside,	. 24.00
092 1/2 ви	ank 85/8×23/8	" Columbia Vestibule Latches, inside,	. 16.50
092 1/2	85/8×23/8	" Vestibule Latches, outside,	. 16.50°
091 5/8	93/×23/8	" Communicating Door Lock No. C 235,	. 24.00
0981/2	85/8×23/8	" 3½ inch Mortise Locks,	. 16.50
097 1/8	85/8×23/8		. 16.50
097	85/8×23/8	" 4½ " "	. 16.50
099		Plate Escutcheon,	. 3.00
496	8½×23/8	Flush Cup Equatohoon for Cliding Door I as	Per set (4).
1/0	074 1298	Flush Cup Escutcheon for Sliding Door Loc. Nos. 0034, 0034, 0034,	. \$6.00
497	01/3/02/		
47/	8½×23/8	Flush Cup Escutcheon for Sliding Door Lock Nos. 01330, 01335, etc.,	. 6.00
		1103. 01330, 01335, etc.,	Per dozen.
94	$5\frac{1}{4} \times 2\frac{3}{8}$	Push Button, Fibre Back,	. \$12.35
941/2	5½×23/8	" " Hard Rubber Back,	. 14.10
090	12 ×3	" Plate,	. 40.00
094	4%×1%	Flush Sash Lift,	. 10.00

Regular Finish: Finish No. 11.

No. Size, inches.

Barff: These goods can be furnished in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

For Lock Sets complete with Dedham goods, see page 28.

DEDHAM. - COLONIAL.

_	I	Front Door Sets	•	
Lock No. 0127	Size, inches. $4\frac{34}{4} \times 3\frac{5}{8}$	Knobs No.	Escutcheons No.	Per set. \$7.65
0103	$4\frac{3}{4} \times 3\frac{5}{8}$	689	091½×099	8.35
C 1250 C 1250	5½×4	689	091 1/2	16.30
	5½×4 os. 0127 and 0103	689 , see page 150:	091½×091¼ Lock No. C 1250, pa	17.80

Latch No. 0127 ½ 0103 ½ C 1254 C 1254 For Latches	Size, inches. 33/8×35/8 33/8×35/8 33/4×33/4 ×33/	Vestibule Door Se Knobs No. 689 689 689	Escutcheons No. 092 ½ 092 ½ 091 ½ 091 ½ 091 ½ 091 ½	Per set. \$6.70 7.40 12.30 13.70
For Latches page 159.			page 151; Latch No.	C 1254,
		Incida Door Sale		

Y 1 37		Inside Door Sets.		
Lock No. 01784	Size, inches.	Knobs No.	Escutcheons No.	Per set.
017843/	$3\frac{1}{2}\times 3\frac{1}{4}$	689	098 1/2	\$6.10
	$3\frac{1}{2}\times 3\frac{1}{4}$	689	0981/2	6.25
390	$3\frac{1}{2}\times 3\frac{1}{4}$	689	0981/2	6.25
3903/4	$3\frac{1}{2}\times 3\frac{1}{4}$	689	0981/2	6.45
01764	4 ×3½	689	0971/8	6.45
017643/4	4 ×3½	689	0971/8	6.70
R 001334	$4\frac{1}{2} \times 3\frac{1}{2}$	689	097	•
For Locks			121: Locks Nos	7.75

For Locks Nos. 01784 and 01784¾, see page 121; Locks Nos. 390 and 390¾, page 122; Locks Nos. 01764 and 01764¾, page 120; Lock No. R 0013¾, page 125.

Lock No.			Slidi	ng D	001	Sets.					D
01335	Flush	Escutcheon	No.	497	(4	Escutcheor	1s),				Per set. \$9.80
01335 1/2	"	6.6	66	497		4.6).			·	5.65
013353/	4.4	6.6	6.6	497	(4	6.6)			•	10.80
0034	4.4	6.6	4.6	496		4.6),	•	•	٠	
0034 1/2	6.6	4 4	6.6	496		6.6),		•	•	12.00
00343/	6 6	6.6	66	.,	,	4.6),		•	٠	8.50
T3 T				490	(4),				13.00

For Locks Nos. 01335, etc., see page 137; Locks Nos. 0034, etc., page 138.


v		nunicating Door	Set.	
C 235	Size, inches. 4½×3½ For Lock	Knobs No. 689 No. C 235, see	Escutcheons No. 091 5% × 091 5% page 144.	Per set. \$9.35

Tallar	Master-keyed	Columbia Cylind	er Office Sets.	
Lock No. C 1225 M	Size, inches. 5 ½ × 3 ¾	Knobs No.	Escutcheons No.	Per set.
C 1225 M	5½×3¾	689	091 1/2 × 091 1/4	\$14.00
C 1456 M	5½×3¾	689	0911/2	17.30
C 1456 M	5½×3¾	689	091½×091¼	T8 80
FOR LOCK NO	o. C 1225 M, see	page 132; Lock	No. C 1456 M, see p	age 134.



DESIGN:-GALVERT.

SCHOOL - GOLONIAL.



A-Knob No. 3701 Escutcheon No. 701

B — Knob No. 3702 Escutcheon No. 700 C - Escutcheon No. 1700

D—Push Button No. 705 E—Sash Lift No. 708

F-Sash Lift No. 704

CALVERT .- COLONIAL.

No.	Size, inches.	Real Bronze.
3701	21/4×21/4	Door Knob, 5-16 inch Screwless Spindle, . \$60.00
3702	2½×2¼	. 64.20
		For Swivel Spindles, add \$3.60 per doz. to list prices.
		Roses and Escutcheons Combined.
700	70 \/0	Per dozen.
	10 ×3	For all Front Door and Office Locks, outside, \$42.00
7001/4	10 ×3	" Columbia Front Door and Office Locks, inside,
704 - 4	, ,	45105
7011/4	$7\frac{1}{4} \times 2\frac{1}{2}$	"Columbia Front Door Locks, inside, 36.00
701	71/4×21/2	" Vestibule Latches and Inside Locks, . 30.00
701 Blan	nk 71/4×21/2	" Columbia Vestibule Latches, inside, 30.00
701 5/8	7½×2½	" Communicating Door Lock No. C 235, . 36.00
703	2 ×1 ½	Plate Escutcheon, 3.60
1700	7½×2½	Flush Cup Escutcheon for Sliding Door Locks Per set (4).
-	1/4/1-/2	Nos. 0034, 0034½, 0034¾, \$15.00
1701	71/4×21/2	Flush Cup Escutcheon for Sliding Door Locks
		Nos. 01330, 01335, etc.,
705	5½×2	Push Button, Fibre Back,
7051/2	5½×2	" Hard Rubber Back, 22.75
704	334×15%	Flush Sash Lift, 8.50
708	51/8×11/2	Bar " "

Regular Finish: Finish No. 27. Finishes Nos. 02 A, 06, 07, 07½, 07¾, 09, 09½, 09¾, 011, 27½, and 27¾, at the same price. Supplied in Sand Finishes only.

Barff: These goods cannot be furnished in Barff Finish.

Special Finishes: Prices for Special Finishes on page VIII.

For Lock Sets complete with Calvert goods, see page 28 D.


CALVERT .- COLONIAL.

			Fre	ont Door	Sets.				
Lock No. 0127		Size, inches.		Knobs N	lo.	Escutche	eons No.		Per set.
0103		$4\frac{3}{4} \times 3\frac{5}{8}$		3702		700×	-		\$12.85
		$4\frac{3}{4} \times 3\frac{5}{8}$		3702		700×	(703		13.55
C 1250		5½×4		3702		70	00		21.55
	1 37	5½×4		3702		700×	7011/4		25.05
For Lo	ocks Nos	s. 0127 and o	103,	see page	150; L	ock No.	C 1250,	pag	e 158.
			Vesti	bule Door	Sets.				
Latch No. 0127 ½		Size, inches.		Knobs N	lo.	Escutche			Per set.
01031/2		33/8×35/8		3702		70			\$10.95
C 1254		33/8×35/8		3702		70	I		11.65
		$3\frac{3}{4} \times 3\frac{3}{4}$		3702		70	I		16.55
C 1254	4.1 N	$3\frac{3}{4} \times 3\frac{3}{4}$		3702		701×	701 Blan	k	19.05
page 150	itches N	Nos. 0127½	and	0103½, s	ee pag	ge 151;	Latch	No.	C 1254,
page 139	,.		Insi	de Door	Sets.				
Lock No.		Size, inches.		Knobs N	o.	Escutche	eons No.		Per set.
01784		$3\frac{1}{2}\times 3\frac{1}{4}$		3701		70	I		\$11.25
017843/ 390		$3\frac{1}{2}\times 3\frac{1}{4}$		3701		70	I		11.45
		$3\frac{1}{2}\times 3\frac{1}{4}$		3701		70	I		11.45
390¾		$3\frac{1}{2}\times 3\frac{1}{4}$		3701		70	I		11.60
01764		4 ×3½		3701		70	I		11.60
0176434		$4 \times 3\frac{1}{2}$		3701		70	I		11.85
R 001334		$4\frac{1}{2} \times 3\frac{1}{2}$		3701		70			12.95
For Locks Nos. 01784 and 01784¾, see page 121; Locks Nos. 390 and 390¾, page 122; Locks Nos. 01764 and 01764¾, page 120; Lock No. R 0013¾, page 125.									
Lock No.			Slidi	ng Door	Sets.				D
01335	Flush	Escutcheon	No.	1701 (4	Escute	heons),			Per set. \$19.45
013351/2	6.6	6 6	6.6	1701 (2	4.6),			10.65
0133534	4.6	6.6	6.6	1701 (4	6.6),			20.45
0034	6.6	6.6	"	1700 (4	6.6),			21.65
00341/2	"	4 4	6.6	1700 (2	6.6),			13.50
003434	6.6	6 6	6.6	1700 (4	4.4),			22.65
For Loc	eks Nos.	01335, etc.,	see p		Locks		a. etc.	nage	128
							,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Pus	3 130.
Lock No.		Size, inches.	miu.	Knobs No		Escutche	one No		Dec see
C235		$4\frac{1}{2}\times3\frac{1}{2}$		3701		701 5/8 X			Per set. \$14.30
		For Lock	No.	. C 235, s	see pag	ge 144.			- 10
	IV	laster-Keyed					ata.		
Lock No.	24.	Size, inches.	COIL	Knobs No	o.	Escutche	ons No.		Per set.
C1225 M		5½×3¾		3701		700			\$18.90
C1225 M		$5\frac{1}{2} \times 3\frac{3}{4}$		3701		700×70	001/		22.40
C 1456 M		5½×3¾		3701		700	, ,		22.20
C 1456 M		5½×3¾		3701		700×70	001/		25.70
For L	ock No.	C 1225 M, Se	e pa	ge 132;]	Lock N	o. C 145	6 M, pa	ige i	34.
							. 1	3	

Design:— Mayflower.

SCHOOL:-GOLONIAL.





A-Knob No. 3771
Escutcheon No. 776
R Knob No. 3773

B — Knob No. 3772 Escutcheon No. 775 C — Escutcheon No. 494

D-Sash Lift No. 774

E-Push Button No. 775

Mayflower. - Colonial.

MAYFLOWER.-COLONIAL.

-	-
Real	Bronze

3771	Size, inches.	Door	Knobs,	5-16	inch	Plain	Screwless	Spindle,	Per doz. pairs. \$72.00
3772	2½×2¼	6 6	6 6	5-16	6 6	4.4	4.6	6.6	76.20

For Swivel Spindles, add \$3.60 per doz. to list prices.

Roses and Escutcheons Combined.

775	18½×3¾	For Front Door Locks, outside, \$78.00
7751/4	181/8×33/4	" " inside, 84.00
770	12½×3¼	" " " outside, 50.00
7701/4	12½×3¼	" " inside, 56.00
776	11 ×3	"Vestibule Latches, Columbia Office and Inside Locks,
776¼	11 ×3	" Columbia Cylinder Front Door and Office
		Locks, inside, 36.00
	11 ×3	" Communicating Door Lock No. C 235, . 42.00
779		Plate Escutcheon, 6.00
494	11 ×3	Flush Cup Escutcheon for Sliding Door Locks, Per set (4). \$17.00
775	6½×3	Push Button, Fibre Back, \$28.25
7751/2		" Hard Rubber Back, 30.00
770	12½×3¼	" Plate,
778	21½×3¾	" "
775	181/8×33/4	90.00
773	5 1/2 × T 3/	FINSO SASO LATE
773 774	5½×1¾ 6¾×2¼	Flush Sash Lift,
774	63/×21/8	
	-/-	

12 18 24 30 36 inch. \$36.00 36.60 37.20 37.80 38.40 per dozen. 42 48 54 60 66 inch. \$39.00 39.60 40.20 40.80 41.40 per dozen.

Regular Finish: Finish No. 27. Finishes Nos. 02 A, 06, 07, 07½, 07¾, 09, 09½, 09¾, 011, 27½, and 27¾ at the same price. Supplied in Sand Finishes only.


Barff: These goods cannot be furnished in Barff Finish. Special Finishes: Prices of Special Finishes on page VIII.

For Lock Sets complete with Mayflower goods, see page 32.

MAYFLOWER. - COLONIAL.

		177	. D	0201	VII IL.				
Lock No.	C:	Fr	ont Door S						
0127	Size, inches. $4\frac{3}{4} \times 3\frac{5}{8}$		Knobs No.		Escutcheons No).	Per set.		
0103			3772		770×779		\$14.70		
C 1250	4 ³ / ₄ × 3 ⁵ / ₈		3772		770×779		15.40		
C 1250	5½×4		3772		770		23.20		
_	5½×4		3772		770×776¼		26.20		
For Lo	cks Nos. 0127 and o	103,	see page 1	50; L	ock No. C 12	50, pag	e 158.		
		Vest	ibule Door	Sets					
Latch No.	Size, inches.	, ,	Knobs No.		Escutcheons No		Per set.		
0127 1/2	$3\frac{3}{8}\times 3\frac{5}{8}$		3772		776		\$12.45		
01031/2	$3\frac{3}{8} \times 3\frac{5}{8}$		3772		776		13.15		
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$		3772		776		18.05		
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$		3772		776×776 Bla	on la	21.05		
For La	itches Nos. 01271/2	and	01031/2. 56	e pag	re isi. Lato	h No	C 1054		
page 159.			3/21	Pu	so Iji, Bacc	.11 110.	C 1254,		
		Insi	de Door S	ets.					
Lock No. 01784	Size, inches.		Knobs No.		Escutcheons No.		Per set.		
017843/	3½×3¼		3771		776		\$13.25		
, ,	$3\frac{1}{2} \times 3\frac{1}{4}$		3771		776		13.45		
390	$3\frac{1}{2} \times 3\frac{1}{4}$		3771		776		13.45		
39034	$3\frac{1}{2} \times 3\frac{1}{4}$		3771		776		13.60		
01764	$4 \times 3\frac{1}{2}$		3771		776		13.60		
017643/	$4 \times 3\frac{1}{2}$		3771		776		13.85		
R 001334	$4\frac{1}{2} \times 3\frac{1}{2}$		3771		776		10.45		
For Locks Nos. 01784 and 017843/, see page 121: Locks Nos 200 and									
390%, pag	ge 122; Locks Nos. o	1764	and 01764	34, pa	ge 120; Lock	No. R	001334,		
page 125.		C1: 1:	D 6						
Lock No. 01335	Flugh Equatohoon	SIIQI	ing Door S	ets.	,		Per set.		
01335 ½	Flush Escutcheon	110.		scuter			\$21.45		
	66 66	4.6	494 (2),		11.65		
0133534	44 44		494 (4	4.4),		22.45		
0034		4 4	494 (4	4.4),		23.65		
0034 1/2		4 4	494 (2	6 6),		14.50		
00343/4	"	4 4	494 (4	6 6),		24.65		
For Loc	eks Nos. 01335, etc.,	see I	page 137; I	locks	Nos. 0034, etc	., page	138.		
	Corr	mu	nicating Do	or Se					
Lock No.	Size, inches.		Knobs No.	101 36	Escutcheons No.		Per set.		
C 235	4½×3½		3771		7765/8×7765/8		\$16.30		
	For Lock	No	. C 235, Se	ee pag	ge 144.				
	Master-keyed								
Lock No.	Size, inches,	Con	Knobs No.		Escutcheons No.		70		
C 1225 M	5½×3¾		3771		776		Per set. \$19.40		
C1225 M	$5\frac{1}{2} \times 3\frac{3}{4}$		3771		776×776¼		22.40		
C1456 M	$5\frac{1}{2} \times 3\frac{3}{4}$		3771		776		22.70		
C1456 M	$5\frac{1}{2} \times 3\frac{3}{4}$		3771		776×776¼		-		
For Loc	k No. C 1225 M, see	pag	e 132. Loc	k No	C 1456 M CO	0 11000	25.70		
	5, 500	1.8	-5-1 1300	110	. 0 1450 MI, SE	c page	134.		

Design:-Delphi.
School:-Grecian.



A — Knob No. 1805 Escutcheon No. 1920

B-Knob No. 1806 Escutcheon No. 1919 C - Escutcheon No. 1336

D — Sash Lift No. 1149

E - Push Button No. 96

DELPHI.-GRECIAN.

		Real Bronze.	Per doz.								
No. 1805	Size, inches.		pairs. \$36.00								
1000	2 1/4 × 2 1/4	Door Knobs, 5-16 inch Plain Spindle,	φ30.00								
1806	2½×2¼	" " 5-16 " " "	43.80								
	For Swivel Spindles, add \$3.60 per doz. to list prices.										
		Roses and Escutcheons Combined.	r dozen.								
1919	9¼×2½	For all Front Door, Vestibule and Office Locks,									
1919¼	9¼×2½	" Columbia Cylinder Office and Front Door Locks, inside,	27.00								
1919 5/8	9¼×2½	" Communicating Door Lock No. C 235, .	27.00								
1920	75/8×21/2	" Vestibule Latches and Inside Door Locks,	19.20								
1920Blan	k 7 5/8 × 2 1/2	" Columbia Vestibule Latches, inside, .	19.20								
1929	2½×1¼	Plate Escutcheon,	3.20								
1336	7½×2¾	Flush Cup Escutcheon for Sliding Door Locks,	set (4). \$7.50								
96	4½×2¼		\$12.35								
96½	4½×2¼	" Hard Rubber Back,	14.10								
1918	12 ×3	" Plate,	36.00								
1149	3 × 1½	Flush Sash Lift,	6.00								

Regular Finish: Finish No. 11.

Barff: These goods can be furnished in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finish: Prices for Special Finishes on page VIII.

For Lock Sets complete with Delphi goods, see page 36.

DELPHI. - GRECIAN.

Front	Door	Sate
TIOIT	DOOL	OCIS.

T 1 00		ont Door Sets.		
Lock No. 0127	Size, inches. $4\frac{3}{4} \times 3\frac{5}{8}$	Knobs No. 1806	Escutcheons No.	Per set.
0103	$4\frac{3}{4} \times 3\frac{5}{8}$			\$9.05
C 1250	- / - / -	1806	1919×1929	9.80
	$5\frac{1}{2} \times 4$	1806	1919	17.70
C 1250	5½×4	1806	1919×19191/	
For Locks	Nos. 0127 and 0102		I asl N 0	19.45

For Locks Nos. 0127 and 0103, see page 150; Lock No. C 1250, page 158.

Vestibule Door Sets.

Latch No. 0127 ½	Size, inches. $3\frac{3}{8} \times 3\frac{5}{8}$	Knobs No.	Escutcheons No.	Per set.
01031/2	$3\frac{3}{8} \times 3\frac{5}{8}$	-0-6	1920	\$8.05
12	378 \ 378	1806	1920	8.80
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	1806	1010	
C 1254			1919	13.70
	$3\frac{3}{4} \times 3\frac{3}{4}$	1806	1919 X 1920 Blank.	15.30
For Latches	Nos. 01271/	and orogi/ see n	age IEI: Latch No.	15.30

For Latches Nos. 01271/2 and 01031/2, see page 151; Latch No. C 1254, page 159.

Inside Door Sets.

	1	uside Door Jets.		
Lock No. 01784	Size, inches. $3\frac{1}{2} \times 3\frac{1}{4}$	Knobs No. 1805	Escutcheons No.	Per set. \$7.30
017843/	$3\frac{1}{2} \times 3\frac{1}{4}$	1805	1920	7.45
390	3½×3¼	1805	1920	7.45
390¾ 01764	$3\frac{1}{2}\times 3\frac{1}{4}$	1805	1920	7.65
017643/	4 ×3½	1805	1920	7.65
R 00133/	$4 \times 3\frac{1}{2}$ $4\frac{1}{2} \times 3\frac{1}{2}$	1805	1920	7.90
	Nos 01784 and o	1805	1920	8.95

For Locks Nos. 01784 and 01784¾, see page 121; Locks Nos. 390 and 390¾, page 122; Locks Nos. 01764 and 01764¾, page 120; Lock No. R 0013¾,

Pago 125.					
Lock No.	T) 1		Sliding	Door	Sets.

Lock No.			Slidi	ng Door	Sets.				
01335	Flush	Escutcheon	No.	1336 (4	Escutcheon	15)			Per set.
01335 1/2	4.4	4.4	4.6	1336 (2	11	10),	•	•	\$11.30
0133534	6.6	6.6	4.6	00 (6.6),	•		6.40
0034	4.4	4.4		1336 (4),			12.30
			4 6	1336 (4	4.4),			13.50
0034 ½	6.6	6.6	4.6	1336 (2	6.6).			9.25
00343/	6.6	6.6	4.6	1336 (4	6.6)		•	, ,
For Loc	ks Nos	OI225 etc	500 n		T colon NT.	/,		٠	14.50

For Locks Nos. 01335, etc., see page 137; Locks Nos. 0034, etc., page 138.

Communicating Door Set.

Lock No. C 235	Size, inches. $4\frac{1}{2} \times 3\frac{1}{2}$	Knobs No. 1805	Escutcheons No.	Per set. \$10.60
	For Lock 1	No. C 235, see	page 144.	

Master-keyed Columbia Cylinder Office Sets.


			- CITICE DELS!	
Lock No. C 1225 M	Size, inches. 5½×3¾	Knobs No.	Escutcheons No.	Per set.
C 1225 M	5½×3¾	1805	1919×1919¼	\$14.75
C 1456 M	$5\frac{1}{2} \times 3\frac{3}{4}$	1805	1919	18.05
C 1456 M	5½×3¾	1805	1919×19191/	19.80

For Lock No. C 1225 M, see page 132; Lock No. C 1456 M, see page 134.



Design:— Cleusis.

School:—Grecian.



A — Knob No. 3961 Escutcheon No. 961 B — Knob No. 3962

Escutcheon No. 9601/2

- C Escutcheon No. 1968
- D-Sash Lift No. 964
- E-Sash Lift No. 968



ELEUSIS.-GRECIAN.

		Real Bronze.	
No.	Size, inches.		Per doz. pairs.
3961	21/4×21/4	Door Knob, 5-16 inch Plain Screwless Spindle,	\$60.00
3962	2½×2¼	" " 5-16 " " " "	64.20
	F	For Swivel Spindles, add \$3.60 per doz. to list prices	i.
		Roses and Escutcheons Combined.	Per dozen.
960	8½×3	For all Front Door and Office Locks, and Vestibule Latches, outside,	
9601/2	12 ×33/8	" Columbia Cylinder Front Door Locks, outside	e, 48.00
9601/4	8½×3	" " and Office	
		Locks, inside,	26.00
961 Blan	k 6 7/8 × 2 1/4	" Columbia Vestibule Latches, inside, .	18.00
961 5/8	67/8×21/4	" Communicating Door Lock No. C 235, .	24.00
961	67/8×21/4	" Inside Locks,	18.00
963	2 ×1¼	Plate Escutcheon,	4.00
1968	7 ×23/8	Flush Cup Escutcheon for Sliding Door Locks,	er set (4).
		Nos. 0034, 0034½, 0034¾,	\$17.00
1969	$7 \times 2\frac{3}{8}$	Flush Cup Escutcheon for Sliding Door Locks,	
		Nos. 01330, 01335, etc.,	17.00 er dozen.
960	4½×13/8	Push Button, Fibre Back,	\$15.85
960 ½	4½×1½	" " Hard Rubber Back,	17.60
959	12½×35%	"Plate,	52.00
968	12¾×3¾	Door Pull,	76.00
968	1 1/8	Shutter Knob,	6.00
1961	2 1/2	" Bar,	8.00
964	3½×15/8	Flush Sash Lift,	9.00
968	4¾×1¾	Bar " "	7.50
Reg	ular Finish	Finish No. 27. Finishes Nos. 02 A, 06, 07, 07 1/2	, 073/4.

Regular Finish: Finish No. 27. Finishes Nos. 02 A, 06, 07, 07½, 07¾, 09, 09½, 09¾, 011, 27½, and 27¾ at the same price. Supplied in Sand Finishes only.

Barff: These goods can be furnished in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices of Special Finishes on page VIII.

For Lock Sets complete with Eleusis goods, see page 40.

ELEUSIS -- GRECIAN.

Front Door Sets.

0127 0103	Size, inches. 43/4 × 35/8 43/4 × 35/8	Knobs No. 3962 3962	Escutcheons No. 960×963	Per set. \$11.05
C 1250	5½×4	3962	9601/2	22.05
C 1250	5½×4	3962	960½×960¼	23.70

For Locks Nos. 0127 and 0103, see page 150; Lock No. C 1250, page 158.

Vestibule Door Sets.

0127 ½	Size, inches. $3\frac{3}{8} \times 3\frac{5}{8}$	Knobs No.	Escutcheons No.	Per set. \$10.15
01031/2	33/8×35/8	3962	960	10.85
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	3962	960	15.70
C 1254	3¾×3¾	3962	960×961 Blank.	17.20
For Latches	NOS OT271/	and oroni/ co	0 man T / 1 37	~

For Latches Nos. 01271/2 and 01031/2, see page 151; Latch No. C 1254, page 159.

Inside Door Sets

		niside Door Sets.		
Lock No. 01784	Size, inches. $3\frac{1}{2} \times 3\frac{1}{4}$	Knobs No.	Escutcheons No.	Per set. \$9.25
017843/	$3\frac{1}{2}\times 3\frac{1}{4}$	3961	961	9.45
390	$3\frac{1}{2}\times 3\frac{1}{4}$	3961	961	9.45
39034	$3\frac{1}{2}\times 3\frac{1}{4}$	3961	961	9.60
01764	4 ×3½	3961	961	9.60
017643/ R 00133/	4 ×3½	3961	961	9.85
K0013%	4½×3½	3961	961	10.95

For Locks Nos. 01784 and 01784¾, see page 121; Locks Nos. 390 and 390¾, page 122; Locks Nos. 01764 and 01764¾, page 120; Lock No. R 0013¾, page 125.

Lock No.			Slidi	ng Door	Sets.				**
01335	Flush	Escutcheon	No.	1969 (4	Escutche	ons).			Per set. \$21.45
013351/2	4.4	6.6	4 6	1969 (2	6.6).		•	11.65
013353/	6.6	4.4	4.4	1969 (4	4.4).	•	•	22.45
0034	4.4	4.4	"	1968 (4	4.4).	•	•	23.65
0034 1/2	4.4	4 4		1968 (2	6.6)	٠	•	0 0
00343/	4.6	4 6	4.4	1968 (4	4.4),	•		14.50
For Las	1 NT			-) (+	_	/1			24.65

For Locks Nos. 01335, etc., see page 137; Locks Nos. 0034, etc., page 138.

Communicating Door Set.

C235	Size, inches, $4\frac{1}{2} \times 3\frac{1}{2}$	Knobs No. 3961	Escutcheons No. 960 5/8 × 960 5/8	Per set. \$12.65
	For Lock	No. C 235, see	page 144	

Master-keyed Columbia Cylinder Office Sets.

Y 4 0 0			or Cities octo	
C 1225 M	Size, inches. $5\frac{1}{2} \times 3\frac{3}{4}$	Knobs No.	Escutcheons No.	Per set.
C 1225 M	$5\frac{1}{2}\times3\frac{3}{4}$	3961	960×960¼	\$17.05
C 1456 M	$5\frac{1}{2}\times3\frac{3}{4}$	3961	960	20.35
C 1456 M	$5\frac{1}{2}\times 3\frac{3}{4}$	3961	960 × 960 1/4	22.00

For Lock No. C 1225 M, see page 132; Lock No. C 1456 M, page 134.

BOA

DESIGN:-AEGINA.

School:-Grecian.



A — Knob No. 3709
Escutcheon No. 791
B — Knob No. 3710
Escutcheon No. 790

C — Escutcheon No. 1790 D—Sash Lift No. 798 E—Push Button No. 790

Per doz.

ÆGINA.-GRECIAN.

Real Bronze.

No. 3709		inches.	Door Knob, 5-16 inch Screwless Spindle,	pairs. \$72.00
3710	2 1/2	×21/4	" " 5-16 " "	76.20
			For Swivel Spindles, add \$3.60 per doz. to list price	5.
			Roses and Escutcheons Combined.	Per dozen.
790	14	×3¼	For all Front Door and Office Locks, outside,	\$54.00
7901/4	14	×3¼	" Columbia Front Door and Office Locks, inside,	60.00
7911/4	12	×2½	" Columbia Front Door Locks, inside, .	54.00
791	12	$\times 2\frac{1}{2}$	" Vestibule Latches and Inside Locks, .	48.00
791 Bla	nk I	2×2½	" Columbia Vestibule Latches, inside,	48.00
791 5/8	12	$\times 2\frac{1}{2}$	" Communicating Door Lock No. C 235, .	54.00
793	31/2	1×2	Plate Escutcheon,	7.00
1790	I 2	×2½	Flush Cup Escutcheon for Sliding Door Locks Nos. 0034, 0034½, 0034¾,	
1791	12	×2½	Flush Cup Escutcheon for Sliding Door Locks Nos. 01330, 01335, etc.,	17.00
790	8	×23/8	Push Button, Fibre Back,	Per dozen. 21.00
7901/2	.8	×23/8	" " Hard Rubber Back,	22.75
794	233/	8×33/8	" Plate,	72.00
798	233	8×33/8	Door Pull,	96.00
798	51	2×13/8	Flush Sash Lift,	9.00
792	123	8×25/8	Letter Box Plate,	15.00
792 1/2	123	8×25/8	" " (Inside plate for No. 792), .	15.00

Regular Finish: Finish No. 27. Finishes Nos. 02 A, 06, 07, 07 1/2, 07 3/4, 09, 09½, 09¾, 011, 27½, and 27¾, at the same price. Supplied in Sand Finishes only.

Barff: These goods can be furnished in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.


For Lock Sets complete with Aegina goods, see page 40 D.

ÆGINA.-GRECIAN.

ÆGINA.—GRECIAN.							
		Fr	ont Door	Sets.			
Lock No.	Size, inc	hes.	Knobs		Escutcheon	s No.	Per set.
0127	43/4×3	3 5/8	3710)	790×79		\$15.15
0103	43/4×3	15/8	3710)	790×79	93	15.85
C 1250	5½×4		3710)	790		23.55
C 1250	5½×4	1.5	3710)	790×79) I I/	27.55
For Lo	cks Nos. 0127 a	nd o103.	see page	150 1	Lock No. C	1250 00	2/·55
						1250, pa	ige 150.
Y . 1 37			ibule Do	or Sets.			
Latch No. 0127 1/2	Size, inc		Knobs 1		Escutcheon	s No.	Per set.
01031/2	33/8×3		3710		791		\$13.45
C 1254	33/8×3		3710		791		14.15
C 1254	334×3		3710		791		19.05
	3¾×3	, ,	3710		791×79	I Blank.	23.05
For La	tches Nos. 012	$7\frac{1}{2}$ and	01031/2,	see pa	age 151, I	atch No	o. C 1254,
page 159.							0
Lock No.	Size, incl		ide Door				
01784	3½×3		Knobs 1 3709		Escutcheons	s No.	Per set.
017843/	3½×3	, ,			791		\$15.25
390			3709		791		15.45
3903/	3½×3		3709		791		15.45
01764	$3\frac{1}{2}\times3$		3709		791		15.60
	4 ×3		3709		791		15.60
017643/	4 ×3		3709		791		15.85
R 001334	4½×3		3709		791		16.95
For Lo	cks Nos. 01784	and or	$784\frac{3}{4}$, se	e page	121; Lock	ks Nos.	200 1
390¾, pag page 125.	e 122; Locks No	os. 01764	and or70	5434, pa	age 120; Lo	ock No. 1	R 001334,
		S1: 4	in D	C .			
Lock No. 01335	Flush Escutch	on Mo	ing Door	Sets.	-1		Per set.
013351/2	Flush Escutch	**					\$21.45
0133534	66 66		1791 (2	6.0),		11.65
	"		1791 (4),		22.45
0034	"	6.6	1790 (4	6.6),		23.65
00341/2		4.4	1790 (2	4.0),		14.50
00343/	44	4.6	1790 (4	6 4	1.		24.65
For Loc	ks No. 01335, et	c., see p	page 137;	Locks	Nos. 0034,	etc., pas	re 138.
			nicating]			. 1	3 - 3 - 1
Lock No.	Size, inch	es es	Knobs N			N T	-
C235	4½×3		3709	0.	Escutcheons	NO.	Per set. \$18.30
	For I	ock No	C 235,	see na	O.E. 144	-/0	Ψ10.30
Lock No.	Size, inch	yed Col	umbia C Knobs N	ylinder	Office Sets.	N	
C1225 M	5½×33		3709	U.	Escutcheons 790	No.	Per set.
C 1225 M	5½×33		3709		790×790	I/	\$20.90
C1456 M	5½×3¾	•	3709			/4	25.40
C 1456 M	5½×3¾	•	3709		790	1/	24.20
				T col- 3	790×790	4	28.70
For Lock No. C 1225 M, see page 132; Lock No. C 1456 M, page 134.							

Design: - Canterbury.

School: Θ LD Θ NGLISH.



- A Knob No. 437 Escutcheon No. 1983 B — Knob No. 652
- Escutcheon No. 1981
- C Escutcheon No. 1337
- D-Sash Lift No. 1156
- E-Push Button No. 2108

CANTERBURY.-OLD ENGLISH.

				Real	Bron	ze.				Per doz.
No.	Size, inches.	70	TT 1		1.	D1 - !	Cuindle			pairs.
437	21/4×21/4	Door	Knob,	5-10	inen	Plain	Spindle,	•	•	\$36.00
438	2½×2¼	4 6	4.4	5-16	6.6	4.4	4.4		٠	43.80
651	2 1/4 × 2 1/4	4.4	6.6	5-16	4.6	4.4	4.4			50.40
652	2½×2¼	6.6	4.4	5-16	4.4	6.6	4.4	٠	٠	55.20
								41 .		

For Swivel Spindles, add \$3.60 per doz. to list prices.

Roses and Escutcheons Combined.

	Per dozen.
1981 157/8×33/	
1981¼ 157/8×3¾	% " " " inside, 54.00
1982 121/×3	" " and Vestibule Latches,
74713	outside,
1982¼ 12¼×3	" all Front Door Locks, inside, 38.00
1983¼ 8½×2¾	Columbia Cylinder Front Door and Office Locks, inside,
1983 8½×2½	' Office and Inside Mortise Locks 21.00
1983Blank 8 1/2 × 2 1	Columbia Cylinder Vestibule Latches, inside, 21.00
1983 5/8 8 1/2 × 2 3	Communicating Door Lock No. C 235, . 27.00
1989 2½×1½	Plate Escutcheon,
1337 7½×25	
1959 12 ×3	Push Plate,
2108· 45/8×25	' Button, Fibre Back, 14.10
2108½ 4½×23	4 " " Hard Rubber Back, 15.85
2141 15 ×3	2 Door Pull,
1156 3½×13	4 Flush Sash Lift, 7.50
1126 5	Bar " " 6.00
437 7½×23	4 Mortise Flush Bolts:—
	12 18 24 20 26 inch

12 18 24 30 36 inch. \$36.00 36.60 37.20 37.80 38.40 per dozen. 42 48 54 60 66 inch. \$39.00 39.60 40.20 40.80 41.40 per dozen.

Regular Finish: Finish No. 11.

Barff: These goods can be furnished in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

For Lock Sets complete with Canterbury goods, see page 44.

CANTERBURY.-OLD ENGLISH.

_		Front Door Sets.		
Lock No. 0127	Size, inches. $4\frac{34}{34} \times 3\frac{5}{8}$	Knobs No.	Escutcheons No.	Per set.
0103	43/×35/8	438	1982×1989	\$10.00
C 1250	5½×4	438	1682	18.65
C 1250	5½×4	438	$1982 \times 1983 \frac{1}{4}$	20.40

For Locks Nos. 0127 and 0103, see page 150; Lock No. C 1250, page 158.

		Vestibule Door S	ets.	
Latch No. 0127 1/2	Size, inches. $3\frac{3}{8} \times 3\frac{5}{8}$	Knobs No.	Escutcheons No.	Per set. \$9.15
01031/2	$3\frac{3}{8} \times 3\frac{5}{8}$	438	1982	9.85
C 1254 C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$ $3\frac{3}{4} \times 3\frac{3}{4}$	438	1982	14.65
		438 and 01031/4, see	1982×1983 Blank.	16.40

page 159.

		Inside Door Sets.		
Lock No. 01784	Size, inches. $3\frac{1}{2}\times3\frac{1}{4}$	Knobs No.	Escutcheons No.	Per set. \$7.60
01784¾ 390	$3\frac{1}{2}\times 3\frac{1}{4}$	437	1983	7.75
3903/	$3\frac{1}{2} \times 3\frac{1}{4}$ $3\frac{1}{2} \times 3\frac{1}{4}$	437 437	1983	7.75
01764	4 ×3½	437	1983	7·95 7·95
017643/ P 00123/	4 ×3½	437	1983	8.20
R 001334	4½×3½ Nos 01781 and	437	1983	9.25

For Locks Nos. 01784 and 01784¾, see page 121; Locks Nos. 390 and 390¾, page 122; Locks Nos. 01764 and 01764¾, page 120; Lock No. R 0013¾, page 125.

Lock No.			Slidi	ng Do	or	Sets.				n
01335	Flush	Escutcheon	No.	1337	(4	Escutcheon	s).			Per set. \$11.30
01335 1/2	4.4	6.6	4.4	1337		6.6)		•	6.40
013353/	4.4	4.4	4.4	1337	,	4.4),	•		•
0034	6 6	4.4	4.6	1337		4.4),	•	•	12.30
0034 1/2	4.6	4.6	4.6			* *),	٠		13.50
00343/		4.6	4.6	1337	,),	٠		9.25
/T	1 NT				(4),			14.50
LOL TOC	KS IVOS	. 01335. etc	SEE T	ACC I	27.	I poles Nos	0001	-4-		^

For Locks Nos. 01335, etc., see page 137; Locks Nos. 0034, etc., page 138.

		inicating Door	Set.	
C 235	Size, inches, 4½×3½ For Lock N	Knobs No. 437 o. C 235, see	Escutcheons No. 1983 5 × 1983	Per set. \$10.60

1	Vlaster-keyed	Columbia Cylinder	Office Sets.	
Lock No. C 1225 M	Size, inches. $5\frac{1}{2} \times 3\frac{3}{4}$	Knobs No.	Escutcheons No.	Per set.
C 1225 M	$5\frac{1}{2}\times3\frac{3}{4}$	437	1983×19831/4	\$14.75
C1456M	$5\frac{1}{2} \times 3\frac{3}{4}$	437	1983	18.05
C 1456 M	5½×3¾	437	1983×1983¼	19.80

For Lock No. C 1225 M, see page 132; Lock No. C 1456 M, page 134.

DESIGN:- PRUDHON.

SCHOOL:-EMPIRE.



A — Knob No. 605
Escutcheon No. 631
B — Knob No. 606
Escutcheon No. 630

C — Escutcheon No. 434 D—Sash Lift No. 634 E—Push Button No. 630

PRUDHON. - EMPIRE.

Real F	Bronze

No. 605	Size, inches.	Door	Knob,	5-16	inch	Plain	Spindle,		pairs. \$30.00
3605	2 1/4 × 2 1/4	6.6	4.6	5-16	6.6	Screwl	ess ''		42.00
606	21/2×21/4	4.4	+ 6	5-16	6.6	Plain	6 6		34.80
3606	21/2×21/4	6.6	4.4	5-16	6.6	Screwl	ess ''		46.8 o

For Swivel Spindles, add \$3.60 per doz. to list prices.

	Г	or Swiver Spinares, and \$3.00 per doz. to list price	55.
		Roses and Escutcheons Combined.	Per dozen.
	11½×3 11½×3	For all Front Door and Office Locks, outside, " Columbia Front Door and Office Locks,	\$30.00
00074	11/2 \ 3	inside,	36.00
631 1/4	83/4×21/4	" Columbia Front Door Locks, inside,	
631Blan	1k 83/4 × 21/4	" Vestibule Latches, "	
630 5/8	11½×3	Community Door Door 1957	36.00
631	83/4×21/4	Vestibule Butteries that Instant	18.00
0638	5 5/8 × 1 1/8	200125 21051 0033/41 -0311 13-1	15.00
633	23/×11/4	Plate Escutcheon,	Per set (4).
434	9½×2¼	Flush Cup Escutcheon for Sliding Door Locks Nos. 0034, 0034½, 0034¾,	\$10.00
435	9½×2¼	Flush Cup Escutcheon for Sliding Door Locks Nos. 01330, 01335, etc.,	Per dozen.
630	6½×2¼	Push Button, Fibre Back,	
630 1/2	6½×2¼	" Hard Rubber Back,	
630	113/4×3	"Plate,	30.00
637	12 ×3	Door Pull,	
632		Hook Sash Lift,	2.75
634	5 1/4 × 1 3/4		
635	5 5/8 × 1 3/4	Bar " "	7.00
637	8 ×21/4	Mortise Flush Bolts:—	
		12 18 24 30 36 inch.	
		\$31.20 31.80 32.40 33.00 33.60 per dozen.	
		42 48 54 60 66 inch.	
		\$34.20 34.80 35.40 36.00 36.60 per dozen.	
637	37/8		Per gross. \$62.50

Regular Finish: Finish No. 27. Finishes Nos. 02A, 06, 07, 07½, 07¾, 09, 09½, 09¾, 011, 27½, and 27¾ at the same price. Supplied in Sand Finishes only.

Barff: These Goods can be furnished in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

For Lock Sets complete with Prudhon goods, see page 48.

PRUDHON. - EMPIRE.

		гг		non.— E		Œ.			
			Fre	ont Door S	Sets.				
Lock No. 0127		Size, inches. $4\frac{3}{4} \times 3\frac{5}{8}$		Knobs No).	Escutcheo 630×			Per set.
0103		43/×35/8		606		63 0 ×			\$9.35
C 1250		5½×4		606			333		10.05
C 1250		5½×4		606		630			18.10
For Lo			TO0 .	000	т. т	630×6	0311/4		19.60
	ocks Nos. o	12) and 0	103,	see page 1	50; 1	OCK NO.	C 1250,	page	e 158.
Takal NY			Vest	ibule Door					
Latch No. 0127½		Size, inches.		Knobs No		Escutcheor	ns No.		Per set.
01031/2		33/8×35/8		606		631			\$7.50
C 1254		33/8×35/8		606		631			8.20
C 1254		$3\frac{3}{4} \times 3\frac{3}{4}$		606		631			13.10
	4-1	334×334		606		631×6	31 Blank.		14.60
page 159	atches Nos	6. 01271/2	and	0103½, se	ee pag	ge 151;	Latch	No.	C 1254,
			Insi	de Door S	ets.				
Lock No. 01784		$\frac{1}{2} \times \frac{1}{4}$		Knobs No. 605		Escutcheor 631	s No.		Per set. \$6.75
0178434	3	3½×3¼		605		631			6.95
390		1/2×31/4		605		631			
3903/4	3	1/2×31/4		605		631			6.95
01764	4			605		631			7.10
017643/	4			605		631			7.10
R 001334		1/2×3½		605		631			7.35
For Lo 3903/4, pag page 125.	cks Nos. ge 122; Lo	o1784 and cks Nos. o	1704	843/4, see and 01764	¾, pa	707 . T -	ocks No Lock N	os. 39	8.45 o and 001334,
Lock No.			Slidi	ng Door S	ets.				Per set.
01330	Flush Es	cutcheon	No.	435 (4 Es	scutch	eons), .			\$13.65
013301/2	4.4	4.4	4.4	435 (2	4.4), .			7.75
0133034	6.6	6.6	4 4	435 (4	4.4), .			14.65
0034	4.4	6.6	6 6	434 (4	6.4), .			16.65
0034 1/2	4.6	4 4	4.4	434 (2), .			11.00
00343/4	4.6	4.6	4.6	434 (4	4.6), .			17.65
For Loc	eks Nos. 01	330, etc., s	see p	age 137; I	Locks	Nos. 003	4, etc.,	page	138.
				icating Do			.,	1 .0 -	-30.
Lock No.	Si	ze, inches.	111011	Knobs No.		scutcheons	N Y		_
C 235		½×3½		605		$30\frac{5}{8} \times 63$			Per set. \$11.80
		For Lock	No	. C 235, se	e pag	е ил.	-/8		Ψ11.00
				mbia Cyli					
Lock No.	Si	ze, inches.	Coru	Knobs No.					
C 1225 M	5,	½×3¾		605	r	scutcheons 630	NO.		Per set. \$15.70
C1225 M		1/2×33/4		605		630×630	1/		18.20
C 1456 M		2×3¾		605		630	/4		
C 1456 M		½×3¾		605		630×630	I/		19.00
For L	ock No. C	1225 M. Se	ee pa	ge 132: L	ock N	0 (145	6 M no	mo	21.50
			r	G J=, 11		0. 0 145	om, pa	ge 13.	4.

 $\begin{array}{ll} \textbf{Design:-Walsingham.} \\ \textbf{School:-Romanesque.} \end{array}$



A — Knob No. 671

Escutcheon No. 621

B — Knob No. 672

Escutcheon No. 620

C — Escutcheon No. 626
D — Sash Lift No. 624
E — " " " 625
F — Push Button No. 620

WALSINGHAM.—ROMANESQUE.

Real Bronze.

No.	Size, inches.								Per doz.
671	$2\frac{1}{4} \times 2\frac{1}{4}$	Door	Knob,	5-16	inch	Plain	Spindle,		\$36.00
672	2 ½×2 ¼	6.6	6.6	5-16	6.6	6.6	6.6		40.80
673	$2\frac{1}{2}\times2\frac{1}{2}$	4.6	6.6	5-16	6.6	6 6	4.4		45.60

For Swivel Spindles, add \$3.60 per doz. to list prices.

	Roses and Escutcheons Combined.
(20	Per dozen.
620 12 $\times 2\frac{7}{8}$	For all Front Door and Office Locks, outside, \$48.00
620½ 12 ×2½	" Columbia Cylinder Front Door and Office
(211/ 07/2/-1/	Locks, inside,
621 1/4 87/8×23/8	"Columbia Cylinder Front Door Locks, inside, 24.00
621 Blank 8 1/8 × 23/8	" Vestibule Latches, " 24.00
621 5/8 87/8×23/8	" Communicating Door Lock No. C235, . 30.00
621 87/8×23/8	" Vestibule Latches and Inside Locks, . 24.00
629 2½×1¼	Plate Escutcheon, 3.00
(0)	Per set (4)
626 87/8×23/8	Flush Cup Escutcheon for Sliding Door Locks
/==	Nos. 0034, 0034½, 0034¾, \$12.00
627 8½×2¾	Flush Cup Escutcheon for Sliding Door Locks
	Nos. 01330, 01335, etc.,
620 63/4×23/8	Puch Rutton Pibro Pools
/ + / \ - / 0	Push Button, Fibre Back, \$21.00
	" Hard Rubber Back, 22.75
620 12 ×27/8	" Plate,
657 12 ×27/8	Door Pull,
622	Hook Sash Lift, 4.50
624 4½×15%	Flush "
625 5½×1¾	Bar "
626 8½×23/8	Mortise Flush Bolts:—
-/4/\=/8	Total Dotts.—

12 18 24 30 36 inch. \$31.20 31.80 32.40 33.00 33.60 per dozen. 42 48 54 60 66 inch. \$34.20 34.80 35.40 36.00 36.60 per dozen.

Regular Finish: Finish No. 27. Finishes Nos. 02A, 06, 07, 07½, 07¾, 09, 09½, 09¾, 011, 27½, and 27¾ at the same price. Supplied in Sand Finishes only.

Barff: These goods can be furnished in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

For Lock Sets complete with Walsingham goods, see page 52.

WALSINGHAM.—ROMANESQUE.

		Front Door Sets.	_	
Lock No. 0127	Size, inches. $4\frac{3}{4} \times 3\frac{5}{8}$	Knobs No.	Escutcheons No. 620×629	Per set. \$11.35
0103	$4\frac{3}{4} \times 3\frac{5}{8}$	672	620×620	12.05
C 1250	$5\frac{1}{2} \times 4$	672	620	20.10
C 1250	5½×4	672	620×6211/4	22.10

For Locks Nos. 0127 and 0103, see page 150; Lock No. C 1250, page 158.

		Vestibule Door Se	ets.	
Latch No. 0127 ½	Size, inches. $3\frac{3}{8} \times 3\frac{5}{8}$	Knobs No. 672	Escutcheons No.	Per set. \$8.50
0103½ C1254	$3\frac{3}{8} \times 3\frac{5}{8}$	672	621	9.20
C1254	$3\frac{3}{4} \times 3\frac{3}{4}$ $3\frac{3}{4} \times 3\frac{3}{4}$	672 672	620 620×621 Blank.	16.10
For Latches page 159.	Nos. 0127½	and 01031/2, see	page 151; Latch No	. C 1254,
Lock No.	Size inches	Inside Door Sets		

	11	iside Door Sets.		
Lock No. 01784	Size, inches. $3\frac{1}{2}\times3\frac{1}{4}$	Knobs No.	Escutcheons No.	Per set. \$8.25
017843/	$3\frac{1}{2} \times 3\frac{1}{4}$	671	621	8.45
390	$3\frac{1}{2}\times 3\frac{1}{4}$	671	621	8.45
3903/	$3\frac{1}{2} \times 3\frac{1}{4}$	671	621	8.60
01764	$4 \times 3\frac{1}{2}$	671	621	8.60
0176434	4 ×3½	671	621	8.85
R 001334	4½×3½	671	621	9.95

For Locks Nos. 01784 and 01784¾, see page 121; Locks Nos. 390 and 390¾, page 122; Locks Nos. 01764 and 01764¾, page 120; Lock No. R 0013¾, page 125.

Lock No.			Slidi	ng I	000	r Sets.					
01335	Flush	Escutcheon					ıs).				Per set. \$16.45
01335 1/2	6 6	4.6	6 6	627		4.4).			٠	9.15
0133534	6 6	6 4	6.6	627	(4	4.4).			Ċ	17.45
0034	6.6	4.6	4.4	626	٠.	4.6).			•	18.65
0034 1/2	6.6	4.4	4.4	626	(2	6.6).	·			12.00
00343/4	4.4	6.6	6.6	626	(4	4.6),			•	19.65
Don I	1 NT						/ '	-	•	**	19.05


For Locks Nos. 01335, etc., see page 137; Locks Nos. 0034, etc., page 138.

Communicating Door Set. Lock No. Size, inches. Knobs No. Escutcheons No. Per set. C 235 4½×3½ 671 621½×621½ \$11.30 For Lock No. C 235, see page 144.

	Master-keyed	Columbia Cylinder	Office Sets.	
Lock No. C 1225 M	Size, inches. $5\frac{1}{2} \times 3\frac{3}{4}$	Knobs No. 671	Escutcheons No.	Per set. \$17.40
C1225 M	5½×3¾	671	620×620¼	21.40
C 1456 M	$5\frac{1}{2} \times 3\frac{3}{4}$	671	620	20.70
C 1456 M	$5\frac{1}{2} \times 3\frac{3}{4}$	671	620×620¼	24.70

For Lock No. C 1225 M, see page 132; Lock No. C 1456, page 134.

Design:- Moreau.
School:- Louis xvi.



A—Knob No. 3620
Escutcheon No. 656
B—Knob No. 3614
Escutcheon No. 654

C — Escutcheon No. 458 D—Sash Lift No. 657 E—Push Button No. 654

Per doz.

pairs.

MOREAU.-LOUIS XVI.

Real	Bronze.
------	---------

Size, inches.

3613	21/4×21/4	Door Knob, 5-16 inch Screwless Spindle, .	\$48.00
3614	2½×2¼	·· ·· 5-16 ·· ·· ·· ·· ·· ·	52.80
3619	2 1/2	" Oval, 5-16 inch Screwless Spindle,	52.80
3620	3	5-16	57.60
	F	or Swivel Spindles, add \$3.60 per doz. to list prices.	
		Roses and Escutcheons Combined.	r dozen.
654	12½×3		\$48.00
655	10 ×3	"Vestibule Latches and Office Door Locks, outside,	30.00
6551/4	(10 ×3	" Columbia Cylinder Front Door and Office Locks, inside,	36.00
656 B1	ank 8 ½ × 23/8	" Columbia Cylinder Vestibule Latches, inside,	24.00
656 5/8	$8\frac{1}{2} \times 2\frac{3}{8}$	" Communicating Door Lock No. C235, .	30.00
656	8½×23/8	" Inside Door Locks,	24.00
1659	2 1/8 × I 1/2	Plate Escutcheon,	7.00
458	83/4×25/8	Flush Cup Escutcheon for Sliding Door Locks	set (4).
			\$12.00
459	83/4×25/8	Flush Cup Escutcheon for Sliding Door Locks Nos. 01330, 01335, etc.,	12.00
654	53/4×21/4		\$21.00
654 1/2		" Hard Rubber Back,	22.75
653	12½×3	" Plate,	34.00
654	19 ×35/8	" "	96.00
30	16×11½×3	Hinge Plate,	Each. \$7.00
32	16×11½×3	" "	7.00
31	18 ×3	" for Center of Door,	5.50
657	43/4 × 17/8	Pe	r dozen. \$12.00
658	53/4	Bar " "	*
	- , ,	Finish No. of Finisher No. of A. of A.	

Regular Finish: Finish No. 27. Finishes Nos. 02A, 06, 07, 07½, 07¾, 09, 09½, 09¾, 011, 27½, and 27¾ at the same price.

Barff: These goods cannot be supplied in Barff Finish. Special Finishes: Prices for Special Finishes on page viii.

For Lock Sets complete with Moreau goods, see page 56.

MOREAU.-LOUIS XVI.

	F	ront Door Sets.		
0127	Size, inches. $4\frac{3}{4} \times 3\frac{5}{8}$	Knobs No. 3614	Escutcheons No. 654×1659	Per set. \$12.70
0103	4¾×35/8	3614	654×1659	13.40
C 1250	5½×4	3614	654	21.10
C 1250	5½×4	3614	654×655¼	23.60
For 1	Locks Nos. 0127 and 0103.	, see page 150;	Lock No. C 1250, se	e page 158.

		Vestibule Door Se	ts.	
Latch No. 0127 1/2	Size, inches. 33/8×35/8	Knobs No. 3614	Escutcheons No.	Per set. \$10.00
0103½	33/8×35/8	3614	655	10.70
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	3614	655	15.60
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	3614	655×656 Blank.	17.60
For Latches	Nos. 01271/2	and 01031/2, see 1	page 151; Latch No.	C 1254,

page 159.

	п	iside Door Sets.		
Lock No. 01784	Size, inches. $3\frac{1}{2} \times 3\frac{1}{4}$	Knobs No. 3613	Escutcheons No. 656	Per set. \$9.25
017843/	$3\frac{1}{2} \times 3\frac{1}{4}$	3613	656	9.45
390	$3\frac{1}{2}\times 3\frac{1}{4}$	3613	656	9.45
390¾	3½×3¼	3613	656	9.60
01764	4 ×3½	3613	656	9.60
017643/	4 ×3½	3613	656	9.85
R 001334	$4\frac{1}{2}\times3\frac{1}{2}$	3613	656	10.95

For Locks Nos. 01784 and 01784¾, see page 121; Locks Nos. 390 and 390¾, page 122; Locks Nos. 01764 and 01764¾, page 120; Lock No. R 0013¾, page 125.

Lock No.			Slidi	ng Doo	r Sets.			Per set.
01335	Flush	Escutcheon	No.	459 (4	Escutched	ons),		\$16.45
013351/2	4.6	4.6	4.4	459 (2	6.6),		9.15
013353/	6.6		6.6	459 (4	6.6),		17.45
0034	6.6	4.4	4.6	458 (4	6 6),		18.65
0034 1/2	6.6	4.4	6.6	458 (2),		12.00
00343/	6.6	6 6	4.6	458 (4	4.6),		19.65
						, .		, - 5

For Locks Nos. 01335, etc., see page 137; Locks Nos. 0034, etc., page 138.

Communicating Door Set. Size, inches. Knobs No. Escutcheons No. Lock No. Per set. C 235 3613 4½×3½ 65658×65658 \$12.30 For Lock No. C235, see page 144.


	Master-keyed	Columbia Cylinder	Office Sets.	
Lock No. C1225 M	Size, inches. $5\frac{1}{2} \times 3\frac{3}{4}$	Knobs No. 3613	Escutcheons No.	Per set. \$16.90
C 1225 M	$5\frac{1}{2} \times 3\frac{3}{4}$	3613	655×655¼	19.40
C 1456 M	$5\frac{1}{2}\times 3\frac{3}{4}$	3613	655	20.20
C 1456 M	$5\frac{1}{2} \times 3\frac{3}{4}$	3613	655×655¼	22,70

For Lock No. C 1225 M, see page 132; Lock No. C 1456, page 134.

Design:- Barrington.

SCHOOL:-RENAISSANCE.





A — Escutcheon No. 1948 B — Knob No. 3978

Escutcheon No. 945

C — Knob No. 977
Escutcheon No. 947
D — Sash Lift No. 948

E-Push Button No. 945

Harrington. - Renaissance.

HARRINGTON.-RENAISSANCE.

		Real Bronze.	
No. 977	Size, inches. $2\frac{1}{4} \times 2\frac{1}{4}$	Door Knob, 5-16 inch Plain Spindle,	Per doz. pairs. \$25.00
3977	21/4×21/4	" 5-16 " Screwless "	37.00
3978	2½×2¼	" " 5-16 " " "	42.00
	F	For Swivel Spindles, add \$3.60 per doz. to list prices	
		Roses and Escutcheons Combined.	er dozen.
945	13½×3¼	For all Front Door Locks, outside,	\$30.00
9461/4	95/8×23/8	" Columbia Cylinder Front Door and Office Locks, inside,	24.00
946	95/8×23/8	"Vestibule Latches, Office Door Locks, and 4 inch Inside Locks,	18.00
946Bla	nk 95/8 × 23/8	" Columbia Cylinder Vestibule Latches, inside,	18.00
946 5/8	95/8×23/8	" Communicating Door Lock No. C 235, .	24.00
947	8½×2¼	" 3½ inch Inside Door Locks,	15.00
949	2½×1	Plate Escutcheon,	3.00 er set (4).
1948	9½×2½	Flush Cup Escutcheon for Sliding Door Locks Nos. 0034, 0034½, 0034¾,	\$10.00
1949	9½×2½	Flush Cup Escutcheon for Sliding Door Locks Nos. 01330, 01335, etc.,	10.00
945	$7\frac{1}{2} \times 2\frac{1}{2}$	Push Button, Fibre Back,	er dozen. \$21.00
945 1/2	7½×2½	" Hard Rubber Back,	22.75
945	13½×3¼	"Plate,	30.00
942		Hook Sash Lift,	3.50
948	4¾×15/8	Flush " "	6.40
945	5 1/2	Bar " "	9.00

Regular Finish: Finish No. 27. Finishes Nos. 02A, 06, 07, 07½, 07¾, 09, 09½, 09¾, 011, 27½, and 27¾ at the same price. Supplied in Sand Finishes only.

Barff: These goods cannot be supplied in Barff Finish.

Special Finishes: Prices for Special Finishes on page VIII.

For Lock Sets complete with Harrington goods, see page 60.

HARRINGTON.- RENAISSANCE.

T I N		Front Door Sets.		
Lock No. 0127	Size, inches. $4\frac{3}{4} \times 3\frac{5}{8}$	Knobs No.	Escutcheons No.	Per set.
0103	.,,		945×949	\$9.95
C 1250	$4\frac{3}{4} \times 3\frac{5}{8}$	3978	945×949	10.65
	$5\frac{1}{2}\times4$	3978	945	18.70
C 1250	$5\frac{1}{2} \times 4$	3978	945×946¼	20,20
For Locks Mos	oren end -	_	3107171-74	20.20

eks Nos. 0127 and 0103, see page 150; Lock No. C 1250, page 158.

Y . 1 . 2 .		Vestibule Door Sets.	•	
Latch No. 0127 ½	Size, inches. $3\frac{3}{8} \times 3\frac{5}{8}$	Knobs No. 3978	Escutcheons No.	Per set.
0103½	33/8×35/8	3978	946 946	\$8.10
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	3978	946	8.80
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	3978	046 × 046 Blank	13.70
For Latches page 159.	Nos. 0127½	and 01031/2, see pa	age 151; Latch No.	C 1254,

Inside Door Sets.

Y		liside Door Sets.		
Lock No. 01784	Size, inches. $3\frac{1}{2} \times 3\frac{1}{4}$	Knobs No.	Escutcheons No. 947	Per set.
017843/	3½×3¼	977	947	\$5.85
390	$3\frac{1}{2}\times 3\frac{1}{4}$	977	947	6.00
390¾ 01764	3½×3¼	977	947	6.20
017643/	$4 \times 3\frac{1}{2}$ $4 \times 3\frac{1}{2}$	977	947	6.20
R 00133/	4 \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	977 977	947	6.45
7 1	4/2/\3/2	9//	947	7.50

For Locks Nos. 01784 and 0178434, see page 121; Locks Nos. 390 and 39034, page 122; Locks Nos. 01764 and 0176434, page 120; Lock No. R 001334, page 125.

Lock No.			Slidi	ng Door	Sets.				
01330	Flush	Escutcheon	No.	1040 (4	Escutched	me)			Per set.
01330 1/2	6.6	6.6	6.6	1949 (2	""	115),	•	•	\$13.65
013303/	6.6	4.4	4.4		4.6),	•	•	7.75
0034	6.6	6.6	4.6	1949 (4),	•	•	14.65
0034 1/2	6.6			1948 (4	4.4),			16.65
/ 2	4.6		4 6	1948 (2	6.6),			11.00
00343/		4.6	4.6	1948 (4	6.6),			17.65
For I on	Iza Moa				-				,

For Locks Nos. 01330, etc., see page 137; Locks Nos. 0034, etc., page 138.

Communicating Door Set.

Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
C 255	$4\frac{1}{2} \times 3\frac{1}{2}$	977	946 58 × 946 58	\$9.40
	For Lock N	o. C 235, see	page 144.	* 3.40

Lock No.	Master-keyed Size, inches.	Columbia Cylinder	Office Sets.	
C1225 M	$5\frac{1}{2} \times 3\frac{3}{4}$	Knobs No.	Escutcheons No.	Per set. \$13.95
C1225 M	$5\frac{1}{2} \times 3\frac{3}{4}$	977	946×946¼	15.45
C 1456 M	$5\frac{1}{2} \times 3\frac{3}{4}$	977	946	17.25
C 1456 IM	5½×3¾	977	946×946¼	18.75

For Lock No. C 1225 M, see page 132; Lock No. C 1456, page 134.

Design:- Courtenay School:-French Renaissance.



A — Knob No. 765 Escutcheon No. 757 1/8 B — Knob No. 762

B — Knob No. 762 Escutcheon No. 743 C — Escutcheon No. 786

D-Sash Lift No. 784

E - Push Button No. 765

COURTENAY.- FRENCH RENAISSANCE.

Real Bronze.	Per doz.
No. Size, inches. 761 2½×2½ Door Knob, 5-16 inch Plain Spindle, 762 2½×2½ " " 5-16 " " "	pairs. \$72.00 . 76.20
765 2½ " " Oval, 5-16 inch Plain Spindle, 766 3 " " 5-16 " " "	75.00
For Swivel Spindles, add \$3.60 per doz. to list p	rices.
Roses and Escutcheons Combined.	Per dozen.
741½ 143/8×3¼ For all Front Door Locks, outside,	. \$66.00
743 143/8×31/4 "Columbia Front Door and Office Locks, ou	
7431/4 143/8×31/4 " Front Door and Office Locks, in	
7541/4 11 1/8 × 2 5/8 " Cylinder Front Door "	42.00
744 1438×31/4 " Front Door Locks, outside,	. 66.00
754Blank II 5/8 × 25/8 " Cylinder Vestibule Latches, ins	
757½ 11½×2½ "Vestibule Latches and 4 inch Inside Loc	
757% 11%×25% "Communicating Door Lock No. C 235,	. 42.00
768½ 9¾×2¾ " 3½ inch Inside Locks,	. 30.00
757 1178 × 278 472	. 36.00
759 23/8×11/4 Plate Escutcheon,	Per set (4).
786 11½×2¾ Flush Cup Escutcheon for Sliding Door Loo Nos. 0034, 0034½, 0034¾,	. \$17.00
787 11½×2¾ Flush Cup Escutcheon for Sliding Door Loo Nos. 01330, 01335, etc.,	eks . 17.00 Per dozen.
765 7½×1¾ Push Button, Fibre Back,	. \$18.50
765½ 7½×1¾ " " Hard Rubber Back,	. 20.25
728 20 ×4 " Plate,	. 96.00
744 14 ³ / ₈ ×3 ¹ / ₄ " "	. 63.00
778 20 ×4 Door Pull,	. 125.00
19 17× 17×3¼ Hinge Plate,	. 14.50
20 18×8½×3¼ "	. 14.50
784 6½×17% Flush Sash Lift,	. 12.00
786 8½×1% Mortise Flush Bolts:—	
12 18 24 30 36 inch.	
\$36.00 36.60 37.20 37.80 38.40 per doz	en.
42 48 54 60 66 inch.	
\$39.00 39.60 40.20 40.80 41.40 per doz	en.

Regular Finish: Finish No. 11.

Barff: These goods can be furnished in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

For Lock Sets complete with Courtenay goods, see page 64.

COURTENAY.-FRENCH RENAISSANCE.

		Front Door Sets.		
Lock No. 0127	Size, inches. $4\frac{3}{4} \times 3\frac{5}{8}$	Knobs No. 762	Escutcheons No. 741½×759	Per set. \$15.75
0103	43/4×35/8	762	741½×759	16.45
C 1250	5½×4	762	743	24.15
C 1250	5½×4	762	743×754¼	27.15
For Locks Nos	of 127 and o	Ing see hage Iro. 1	Lock No Crate	10000 770

For Locks Nos. 0127 and 0103, see page 150; Lock No. C 1250, page 158.

	V	Vestibule Door S	ets.	
Latch No. 0127 ½	Size, inches. $3\frac{3}{8} \times 3\frac{5}{8}$	Knobs No. 762	Escutcheons No. 757 1/8	Per set. \$12.15
01031/2	$3\frac{3}{8} \times 3\frac{5}{8}$	762	757 1/8	12.90
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	762	744	20.15
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	762	744×754 Blank.	23.15
For Latche	s Nos. 01271/2 a	nd 0103½, see	page 151; Latch	No. C 1254.

page 159.

	Lt	nside Door Sets.		
Lock No. 01784	Size, inches. $3\frac{1}{2} \times 3\frac{1}{4}$	Knobs No. 761	Escutcheons No. 768 ½	Per set. \$12.10
017843/4	$3\frac{1}{2}\times 3\frac{1}{4}$	761	768 1/2	12.25
390	$3\frac{1}{2}\times 3\frac{1}{4}$	761	768 1/2	12.25
390¾	$3\frac{1}{2}\times 3\frac{1}{4}$	761	768 1/2	12.45
01764	$4 \times 3\frac{1}{2}$	761	7571/8	13.45
017643/	4 ×3½	761	757 1/8	13.70
R 001334	$4\frac{1}{2} \times 3\frac{1}{2}$	761	757	14.75

For Locks Nos. 01784 and 01784¾, see page 121; Locks Nos. 390 and 390¾, page 122; Locks Nos. 01764 and 01764¾, page 120; Lock No. R 0013¾, page 125.

1-8-			011 11	-	0 .			
Lock No.				ng Doo				Per set.
01335	Flush	Escutcheon	No.	787 (4	Escutche	ons),		\$20.80
013351/2	6.6	4 6	4 4	787 (2	6.6),		11.15
0133534	6.6	4.6	4.6	787 (4	6 6),		21.80
0034	6.6	4.6	4.4	786 (4	4.4),		23.00
0034 1/2	6.6	4 6	4 4	786 (2	4.4),		14.00
00343/	6.6	4.6	6.6	786 (4	4.6),		24.00

For Locks Nos. 01335, etc., see page 137; Locks Nos. 0034, etc., page 138.

Communicating Door Set.

C 235	Size, inches. $4\frac{1}{2} \times 3\frac{1}{2}$	Knobs No.	Escutcheons No. 757 1/8 × 757 1/8	Per set. \$16.50
	For Lock No	. C 235, see	page 144.	

Master-keyed Columbia Cylinder Office Sets.

C 1225 M	Size, inches. $5\frac{1}{2} \times 3\frac{3}{4}$	Knobs No. 761	Escutcheons No.	Per set. \$21.50
C1225 M	$5\frac{1}{2}\times 3\frac{3}{4}$	761	743×743¼	27.00
C1456 M	$5\frac{1}{2}\times3\frac{3}{4}$	761	743	24.80
C 1456 M	$5\frac{1}{2}\times 3\frac{3}{4}$	761	743×743¼	30 30

For Lock No. C 1225 M, see page 132; Lock No. C 1456 M, page 134.

Design:- Gellini.

SCHOOL:-RENAISSANCE.



A — Knob No. 3971 Escutcheon No. 922 B — Door Pull No. 958

C — Escutcheon No. 428

D—Sash Lift No. 924 E—Push Button No. 920

Cellini. - Renaissance.

CELLINI.-RENAISSANCE.

Real Bronze.					
No.	Size, inches.	Per d pair			
3971	21/4×21/4	Door Knob, 5-16 inch Plain Screwless Spindle, \$72.			
3972	2½×2¼	" " 5-16 " " " " 76.	.20		
	F	or Swivel Spindles, add \$3.60 per doz. to list prices.			
		Roses and Escutcheons Combined.	zen.		
921	12½×3½	For all Front Door Locks, \$50.			
9221/4	93/4×27/8	" Columbia Cylinder Front Door and Office			
		Locks, inside, 30	.00		
922Bla	nk 93/4×27/8	" Columbia Cylinder Vestibule Latches, inside, 30	.00		
922	93/×27/8	" Vestibule Latches, Office and Inside Door			
		Locks,	.00		
922 3/8	93/×27/8	" Communicating Door Lock, No. C235, . 36	.00		
923	21/8×11/4		.00		
428	10 ×2 1/8	Flush Cup Escutcheon for Sliding Door Locks	(4).		
	,,,,,	Nos. 0034, 0034½, 0034¾, \$17	.00		
429	10 ×2 7/8	Flush Cup Escutcheon for Sliding Door Locks			
			.00		
920	73/×2½	Push Button, Fibre Back, \$28			
9201/2	73/×2½	" " Hard Rubber Back, 30	.00		
920	16½×4½	" Plate,	.00		
958	16½×4½		.00		
924	51/4×2	Flush Sash Lift,	.00		
			2/		
Re	gular Finish	h: Finish No. 27. Finishes Nos. 02A, 06, 07, 07 1/2, 07	3/4.		

Regular Finish: Finish No. 27. Finishes Nos. 02A, 06, 07, 07½, 07¾, 09, 09½, 09¾, 011, 27½, and 27¾, at the same price.

Barff: These goods cannot be supplied in Barff Finish.

Special Finishes: Prices for Special Finishes on page VIII.

For Lock Sets complete with Cellini goods, see page 68.

CELLINI.- RENAISSANCE.

	Fr	ont Door Sets.		
Lock No. 0127	Size, inches. $4\frac{34}{3} \times 3\frac{5}{8}$	Knobs No. 3972	Escutcheons No. 921×923	Per set. \$14.70
0103	43/4×35/8	3972	921×923	15.40
C 1250	5½×4	3972	921	23.20
C 1250	5½×4	3972	921×9221/4	25.70
For Locks	Nos. 0127 and 0103,	see page 150;	Lock No. C 1250,	page 158.

Vestibule Door Sets.

Latch No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
01271/2	$3\frac{3}{8} \times 3\frac{5}{8}$	3972	922	\$11.95
01031/2	33/8×35/8	3972	922	12.65
C 1254	33/4×33/4	3972	922	17.55
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	3972	922×922 Blank.	20.05
For Latches	Nos. 01271/ and	OTO21/ see page	a IFI . Latah No.	Crari

For Latches Nos. 0127½ and 0103½, see page 151; Latch No. C1254, page 159.

		Inside Door Sets.		
Lock No. 01784	Size, inches. $3\frac{1}{2} \times 3\frac{1}{4}$	Knobs No.	Escutcheons No.	Per set. \$12.25
017843/4	3½×3¼	3971	922	12.45
390	3½×3¼	3971	922	12.45
390¾ 01764	3½×3¼	3971	922	12.60
017643/	4 ×3½ 4 ×3½	3971 3971	922 922	12.60
R 001334	4½×3½	3971	922	13.95

For Locks Nos. 01784 and 01784¾, see page 121; Locks Nos. 390 and 390¾, page 122; Locks Nos. 01764 and 01764¾, page 120; Lock No. R 0013¾, page 125.

Lock No.			Slidi	ing I	000	or Sets.		Per set.
01335	Flush	Escutcheon	No.	429	(4	Escutcheons),		\$21.45
013351/2	4.4	6.6	6 6	429	(2	"),		11.65
013353/	4.4	4.6	4.4	429	(4	"),		22.45
0034	4.6	6.6	4 4	428	(4	"),		23.65
0034 1/2	4.4	4 6	6.6	428	(2	"),		14.50
00343/	4.6	6 6	4.6	428	(4	"),		24.65
***						, ,		1 3

For Locks Nos. 01335, etc., see page 137; Locks Nos. 0034, etc., page 138.

	Comm	unicating Door	Set.	
C 235	Size, inches. $4\frac{1}{2} \times 3\frac{1}{2}$	Knobs No. 3971	Escutcheons No. 922 1/8 × 922 1/8	Per set \$15.30

C235

4½ × 3½

3971

922 5% × 922 5%


For Lock No. C 235, see page 144.

Master-keyed Columbia Cylinder Office Sets

	IVIASIEI - KE YEU	Columbia Cymider	Office Sets.	
Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
C 1225 M	$5\frac{1}{2} \times 3\frac{3}{4}$	3971	922	\$18.90
C 1225 M	$5\frac{1}{2} \times 3\frac{3}{4}$	3971	922 × 922 1/4	21.40
C1456M '	$5\frac{1}{2} \times 3\frac{3}{4}$	3971	922	22.20
C 1456 M	$5\frac{1}{2}\times3\frac{3}{4}$	3971	922×9221/4	24.70

For Lock No. C 1225 M, see page 132; Lock No. C 1456 M, page 134.

Design:— Pisano School:—Italian Renaissance.



A — Knob No. 609
Escutcheon No. 651

B — Knob No. 610 Escutcheon No. 650 C - Escutcheon No. 456

D-Sash Lift No. 653

E - Sash Lift No. 655

PISANO.-ITALIAN RENAISSANCE.

		Real Bronze.	70 1
No.	Size, inches.		Per doz. pairs.
609	$2\frac{1}{4} \times 2\frac{1}{4}$	Door Knob, 5-16 inch Plain Spindle,	\$72.00
610	2½×2¼	" " 5-16 " " "	76.20
	F	or <i>Swivel Spindles</i> , add \$3.60 per doz. to list prices.	
		Roses and Escutcheons Combined.	er dozen.
650	12 ×3½	For all Front Door Locks, outside,	\$50.00
6511/4	101/8×3	" Columbia Cylinder Front Door and Office	
, .	,	Locks, inside,	42.00
651 Blan	k107/8×3	" Columbia Cylinder Vestibule Latches, inside,	36.00
651	107/8×3	" Vestibule Latches, Office, and Inside Locks,	36.00
651 5/8.	107/8×3	" Communicating Door Lock No. C 235, .	42.00
653	3 ×1	Plate Escutcheon,	6.00
456	107/8×3	Flush Cup Escutcheon for Sliding Door Locks	er set (4).
	70.15	Nos. 0034, 0034½, 0034¾,	\$17.00
457	10%×3	Flush Cup Escutcheon for Sliding Door Locks	
		Nos. 01330, 01335, etc.,	
650	7 ×2½	Push Button, Fibre Back,	er dozen. \$21.00
650 1/2	1	" " Hard Rubber Back,	22.75
, -	7 ×2½	The temporal second	
650	$12\frac{1}{4} \times 3\frac{1}{2}$	" Plate,	72.00
650	$12\frac{1}{4} \times 3\frac{1}{2}$	Door Pull,	80.00
653	5 5/8 × 1 7/8	Flush Sash Lift,	12.00
655	6	Bar " "	9.00

Regular Finish: Finish No. 27. Finishes Nos. 02A, 06, 07, 07½, 07¾, 09, 09½, 09¾, 011, 27½, and 27¾, at the same price.

Barff: These goods cannot be supplied in Barff Finish.

Special Finishes: Prices for Special Finishes on page VIII.

For Lock Sets complete with Pisano goods, see page 72.

7

PISANO.—ITALIAN RENAISSANCE.

T. I. N.		Front Door Sets.		
Lock No. 0127	Size, inches. $4\frac{34}{4} \times 3\frac{5}{8}$	Knobs No.	Escutcheons No.	Per set.
0103	434×35%	610	650×653 650×653	\$14.70
C 1250	5½×4	610	650	15.40 23.20.
C 1250	5½×4	610	650×6511/4	26.20
For Locks Nos.	0127 and 010	03, see page 150: I	ock No C rare	Daga zwe

03, see page 150; Lock No. C 1250, page 158.

T . I DT		Vestibule Door S	ets.	
Latch No. 0127 1/2	Size, inches. 33/8 × 35/8	Knobs No.	Escutcheons No.	Per set.
01031/2	33/8×35/8	610	651 651	\$12.45
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	610	651	13.15
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	610	651 X 651 Blank	27.05
For Latches page 159.	Nos. 0127 ½	and 01031/2, see	page 151; Latch	No. C 1254,

Inside Door Sets.	
	set.
01784¾ 3½×3¼ 609 651	3.25 3.45
3903/ 3½×3¼ 609 651	3.45
01764 4 × 21/2 600	.60
01764¾ 4 ×3½ 600 651	.60
R001334 41/2×31/2 600	.95

For Locks Nos. 01784 and 01784¾, see page 121; Locks Nos. 390 and 390¾, page 122; Locks Nos. 01764 and 01764¾, page 120; Lock No. R 0013¾, page 125.

Lock No.			Slidi	ng Doo	r Sets.					
01335	Flush	Escutcheon	No.	457 (4	Escutche	one)				Per set.
013351/2	4.4	6.6	4.4	457 (2	44)	٠	•	•	\$21.45
013353/	6.6	4.4	6.6),	٠	•	•	11.65
0034	66	4.4		457 (4	4.6),	٠			22.45
)	4.6	456 (4	4.6),				23.65
0034 ½	4.4	4.4	6.6	456 (2	4.4).				14.50
00343/	4.4	4.6	4.6	456 (4	4.6),	•	•	•	
For Loo	Ind NT			750 (4),				24.65

For Locks Nos. 01335, etc., see page 137; Locks Nos. 0034, etc., page 138.


	Comr	nunicating Door	r Set.	
C 235	Size, inches. $4\frac{1}{2} \times 3\frac{1}{2}$	Knobs No. 609 No. C 235, see	Escutcheons No. 651 5/8 × 651 5/8	Per set. \$16.30

1	Master-keyed	Columbia Cylinder	Office Sets.	
Lock No. C 1225 M	Size, inches.	Knobs No.	Escutcheons No.	Per set.
C 1225 M	5½×3¾	609	651	\$19.40
C 1456 M	5½×3¾	609	651×6514	22.40
C 1456 M	5½×3¾	609	651	22.70
C 1430 IVI	5½×3¾	609	651×6514	25.70

For Lock No. C 1225 M, see page 132; Lock No. C 1456 M, page 134.

DESIGN:- FRANKFORT.

SCHOOL:-GERMAN' ROCOCO.



A — Knob No. 3787 Escutcheon No. 788 B — Knob No. 3782 Escutcheon No. 780

C — Escutcheon No. 492 D — Sash Lift No. 786 E — Sash Lift No. 785

FRANKFORT.-GERMAN ROCOCO.

		Real Bronze.	Per doz.
No. 3781	Size, inches.	Door Knob, 5-16 inch Screwless Spindle,	pairs. \$72.00
3782	2½×2¼	" " 5-16 " " "	76.20
3787	23/4;	" " 5-16 " " Oval	~ 6 00
2500		Pattern,	76.20
3788	3	Pattern,	78.00
	F	For Swivel Spindles, add \$3.60 per doz. to list price	s.
		Roses and Escutcheons Combined.	
780	12 ×3½	For all Front Door Locks, outside,	Per dozen. \$52.00
7801/4	, _	" Columbia Front Door Locks, inside,	58.00
784Bla	- , -	" Vestibule Latches, inside,	24.00
788	10 ×3	" Vestibule and Office Door Locks, outside,	30.00
788 1/4	10 ×3	" Columbia Front Door and Office Locks, inside	e, 36.00
784 5/8	8 ×21/4	" Communicating Door Lock No. C 235, .	30.00
784	8 ×21/4	" Inside Door Locks,	24.00
789	23/8×11/4	Plate Escutcheon,	7.00 Per set (4).
492	9¾×3	Flush Cup Escutcheon for Sliding Door Locks Nos. 0034, 0034½, 0034¾,	\$17.00
493	9¾×3	Flush Cup Escutcheon for Sliding Door Locks Nos. 01330, 01335, etc.,	17.00
780	12 ×3½	Push Plate,	Per dozen. \$52.00
788	2I ×3½	ii ii	96.00
785	$7\frac{3}{4} \times 2\frac{3}{4}$	"Button, Fibre Back,	24.25
785 1/2	. / / .	" " Hard Rubber Back,	26.00
785	12 ×3½	Door Pull,	100.00
785	6 ×2	Flush Sash Lift,	13.00
786	53/×11/2	Bar " "	9.00
787	81/4×23/8	Mortise Flush Bolts:—	
		12 18 24 30 36 inch. \$36.00 36.60 37.20 37.80 38.40 per dozen.	
		42 48 54 60 66 inch. \$39.00 39.60 40.20 40.80 41.40 per dozen.	

Regular Finish: Finish No. 27. Finishes Nos. 02A, 06, 07, 07½, 07¾, 09, 09½, 09¾, 011, 27½, and 27¾, at the same price. Supplied in Sand Finishes only.

Barff: These goods cannot be supplied in Barff Finish.

Special Finishes: Prices for Special Finishes on page viii.

For Lock Sets complete with Frankfort goods, see page 76.

FRANKFORT.—GERMAN ROCOCO.

		FRANKF	OR'	r.—GER	MAN	ROCOCO.	
			F	ront Door	Sets.		
Lock No. 0127		Size, inches.		Knobs N		Escutcheons No.	Per set.
		43/4×35/8		3782		780×789	\$14.95
0103		43/4×35/8		3782		780×789	15.65
C 1250		5½×4		3782		780	23.35
C 1250		5½×4		3782		7807/2861/	0 = 0 =
For Lo	ocks N	os. 0127 and 0	0103.	see page	150: I	Lock No. C 1250,	25.05
							page 150.
Latch No.		C: : ;	Ves	tibule Doo			
01271/2		Size, inches.		Knobs No	ο.	Escutcheons No.	Per set.
01031/2		33/8×35/8		37.82		788	\$11.95
C 1254		$3\frac{3}{4} \times 3\frac{3}{4}$		3782		788	12.65
C 1254				3782		788	17.55
	atches	3¾×3¾		3782		788×784 Blank.	19.55
page 159	accines	Nos. 0127 1/2	and	$0103\frac{1}{2}$, s	ee pa	ge 151; Latch	No. C 1254,
1 - 8 3 7							
Lock No.		Size, inches.	HIS	ide Door S		77	
01784		3½×3¼		378I		Escutcheons No. 784	Per set.
017843/		3½×3¼		3781		784	\$11.25
390	*	3½×3¼		3781			11.45
3903/		3½×3¼		3781		784	11.45
01764		4 ×3½				784	11.60
017643/		4 X3½		3781		784	11.60
R 00133/		, -		3781		784	11.85
	oke M.	4½×3½		3781		784	12.95
390¾, pag	ge 122;	Locks Nos. o	1 017	784¾, see and 01762	page	121; Locks No age 120; Lock No	s. 390 and R 00133/4,
							5/4
Lock No. 01335	Fluch	Frontohoom	NT -	ing Door S	iets.		Per set.
013351/2	66	Escutcheon	INO.			neons),	. \$21.45
013353/	6.6	4.4	44	493 (2	6.6),	. 11.65
0034	6.0	4.4		493 (4	6.6),	. 22.45
0034	"		4.6	492 (4	4.4),	23.65
	"	* *	6.6	492 (2	6.6),	. 14.50
00343/		4.6	4 4	492 (4	6.6),	0.6-
For Loc	ks Nos	s. 01335, etc.,	see p	page 137;	Locks	Nos. 0034, etc., p	age 138
							g • 1) · ·
Lock No.		Size, inches.	шпи	Knobs No.	oor Se		
C 235		4½×3½		378 I		Escutcheons No. 7845/8 × 7845/8	Per set.
		For Lock	No	. C 235, s	ee na	70478 \ 70478	\$14.30
Lock No.		Master-keyed Size, inches.	Colu	imbia Cyli			
C 1225 M		5½×3¾		Knobs No.		Escutcheons No.	Per set.
C1225 M		5½×3¾		3781		788	\$18.90
C 1456 M		5½×3¾				788×788¼	21.40
C1456 M		5½×3¾		3781		788	22.20
	k No	C 1225 M COO	nacc	3781	1 37	788×788¼	24.70
300		- 1225 M, See	pag	e 132; Loc	ek No.	. C 1456 M, see pa	age 134.

Design:— Verocchio School:—Italian Renaissance.



A — Knob No. 601 Escutcheon No. 721

B — Knob No. 602 Escutcheon No. 720 C — Escutcheon No. 425 D — Sash Lift No. 724

E — " " 725

F-Push Button No. 720

Verocchio.- Italian Renaissance.

VEROCCHIO.- ITALIAN RENAISSANCE.

		Real Bronze.
No.	Size, inches.	Per do
601	$2\frac{1}{4}\times2\frac{1}{4}$	Door Knob, 5-16 inch Plain Spindle, \$30.0
3601	21/4×21/4	" " 5-16 " Screwless " 42.0
602	2½×2¼	" " 5-16 " Plain " 34.8
3602	2½×2¼	" " 5-16 " Screwless " 46.8
		For Swivel Spindles, add \$3.60 per doz. to list prices.
		Roses and Escutcheons Combined.
720	117/8×3	For all Front Door and Office Locks, outside, \$30.0
	1178×3	" Columbia Front Door and Office Locks, inside, 36.6
, .	11/8 × 3 nk 9½ × 23/8	" Vestibule Latches, inside, 18.0
721	$9\frac{1}{2}\times 2\frac{3}{8}$	" Vestibule Latches and Inside Locks, . 18.0
	117/8×3	" Communicating Door Lock No. C 235, . 36.6
729	23/×11/4	Plate Escutcheon.
		Per set (4
424	$9\frac{1}{2}\times2\frac{3}{8}$	Flush Cup Escutcheon for Sliding Door Locks Nos. 0034, 0034½, 0034¾, \$10.0
425	9½×23/8	Flush Cup Escutcheon for Sliding Door Locks
123	9/2/12/8	Nos. 01330, 01335, etc., 10.0
601	-1/2/01/	Per doze
720	$7\frac{1}{4} \times 2\frac{1}{4}$ 12 × 3	
726	173/8×35/8	Push Plate,
720	71/8×3/8	Push Button, Fibre Back,
720 1/2	$7\frac{1}{8}\times 2\frac{1}{4}$	" " Hard Rubber Back,
758	$1/8 \times 2/4$ $183/4 \times 3\frac{1}{2}$	Door Pull,
728	I	Shutter Knob,
722	-	Hook Sash Lift,
724	4½×15%	Flush Sash Lift, 6.4
725	5 1/2	Bar "
726	87/8×23/8	Mortise Flush Bolts:—
	, -	12 18 24 30 36 inch.
		\$31.20 31.80 32.40 33.00 33.60 per dozen.
		42 48 54 60 66 inch.
		\$34.20 34.80 35.40 36.00 36.60 per dozen.
725	- 2/	Per gros
725	33/8	Drawer Pull,
727	3 3/4	6. Pinish No. on Pinished No. on A of on only

Regular Finish: Finish No. 27. Finishes Nos. 02 A, 06, 07, 07½, 07¾, 09, 09½, 09¾, 011, 27½, and 27¾ at the same price.

Barff: These goods cannot be supplied in Barff Finish.

Barff: These goods cannot be supplied in Barff Finish.

Special Finishes: Prices for Special Finishes on page viii.


For Lock Sets complete with Verocchio goods, see page 80.

y.

VEROCCHIO.—ITALIAN RENAISSANCE.					
		Front Do	or Sets.		
Lock No.	Size, inches.			cutcheons No.	Per set.
0127	4¾×3½	60:	-	720×729	\$9.35
0103	4¾×3½	602	,	720×729	10.05
C 1250	5½×4	602		720	18.10
C 1250	5½×4	602		0×721¼	19.60
For Lo	cks Nos. 0127 and o	o103, see pag	ge 150; Loc	k No. C 1250.	, page 158.
		Vestibule D	oor Sets.		
Latch No.	Size, inches.	Knobs		utcheons No.	Per set.
0127 1/2	33/8×35/8	602	2	721	\$7.50
01031/2	33/8×35/8	602	2	721	8.20
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	602	2 ,	721	13.10
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	602		21×721 Blank.	14.60
For La	itches Nos. 01271/2	and 01031/2	, see page	151; Latch	No. C 1254,
page 159.		Inside Doo			
Lock No.	Size, inches.	Knobs		utcheons No.	***
01784	3½×3¼	601		72I	Per set. \$6.75
017843/	3½×3¼	601		721	6.95
390	3½×3¼	601		721	6.95
3903/	3½×3¼	601		721	7.10
01764	4 ×3½	601		721	7.10
017643/	4 ×3½	601		721	•
R 001334	$4\frac{1}{2} \times 3\frac{1}{2}$	601		721	7·35 8.45
For Lo 390¾, pag page 125.	cks Nos. 01784 ange 122; Locks Nos.	d 0178434, s 01764 and 01	see page 12 1764¾, page	I. Locks N.	bee one and
Lock No.		Sliding Do	oor Sets.		Per set.
01330	Flush Escutcheon	No. 425 (4	Escutcheor	ıs).	\$13.65
013301/2		" 425 (2),	· 7.75
0133034	4.6	" 425 (4	6.6),	. 14.65
0034	44 44	" 424 (4	4.4),	. 16.65
00341/2	44 44	" 424 (2	6.6),	. 11.00
00343/	66 66	" 424 (4	4.6).	. 17.65
For Loc	eks Nos. 01330, etc.,	see page 13	7; Locks No	s, 0034, etc	Dage 128
	_	mmunicating		34, 000.,	Pago 130.
Lock No.	Size, inches.	Knobs		tcheons No.	Per set.
C235	4½×3½	601	720	58×72058	\$11.80
	For Loc	k No. C 235	, see page	144.	
	Master-keyed				
Lock No.	Size, inches.	Knobs 1		tcheons No.	Per set.
C 1225 M	5½×3¾	601		720	\$15.00
C 1225 M	$5\frac{1}{2} \times 3\frac{3}{4}$	601	720	×720¼	17.50
C 1456 M	5½×3¾	601		720	18.30
C 1456 M	5½×3¾	601	720	×720¼	20.80
For L	ock No. C 1225 M,	see page 132	; Lock No.	C 1456M, pa	ige 134.
					0

Design:- Gravelot.

SCHOOL:- LOUIS XV.



A — Knob No. 3975 Escutcheon No. 936

B — Knob No. 3976

Escutcheon No. 935

C - Escutcheon No. 1938

D-Sash Lift No. 935

E-Sash Lift No. 938

GRAVELOT .- LOUIS XV.

	Real Bronze.						
No.	Size, inches.		Per doz. pairs.				
3975	21/4×21/4	Door Knob, 5-16 inch Screwless Spindle, .	\$72.00				
3976	2½×2¼	5-16	76.20				
	I	For Swivel Spindles, add \$3.60 per doz. to list prices.					
		Roses and Escutcheons Combined.					
935	13½×3½	For all Front Door and Office Locks, outside,	\$52.00				
9351/4	13½×3½	" Columbia Front Door and Office Locks, inside	58.00				
9361/4	10½×25/8	" " Locks, inside,	30.00				
936	10½×25/8	" Vestibule Latches and Inside Door Locks,	24.00				
936 Blan	k10¼×25/8	" Columbia Vestibule Latches, inside,	24.00				
936 3/8	10½×25/8	" Communicating Door Locks, No. C 235, .	30.00				
939		Plate Escutcheon,	3.00				
1938	103/8×23/4	Flush Cup Escutcheon for Sliding Door Locks	er set (4).				
		Nos. 0034, 0034½, 0034¾,	\$17.00				
1939	103/8×23/4	Flush Cup Escutcheon for Sliding Door Locks					
		Nos. 01330, 01335, etc.,	17.00 er dozen.				
935	6½×2½	Push Button, Fibre Back,	\$21.00				
9351/2	6½×2½	" Hard Rubber Back,	22.75				
550	11 ×25/8	Door Pull,	27.50				
931	3	Shutter Bar,	7.60				
938	11/8	" Knob,	4.80				
938	4¾×1¾	Flush Sash Lift,	13.00				
935	5½×15/8	Bar " "	9.00				

Regular Finish: Finish No. 27. Finishes Nos. 02A, 06, 07, 07½, 07¾, 09, 09½, 09¾, 011, 27½, and 27¾ at the same price. Supplied in Sand Finishes only.

Barff: These goods cannot be supplied in Barff Finish.

Special Finishes: Prices for Special Finishes on page VIII.

For Lock Sets complete with Gravelot goods, see page 84.

3

GRAVELOT.-LOUIS XV.

		Front Door Sets.		
Lock No. 0127	Size, inches.	Knobs No.	Escutcheons No.	Per set.
	$4\frac{3}{4} \times 3\frac{5}{8}$	3976	935×939	\$14.65
0103	$4\frac{3}{4} \times 3\frac{5}{8}$	3976	935×939	15.35
C 1250	5½×4	3976	935	23.35
C 1250	$5\frac{1}{2} \times 4$	3976	935×936¼	25.35
For Locks Nos.	. 0127 and 01	03, see page 150:	Lock No. C 1250	Dage Trs

Vestibule Door Sate

	v es	stidule Door S	ets.	
Latch No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
01271/2	$3\frac{3}{8} \times 3\frac{5}{8}$	3976	936	\$11.45
01031/2	33/8×35/8	3976	936	12.15
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	3976	936	17.05
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	3976	936×936 Blank.	19.05
For Latches	Nos. 01271/2 and	1 01031/2, see	page 151: Latch No.	C 1254

For Latches Nos. 0127½ and 0103½, see page 151; Latch No. C1254 page 159.

		Inside Door Sets.	•	
Lock No. 01784	Size, inches. $3\frac{1}{2} \times 3\frac{1}{4}$	Knobs No.	Escutcheons No.	Per set.
017843/		3975	936	\$11.25
/	3½×3¼	3975	936	11.45
390	$3\frac{1}{2}\times 3\frac{1}{4}$	3975	936	11.45
39034	$3\frac{1}{2} \times 3\frac{1}{4}$	3975	936	11.60
01764	$4 \times 3\frac{1}{2}$	3975	936	11.60
0176434	4 ×3½	3975	936	11.85
R 001334	$4\frac{1}{2} \times 3\frac{1}{2}$	3975	936	12.95
For Looks	Noc oragi and	2=0.2/	T 1 37	, ,

For Locks Nos. 01784 and 01784¾, see page 121; Locks Nos. 390 and 390¾, page 122; Locks Nos. 01764 and 01764¾, page 120; Lock No. R 0013¾, page 125.

Lock No.		•	Slidin	g Door S	Sets.				n
01335	Flush	Escutcheon	No.	1939 (4	Escutched	ons),			Per set. \$21.45
01335 1/2	4.4	4 6	4.4	1939 (2	4.4),			11.65
013353/	4.6	4 4	4.6	1939 (4	4.6).		·	22.45
0034	4 4	4.6	4.4	1938 (4	4.6)	•	•	23.65
0034 1/2	4.4	4.4	6.6	1938 (2	4.4),	•	•	0 0
00343/	6.6	6.6	6.6	1938 (4	4.4),	•	•	14.50
T3 T	1 37			1930 (4),	•		24.65

For Locks Nos. 01335, etc., see page 137; Locks Nos. 0034, etc., page 138.


	Comm	unicating Door	r Set.	
C 235	Size, inches. $4\frac{1}{2} \times 3\frac{1}{2}$ For Lock I	Knobs No. 3975 No. C 235, see	Escutcheons No. 936 5/8 × 936 5/8 page 144.	Per set. \$14.30

	Master-keyed	Columbia Cylino	der Office Sets.	
Lock No. C 1225 M	Size, inches.	Knobs No.	Escutcheons No.	Per set.
	$5\frac{1}{2} \times 3\frac{3}{4}$	3975	935	\$20.70
C 1225 M	$5\frac{1}{2}\times 3\frac{3}{4}$	3975	935×935¼	25.05
C 1456 M	5½×3¾	3975	935	24.00
C 1456 M	5½×3¾	3975	935×935¼	28.35

For Lock No. C 1225 M, see page 132; Lock No. C 1456 M, page 134.

DESIGN:- DIJON.

SCHOOL:-GOTHIC.



A — Knob No. 3703 Escutcheon No. 711 B — Knob No. 3704

B — Knob No. 3704 Escutcheon No. 710 C - Escutcheon No. 1710

D—Push Button No. 715 E—Sash Lift No. 714

F - " " 715

Dijon. - Gothic.

DIJON.-GOTHIC.

No.	Size, inches.	Real Bronze.	Per doz.
3703	21/4×21/4	Door Knob, 5-16 inch Screwless Spindle,	pairs. \$72.00
3704	2½×2¼	·· ·· 5-16 ·· ·· ·· · · · · · · · · · · · · · ·	76.20
		For Swivel Spindles, add \$3.60 per doz. to list price	s.
		Roses and Escutcheons Combined.	
710½	13 ×3½	For all Front Door Locks, outside,	Per dozen. \$48.00
710	113/4×3½	" " and Office Locks, outside,	42.00
7101/4	113/4×3½	" Columbia Front Door and Office Locks, insid	e, 48.00
711	$9\frac{1}{2}\times3\frac{1}{2}$	" Vestibule and Inside Locks, .	30.00
711Bla	nk 9½×3½	" Latches, inside, .	30.00
7111/4	9½×3½	" Front Door Locks, inside, .	36.00
711 5/8	9½×3½	" Communicating Door Lock No. C 235, .	36.00
719	2½×1	Plate Escutcheon,	3.60 Per set (4).
1710	9½×3½	Flush Cup Escutcheon for Sliding Door Locks	
		Nos. 0034, 0034½, 0034¾,	\$15.00
1711	9½×3½	Flush Cup Escutcheon for Sliding Door Locks Nos. 01330, 01335, etc.,	15.00
715	65/2/01/		Per dozen. \$21.00
715	65/8×21/4	Push Button, Fibre Back,	-
7151/2		" " Hard Rubber Back,	22.75
7101/2	13 ×3½	Push Plate,	36.00
714	45/8×13/4	Flush Sash Lift,	8.50
715	5 7/8 × 1 1/4	Bar " "	12.00

Regular Finish: Finish No. 27. Finishes Nos. 02A, 06, 07, 07½, 07¼, 09, 09½, 09¾, 011, 27½, and 27¾, at the same price. Supplied in Sand Finishes only.

Barff: These goods can be furnished in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

For Lock Sets complete with Dijon goods, see page 88.

DIJON.—GOTHIC.					
		Front Door S	ets.		
Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.	
0127	4¾×3½	3704	710×719	\$13.85	
0103	$4\frac{34}{3}$ × $3\frac{5}{8}$	3704	710×719	14.55	
C 1250	5½×4	3704	710	22.55	
C 1250	5½×4	3704	710×711¼	25.05	
For Lo	ocks Nos. 0127 and o	103, see page 1	50; Lock No. C 1250,	page 158.	
		Vestibule Door	Sets.		
Latch No. 0127 ½	Size, inches.	Knobs No.	Escutcheons No.	Per set.	
01031/2	33/8×35/8	3704	711	\$11.95	
C 1254	33/8×35/8	3704	711	12.65	
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	3704	711	17.55	
	33/×33/4	3704	711×711 Blank.	20.05	
page 159	Latenes Nos. 0127	$\frac{1}{2}$ and $0103\frac{1}{2}$, s	see page 151; Latch	No. C 1254,	
F-839	•	Inside Door Se	ets.		
Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.	
01784	$3\frac{1}{2} \times 3\frac{1}{4}$	3703	711	\$12.25	
017843/4	3½×3¼	3703	711	12.45	
390	$3\frac{1}{2} \times 3\frac{1}{4}$	3703	711	12.45	
3903/4	$3\frac{1}{2} \times 3\frac{1}{4}$	3703	711	12.60	
01764	4 ×3½	3703	711	12.60	
017643/4	4 ×3½	3703	711	12.85	
R 001334	4½×3½	3703	711	12.05	
For	Locks Nos. 01784 a	nd 017843/, see	name Tar I coles N	bee 200 20	
390%, pa	ge 122, Locks Nos.	01764 and 01764	34, page 120; Lock N	o. Roo133/	
page 125	•	Sliding Door S		-74.	
Lock No.	T1 1 T	-		Per set.	
01335	Flush Escutcheon			. \$19.45	
013351/2	**	" 1711 (2	(,), .	. 10.65	
013353/	• •	" 1711 (4), .	20.45	
0034	66 66	" 1710 (4),	. 21.65	
00341/2	44	" 1710 (2	۰۰), .	. 13.50	
00343/4	16 16	" 1710 (4), .	. 22.65	
For Lo	cks Nos. 01335, etc.,	see page 137; l	Locks Nos. 0034, etc.,	page 138.	
* 1 **	Con	nmunicating Do	oor Set.		
Lock No.	Size, inches. $4\frac{1}{2} \times 3\frac{1}{2}$	Knobs No.	Escutcheons No.	Per set.	
0200	4/2 \ 3/2 For Loc	3703 ek No. C 235, se	7115/8×7115/8	\$15.30	
T1 NT	Master-keyed		nder Office Sets.		
Lock No. C 1225 M	Size, inches. $5\frac{1}{2} \times 3\frac{3}{4}$	Knobs No.	Escutcheons No.	Per set.	
C 1225 M	5½×3¾ 5½×3¾	3703	710	\$19.90	
C 1456 M	5½×3¾ 5½×3¾	3703	710×710¼	23.40	
C 1456 M		3703	710	23.20	
	5½×3¾	3703	710×710¼	26.70	
1.01 1	200k 110. C 1225 M, S	see page 132; L	ock No. C 1456 M, pa	ge 134.	


Design: - Christesen.

SCHOOL:- NATURALISTIC.



A — Knob No. 3973 Escutcheon No. 930

B—Push Plate No. 934 C—Escutcheon No. 1439



CHRISTESEN.-NATURALISTIC.

'		Real Bronze.	Per doz.
3973	Size, inches. $2\frac{1}{4} \times 2\frac{1}{4}$	Door Knob, 5-16 inch Screwless Spindle,	pairs. \$72.00
3974	2½×2¼	" " 5-16 " " "	76.20
	F	or Swivel Spindles, add \$3.60 per doz. to list prices	s.
		Roses and Escutcheons Combined.	
		I	er dozen.
930	13½×3½	For all Front Door Locks, outside,	\$105.00
9321/4	10¼×2½	" Columbia Front Door and Office Locks,	
		inside,	66.00
932	10¼×27/8	" Vestibule Latches and Inside Door Locks,	60.00
932 Bla	nk 10 1/4 × 2 7/8	" Columbia Vestibule Latches, inside,	60.00
932 5/8	10¼×23/8	" Communicating Door Lock No. C 235, .	66.00
1438	10½×27/8	Flush Cup Escutcheon for Sliding Door Locks	er set (4).
		Nos. 0034, 0034½, 0034¾,	\$30.00
1439	10½×2½	Flush Cup Escutcheon for Sliding Door Locks	
		Nos. 01330, 01335, etc.,	30.00 Per dozen.
930	7½×25/8	Push Button, Fibre Back,	\$44.00
930 ½	7½×25/8	" " Hard Rubber Back,	45.75
930	131/8×35/8	Push Plate,	124.00
934	18¼×4		170.00
934	5 5/8 × 2 1/8	Sash Lift,	27.50

Regular Finish: Finish No. 27. Finishes Nos. 02A, 06, 07, 07½, 07¾, 09, 09½, 09¾, 011, 27½, and 27¾, at the same price. Supplied in Sand Finishes only.

Barff: These goods cannot be supplied in Barff Finish.

Special Finishes: Prices for Special Finishes on page VIII.

For Lock Sets complete with Christesen goods, see page 92.

CHRISTESEN.—NATURALISTIC.

		Front Door Sets.		
Lock No. 0127	Size, inches.	Knobs No.	Escutcheons No.	Per set.
	$4\frac{3}{4} \times 3\frac{5}{8}$	3974	930×923	\$19.30
0103	$4\frac{3}{4} \times 3\frac{5}{8}$	3974	930×923	20.00
C 1250	5½×4	3974	930	27.80
C 1250	5½×4	3974	930×932¼	32.80
Don't 1 - NT	1			

For Locks Nos. 0127 and 0103, see page 150; Lock No. C 1250, page 158.

		Vestibule Door S	ets.	
Latch No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
0127 ½	$3\frac{3}{8} \times 3\frac{5}{8}$	3974	932 -	\$14.45
01031/2	$3\frac{3}{8} \times 3\frac{5}{8}$	3974	932	15.15
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	3974	932	20.05
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	3974	932 × 932 Blank.	25.05
For Latches	Nos. 0127 1/2	and oro31/2, see	page 151; Latch No	
DOCO TEO				0 1.

page 159. Inside Door Sate

	1	nside Door Sets	•	
Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
01784	$3\frac{1}{2} \times 3\frac{1}{4}$	3973	932	\$17.25
017843/	3½×3¼	3973	932	17.45
390	$3\frac{1}{2} \times 3\frac{1}{4}$	3973	932	17.45
390¾	$3\frac{1}{2} \times 3\frac{1}{4}$	3973	932	17.60
01764	4 ×3½	3973	932	17.60
017643/	4 ×3½	3973	932	17.85
R 001334	$4\frac{1}{2} \times 3\frac{1}{2}$	3973	932	18.95

For Locks Nos. 01784 and 01784¾, see page 121; Locks Nos. 390 and 390¾, page 122; Locks Nos. 01764 and 01764¾, page 120; Lock No. R 0013¾, page 125.

Lock No.			Slidi	ng Door	Sets.			Per set.
01335	Flush	Escutcheon	No.	1439 (4	Escutche	ons),		\$34.45
013351/2	4.4	6.6	6.6	1439 (2	6.6),		18.15
013353/	6.6	4.4	4 4	1439 (4	4.6),		35.45
0034	4.6	6.6	4 4	1438 (4	4.4).		36.65
0034 ½	4.4	4 4	4.4	1438 (2	4.4).		21.00
00343/4	4.4	4.4	6.6	1438 (4	4.4),	·	37.65
T .						, ,		21.2


For Locks Nos. 01335, etc., see page 137; Locks Nos. 0034, etc., page 138.

	Communicating Door Set.					
Lock No. C 235	Size, inches. 4½×3½ For Lock	Knobs No. 3973 No. C 235, see	Escutcheons No. 932 5/8 × 932 5/8 page 144.	Per set. \$20.30		

	Master-keyed	Columbia Cylin	nder Office Sets.	
Lock No. C 1225 M	Size, inches.	Knobs No.	Escutcheons No.	Per set.
C 1225 M	5½×3¾ 5½×3¾	3973	932	\$21.40
C 1456 M	$5\frac{72}{5}\frac{3}{4}$ $5\frac{1}{2}\frac{3}{4}$	3973	932×932¼	26.40
C 1456 M	$5\frac{1}{2} \times 3\frac{3}{4}$	3973 3973	932 932×932¼	24.70 29.70
			k No. C 1456 M, see p	

-

GABINET TRIMMINGS.
PRUDHON.
WALSINGHAM.



A—Corner Plates No. B—""""	1521	E — Center Plate No. 1532 F — " " 1522
C — Escutcheon "		G - Drop Drawer Pull No. 1537
D- " "	1526 1/2	H— " " " 1527

Cabinet Trimmings.

CABINET TRIMMINGS.

Prudhon.- Empire.

REAL BRONZE.

	Size, inches. 5½×5½×1⅓	Corner Plate,				Per dozen \$14.25
1532	7 ×11/8	Center "	•			. 10.50
1536	3½×1	Escutcheon,				. 5.00
1536 ½	2 3½×1	6.6				. 5.00
1537	5 ×11/8	Drop Drawer	Pull,			. 20.00

Regular Finish: Finish No. 27. Finishes Nos. 02A, 06, 07, 07½, 07¾, 09, 09½, 09¾, 011, 27½, and 27¾, at the same price. Supplied in Sand Finishes only.

Barff: These goods can be furnished in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

CABINET TRIMMINGS.

Walsingham. - Romanesque.

REAL BRONZE.

	Size, inches. 5½×5½×1⅓	Corner Plate,	٠				dozen. \$14.25
1522	63/8×11/8	Center "	٠,				10.50
1526	2 5⁄8 × I	Escutcheon,					5.00
15267	2 2 5/8 × I	"					5.00
1527	4¼×1	Drop Drawer	Pull,				22.00


Regular Finish: Finish No. 27. Finishes Nos. 02A, 06, 07, 07½, 07¾, 09, 09½, 09¾, 011, 27½, and 27¾, at the same price. Supplied in Sand Finishes only.

Barff: These goods can be furnished in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

GABINET TRIMMINGS.

VEROCCHIO.



A — Corner Plates No. 1581 C — Escutcheons No. 1586

B - Escutcheon No. 1586½ D - Drop Drawer Pull No. 1576

Cabinet Trimmings.



CABINET TRIMMINGS.

Verocchio. - Italian Renaissance.


REAL BRONZE.

No. 1581	Size, inches. $6 \times 6 \times 1 \frac{1}{8}$	Corner Plate,					dozen. \$14.25
1582	67/8×11/8	Center "					10.50
1586	45/8×11/8	Escutcheon,					5.75
1586 ½	45%×11/8	6.6					5.75
1576	3½×1½	Drop Drawer	Pull,				20.00

Regular Finish: Finish No. 27. Finishes Nos. 02A, 06, 07, 07½, 07¾, 09, 09½, 09¾, 011, 27½, and 27¾, at the same price. Supplied in Sand Finishes only.

Barff: These goods cannot be supplied in Barff Finish.

Special Finishes: Prices for Special Finishes on page VIII.



NORMANDIE.











1

A — Knob No. 689 Escutcheon No. 01971/8

B-Knob No. 689
Escutcheon No. 0191½

C — Escutcheon No. 499 D—Sash Lift No. 794

E-Push Button No. 97

Normandie.

Per doz.

pairs. \$30.00

NORMANDIE.

Real Bronze.

Door Knob, 5-16 inch Plain Spindle,

Size, inches.

No. 689

	For Swivel Spindles, add \$3.60 per doz. to list prices.									
		Roses and Escutcheons Combined.								
0194	103/8×25/8	For Columbia Front Door, Vestibule, and Office Locks, outside,								
01941/4	103/8×25/8	" Columbia Front Door and Office Locks,								
		inside,	Ю							
	103/8×25/8	" Front Door Locks, outside, 20.0	Ю							
01921/2	Blank 8 1/2 × 25	5% Wrought Metal, for Columbia Vestibule Latches, inside,	00							
01921/2	834×234	WROUGHT METAL, for Vestibule Latches, outside, 10.0	00							
01965/8	103/8×25/8	For Communicating Door Lock No. C 235, . 26.0	Ю							
0198 1/2	83/4×23/4	WROUGHT METAL, for 31/2 inch Mortise Inside Locks, 10.0	00							
01971/8	83/×23/	4 10.0	00							
0197	83/4×23/4	" " 4½ " " " " 10.0	00							
659	2 ×1 1/8	Plate Escutcheon,	0							
498	8½×2½	Flush Cup Escutcheon for Sliding Door Locks								
400	22/11/11	Nos. 0034, 0034½, 0034¾, \$6.0	0							
499	8½×2½	Flush Cup Escutcheon for Sliding Door Locks Nos. 01330, 01335, etc., 6.0								
0194	10½×2½	Push Plate,								
0195	12 ×3		Ю							
97	71/4×21/2	" Button, Fibre Back, 20.0	00							
97 ½	7½×2½	" Hard Rubber Back, 21.7	75							
689	47/8×13/4	Bell Pull,	ю							
0194	10½×2½	Door ''	00							
0195	12 ×3		Ю							
792		Hook Sash Lift,	60							
794	37/8×13/4	Flush " " 6.0	00							
795	5 3/4	Bar " "	00							

Regular Finish: Finish No. 11.

Barff: These goods cannot be furnished in Barff Finish.

Special Finishes: Prices for Special Finishes on page vIII.

For Lock Sets complete with Normandie goods, see page 104.

NORMANDIE.

	F	ront Door Sets.		
Lock No. 0127	Size, inches. $4\frac{34}{4} \times 3\frac{5}{8}$	Knobs No. 689	Escutcheons No.	Per set. \$7.75
0103	$4\frac{3}{4} \times 3\frac{5}{8}$	689	0191½×659	8.50
C 1250	5½×4	689	0194	16.50
C 1250	5½×4	689	0194×0194¼	18.15

For Locks Nos. 0127 and 0103, see page 150; Lock No. C 1250, page 158.

Vestibule Door Sets.

Latch No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
0127 ½	$3\frac{3}{8} \times 3\frac{5}{8}$	689	01921/2	\$6.15
01031/2	$3\frac{3}{8} \times 3\frac{5}{8}$	689	0192 1/2	6.85
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	689	0194	12.50
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	689	0194×0192 1/2 Blank.	13.30
T3 T / 1	37 -/	1 -/	T . 1 37	~

For Latches Nos. 0127½ and 0103½, see page 151; Latch No. C 1254, page 159.

Inside Door Sets.

		DIGC DOOL OCUS		
Lock No. 01784	Size, inches. $3\frac{1}{2} \times 3\frac{1}{4}$	Knobs No. 689	Escutcheons No.	Per set. \$5.00
017843/	$3\frac{1}{2} \times 3\frac{1}{4}$	689	01981/2	5.20
390	$3\frac{1}{2}\times 3\frac{1}{4}$	689	01981/2	5.20
3903/4	$3\frac{1}{2}\times 3\frac{1}{4}$	689	01981/2	5.35
01764	4 ×3½	689	01971/8	5.35
017643/	$4 \times 3\frac{1}{2}$	689	01971/8	5.60
R 001334	$4\frac{1}{2} \times 3\frac{1}{2}$	689	0197	6.70

For Locks Nos. 01784 and 0178434, see page 121; Locks Nos. 390 and 39034, page 122; Locks Nos. 01764 and 0176434, page 120; Lock No. R 001334, page 125.

1 3			044 44	-	0 .			
Lock No.			Slidii	ng Door	r Sets.			Per set.
01330	Flush	Escutcheons	No.	499 (4	Escutched	ons), .		\$9.00
013301/2	4 4		6.6	499 (2	4.4), .		5.25
0133034	4.4	4.4	4.4	499 (4	4.4), .		10.00
0034	4.4	6.6	6.6	498 (4	4.4), .		12.00
0034 1/2	4.6	4 4	1.4	498 (2	4.4), .		8.50
00343/	4.4	4.4	6.6	498 (4	6.6), .		13.00

For Locks Nos. 01330, etc., see page 137; Locks Nos. 0034, etc., page 138.

Communicating Door Set.


C 235	Size, inches. $4\frac{1}{2} \times 3\frac{1}{2}$	Knobs No. 689	Escutcheons No. 0196 5/8 × 0196 5/8	Per set. \$10.35
	For Lock N	o. C 235, see	page 144.	

Master-Keved Columbia Cylinder Office Sets.

Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
C 1225 M	$5\frac{1}{2}\times 3\frac{3}{4}$	689	0194	\$14.20
C1225 M	$5\frac{1}{2} \times 3\frac{3}{4}$	689	0194×01941/4	15.85
C 1456 M	5½×3¾	689	0194	17.50
C 1456 M	$5\frac{1}{2}\times3\frac{3}{4}$	689	0194×0194¼	19.15

For Lock No. C 1225 M, see page 132; Lock No. C 1456 M, see page 134.

DE BERCY.



De Bercy.

E-Push Button No. 662

B-Knob No. 683

Escutcheon No. 660

Per doz.

DE BERCY.

Real Bronze.

No.

Size, inches.

683	21/4×21/4	Door Knob, 5-16 inch Plain Spindle, \$18.00
	I	For Swivel Spindles, add \$3.60 per doz. to list prices.
		Roses and Escutcheons Combined. Per dozen.
660 1/2	111/4×21/2	For Columbia Front Door and Office Locks, outside, \$22.00
660 ¼	11½×2½	"Columbia Front Door and Office Locks, inside, 28.00
660	10½×2½	" Front Door Locks and Columbia Vestibule Latches, outside,
661 Blai	nk 8½×2	WROUGHT METAL, for Columbia Vestibule Latches, inside,
661	8¼×2	WROUGHT METAL, for Vestibule Latches and Inside Locks, 7.50
660 5/8	10½×2½	For Communicating Door Lock No. C 235, . 28.00
663	2 ½× 1 ¼	Plate Escutcheon, 3.60
468	8½×2¼	WROUGHT METAL Flush Cup Escutcheon for Sliding Door Locks Nos. 0034, 0034½, 0034¾, \$3.50
469	8½×2¼	WROUGHT METAL Flush Cup Escutcheon for
		Sliding Door Locks Nos. 01330, 01335, etc., 3.50
660	10¼×2¼	Push Plate,
662	6 × 13/4	"Button, Fibre Back,
662 1/2	6 ×13/4	" Hard Rubber Back, 17.60
664	3¾×1¾	Flush Sash Lift, 6.50
664 1/2	5 ×1½	Wrought Metal Flush Sash Lift, 3.00
660	12 ×2½	Door Pull,
. Re	oular Finish	: Finish No. 11.
		goods cannot be furnished in Barff Finish.
Da	an. Incse	goods cannot be furnished in Darit Finish.


For Lock Sets complete with De Bercy goods, see page 108.

Special Finishes: Prices for Special Finishes on page VIII.

		DE BERCY.		
		Front Door Set	S.	
Lock No. 0127	Size, inches. $4\frac{3}{4} \times 3\frac{5}{8}$	Knobs No. 683	Escutcheons No. 660×663	Per set. \$7.05
0103	$4\frac{3}{4} \times 3\frac{5}{8}$	683	66o×663	7.75
C 1250	$5\frac{1}{2} \times 4$	683	6601/2	15.65
C 1250	5½×4	683	660½×660¼	17.50
For Lo	cks Nos. 0127 and c	0103, see page 15	o; Lock No. C 1250,	page 158.
•		Vestibule Door S		
Latch No. 0127 ½	Size, inches.	Knobs No.	Escutcheons No.	Per set.
01031/2	$3\frac{3}{8} \times 3\frac{5}{8}$	683 683	166	\$4.95
C 1254	33/8×35/8	-	661	5.65
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	683	660	11.65
	$3\frac{3}{4} \times 3\frac{3}{4}$ tches Nos. 0127\frac{1}{2}	683	660×661 Blank.	12.30
page 159.		and 0103½, see	e page 151; Latch l	No. C 1254,
Page 139		Inside Door Set	S.	
Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
01784	$3\frac{1}{2}\times 3\frac{1}{4}$	683	661	\$3.95
017843/	$3\frac{1}{2} \times 3\frac{1}{4}$	683	661	4.15
390	$3\frac{1}{2}\times 3\frac{1}{4}$	683	661	4.15
390¾	$3\frac{1}{2} \times 3\frac{1}{4}$	683	661	4.30
01764	4 ×3½	683	661	4.30
017643/	$4 \times 3\frac{1}{2}$	683	66 1	4.55
R 001334	$4\frac{1}{2} \times 3\frac{1}{2}$	683	661	5.65
For Lo	cks Nos. 01784 an	d 0178434, see p	age 121; Locks No	s390 and
390¾, pag page 125.	ge 122; Locks Nos.	01764 and 017643	4, page 120; Lock No.	o. R 0013¾.
Lock No.		Sliding Door Se	ts.	Per set.
01330	Flush Escutcheon	No. 469 (4 Es	cutcheons),	. \$6.50
01330 1/2	6.6	" 469 (2	··),	. 4.00
013303/		" 469 (4	٠٠),	. 7.50
0034	44 44	" 468 (4	··),	9.50
0034 1/2	4.6	" 468 (2	··),	. 7.25
00343/	4.6	" 468 (4	((),	. 10.50
For Loc	eks Nos. 01330, etc.,	see page 137; L	ocks Nos. 0034, etc., 1	-
		_	_	
Lock No.	Size, inches.	mmunicating Doo Knobs No.	Escutcheons No.	Per set.
C235	4½×3½	683	660 5% × 660 5%	\$9.40
		k No. C235, see		
		d Columbia Cylin		
Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
C1225 M	5½×3¾	683	660 1/2	\$13.35
C 1225 M	5½×3¾	683	660½×660¼	15.20
C 1456 M	5½×3¾	683	6601/2	16.65
C 1456 M	5½×3¾	683	660½×660¼	18.50
			ock No. C 1456 M, pa	
		1 0 0 ,	-+5, Pa	G - 54'

GLERMONT.











D

A — Knob No. 693 Escutcheon No. 666

B-Knob No. 694 Escutcheon No. 664 C — Escutcheon No. 1669

D - Sash Lift No. 665

E - Push Button No. 667

Clermont.

CLERMONT.

		Real Bronze.—Wrought Metal.
No.	Size, inches.	Per doz. pairs.
693	$2\frac{1}{4} \times 2\frac{1}{4}$	Door Knob, 5-16 inch Plain Spindle, \$20.00
694	$2\frac{1}{2}\times2\frac{1}{4}$	
	F	or Swivel Spindles, add \$3.60 per doz. to list prices.
		•
		ROSES AND ESCUTCHEONS COMBINED.
664	10½×2¾	For all Front Door and Office Locks, and Vesti-
		bule Latches, outside, \$12.00
6641/4	10½×2¾	" Columbia Front Door and Office Locks, inside, 18.00
666	7%×2¼	" Inside Locks,
666 Bla	uk75/8×21/4	" Columbia Vestibule Latches, inside, 7.50
666 5%	7 5/8 × 2 1/4	" Communicating Door Lock No. C235, . 13.50
667 1/2	2 ½ × 1 ½	Plate Escutcheon,
1668	75/8×21/4	Flush Cup Escutcheon for Sliding Door Locks Per set (4).
	7,071 /4	Nos. 0034, 0034½, 0034¾, \$3.50
1669	75/8×21/4	Flush Cup Escutcheon for Sliding Door Locks
		Nos. 01330, 01335, etc.,
667	5 ×2	Push Button, Fibre Back,
667 1/2	5 ×2	" Hard Rubber Back, 16.75
665	35/8×1½	Flush Sash Lift, 3.00

Regular Finish: Finishes Nos. 7½ and 27. Furnished in no other Finish.

For Lock Sets complete with Clermont goods, see page 108 D.

CLERMONT.

	F	ront Door Sets.		
Lock No. 0127	Size, inches. $4\frac{3}{4} \times 3\frac{5}{8}$	Knobs No. 694	Escutcheons No. 664×667½	Per set. \$6.85
0103	$4\frac{3}{4} \times 3\frac{5}{8}$	694	664×6671/2	7.55
C 1250	5½×4	694	664	15.70
C 1250	5½×4	694	664×664¼	16.70

For Locks Nos. 0127 and 0103, see page 150; Lock No. C1250, page 158.

Vestibule Door Sets.

Latch No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
0127 ½	$3\frac{3}{8} \times 3\frac{5}{8}$	694	664	\$6.15
01031/2	$3\frac{3}{8} \times 3\frac{5}{8}$	694	664	6.85
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	694	664	11.70
C 1254	$3\frac{3}{4} \times 3\frac{3}{4}$	694	664×666 Blank.	12.35

For Latches Nos. 0127½ and 0103½, see page 151; Latch No. C1254, page 159.

Inside Door Sets.

	111	Side Door Dels.		
Lock No. 01784	Size, inches. $3\frac{1}{2} \times 3\frac{1}{4}$	Knobs No. 693	Escutcheons No. 666	Per set. \$4.30
017843/	$3\frac{1}{2}\times 3\frac{1}{4}$	693	666	4.45
390	$3\frac{1}{2}\times3\frac{1}{4}$	693	666	4.45
390¾	$3\frac{1}{2}\times 3\frac{1}{4}$	693	666	4.65
01764	$4 \times 3\frac{1}{2}$	693	666	4.65
017643/4	4 ×3½	693	666	4.90
R 001334	$4\frac{1}{2} \times 3\frac{1}{2}$	693	666	5.95

For Locks Nos. 01784 and 01784¾, see page 121; Locks Nos. 390 and 390¾, page 122; Locks Nos. 01764 and 01764¾, page 120; Lock No. R 0013¾, page 125.

Lock No.			Slidi	ng Do	or	Sets.			Per set.
01330	Flush	Escutcheon					ns),		\$7.15
01330 1/2	" "	6.6	4.6	1669	(2	4.6	1		4.50
013303/	4.4	4.4	6.6	1669	(4	6 6),		8.15
0034	6 6	4.4	6.6	1668	(4	4.4),		10.15
00341/2	6 6	4.4	4 4	1668	(2	4 4),		7.75
00343/4	6 6	6 6	6.6	1668	(4	4.6),		11.15
T3 T						_	,		

For Locks Nos. 01330, etc., see page 137; Locks Nos. 0034, etc., page 138.

Communicating Door Set.


Lock No. C 235	Size, inches. $4\frac{1}{2} \times 3\frac{1}{2}$	Knobs No. 693	Escutcheons No. $666\frac{5}{8} \times 666\frac{5}{8}$	Per set. \$7.35
	For Lock No	. C235, see	page 144.	

Master-Keyed Columbia Cylinder Office Sets.

Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
C 1225 M	$5\frac{1}{2} \times 3\frac{3}{4}$	693	664	\$13.05.
C1225 M	$5\frac{1}{2}\times 3\frac{3}{4}$	693	664×664¼	14.05
C 1456 M	$5\frac{1}{2} \times 3\frac{3}{4}$	693	664	16.35
C 1456 M	$5\frac{1}{2} \times 3\frac{3}{4}$	693	664×6641/4	17.35
D T 1	37 0 34	-	1 37 0	

For Lock No. C 1225 M, see page 132; Lock No. C 1456 M, page 134.

BAVARIAN.



A — Knob Nos. 987 and 7987 C — Escutcheon Nos. 937 and 7937
Escutcheon Nos. 958½ and 7958½

B — Knob Nos. 987 and 7987 D — Sash Lift " 954 " 7954
E— Push Button " 965 " 7965
Escutcheon Nos. 951½ and 7951½

Bavarian.

BAVARIAN,

		D. (D	
No.	Size, inches.	Real Bronze.	Per doz.
987	21/4×21/4	Door Knob, 5-16 inch Plain Spindle	pairs. \$15.00
		For Swivel Spindles, add \$3.60 per doz. to list price	es.
		Roses and Escutcheons Combined.	Per dozen.
951 1/2	9 X21/4	For Front Door Locks.	\$12.00
9521/2	534×158	WROUGHT METAL, for Vestibule Latches,	3.60
957 ½ 958 ½	534×15% 534×15%	For 4 inch Inside Locks,	7.20
959	1 1/4 × 2 1/4	WROUGHT METAL, for 3½ inch Inside Locks, Plate Escutcheon,	
	-/4/\-/4		2.50 Per set (4).
937	9 ×2¼	WROUGHT METAL Flush Cup Escutcheon for	
		Sliding Door Locks,	\$6.00
965	6 ×2½	Push Button, Fibre Back,	Per dozen.
9651/2	6 ×21/8	" " Hard Rubber Back,	\$14.10
957	9 ×21/4	" Plate	15.00
972		Hook Sash Lift,	2.50
954 925	4½×1¾	Flush " "	6.00
908	47/8 I	Chutton Unah	6.75
960	2	"Bar,	3.50
917	13/4	Cupboard Turn,	4.50 7.00
922	2	"	8.50
927		" Cotob	Per gross.
905	2 I	" Catch,	
9051/	1 1/4	rienen window Catch,	37.80
905 1/2	1 1/2	66 66 66	42.00 48.00
945	31/4	Drawer Pull,	42.00
947	33/4		52.50
922	7¼×2¼	Letter Box Plate,	Per dozen.
	1/4/\-/4	Bavarian.—Bronze Plated.	\$10.00
No.	Size, inches.		Per doz.
7987	21/4×21/4	Door Knob, 5-16 inch Plain Spindle,	\$12.00
		For Swivel Spindles, add \$3.60 per doz. to list price	es.
70511/	- 2/-1/	Roses and Escutcheons Combined.	Per dozen.
7951 ½ 7952 ½	$9 \times 2\frac{1}{8}$ $5\frac{5}{8} \times 1\frac{1}{2}$	For Front Door Locks, " Vestibule Latches,	\$4.00
7958 1/2	5 1 1/2 5 1 1/2	" Vestibule Latches,	2.60
7959	21/4×11/4	" Inside Locks, Plate Escutcheon,	2.60 1.50
7027			D
7937	83/×21/4	Flush Cup Escutcheon for Sliding Door Locks,	\$2.00
7965	6 X21/8	Push Button, Fibre Back,	Per dozen. \$5.00
7965 1/2	6 X21/8	" Hard Rubber Back.	6.75
7957	9 ×21/8	Push Plate,	5.00
7972 7954	11/3/-2/	Hook Sash Lift,	1.00
7925	4½×1¾	Bar " "	1.50
7908	4 7/8	Shutter Knob,	2.00
7960	2	" Bar,	1.25
1895		Loose Pin Butts:—	1.33
	21/2×21/2	3×3 3½×3½ 4×4 4½×4½ 5×5 5½×5½	inch.
Das	\$1.25	1.35 1.55 1.75 1.95 2.25 2.55	per pair.
For	Lock Set	s Finish No. 3. Furnished in no other Finish s complete with Bavarian goods, see page 112.	1.
- 0.		(Continued on page 112.)	
		1.0-	

0133034

01330

013301/2

0133034

6 6

66

		Ba	avarian.—	Bronze	Plated	d.			
No. 7917	Size, inches.	Cupboar	d Turns,	, .					Per dozen. \$2.50
7922	2 1/8		4.6			٠	•	•	. 2.75 Per gross.
7927	2	T3 1	Catch,						. \$24.00
7905	I	French	Window	Catch,					. 17.00
7905 ¼ 7905 ½	1 ½ 1 ½	6.6	6.6	6.6	1				17.50
7945	31/4	Drawer	Pull,						. 12.00
7947	3 3/4	"	4.4						Per dozen.
7922	71/4×21/4	Letter B	ox Plate	,					\$5.00
R	egular Finish	: Finish	No. 3.	Furnis	hed in	n no	other	Finis	h.

BAVARIAN.

Front Door Sets.

Lock No. 7128	Size, inches. $4\frac{34}{34} \times 3\frac{5}{8}$	Knobs No. 7987	Escutcheons No. 7951 ½ × 7959	Bronze Plated, \$3.35
0127	$4\frac{34}{4} \times 3\frac{5}{8}$	987	$951\frac{1}{2} \times 959$	Real Bronze, 5.85
0103	$4\frac{34}{4} \times 3\frac{5}{8}$	987	$951\frac{1}{2} \times 959$	6.55

Lock No. 7128 is like Lock No. 0128 (page 150), but with Bronze Plated Front and Bolts. For Locks Nos. 0127 and 0103, see page 150.

Vestibule Door Sets.

Latch No.	Size, inches.	Knobs No.	Escutcheons No.		Per set.
7128 1/2	33/8×35/8	7987	79521/2	Bronze Plated,	\$3.20
0127 1/2	33/8×35/8	987	952 1/2	Real Bronze,	4.35
01031/2	$3\frac{3}{8}\times 3\frac{5}{8}$	987	952 1/2	"	5.10

Latch No. 7128½ is like Latch No. 0128½ (page 151), but with Bronze Plated Front and Bolts. For Latches Nos. 0127½ and 0103½, see page 151.

1895	Inside Door Sets. Bronze Plated,	Per set. \$1.35
7895	Bronze Plated,	1.75
895	Real Bronze,	2.30
	Sliding Door Sets.	
01330 01330	Flush Escutcheon No. 7937 (4 Escutcheons), Bronze Plated,	\$5.00 3.50

" 937 (4 "), "
For Locks Nos. 01330, etc., see page 137.

6.00

9.00

5.25

10.00


), Real Bronze,

7937 (4

937 (4

937 (2

ARABIAN.



A — Knob No. 7687 Escutcheon No. 7858½ B — Knob No. 7687

Escutcheon No. 7851 ½

C — Escutcheon No. 7837

D-Sash Lift No. 7854

E — Push Button No. 7865

Arabian,

Per doz.

ARABIAN.

D	D		
Bron2	e P	lated.	

No.	Size, inches.	pairs,
7687	21/4×21/4	Door Knob, 5-16 inch Plain Spindle, \$11.00
	F	or Swivel Spindles, add \$3.60 per doz. to list prices.
	-	1
		Roses and Escutcheons Combined.
7851 1/2	10½×2½	For Front Door Locks,
	83/4×21/2	" Vestibule Latches,
7858 1/2	83/4 × 21/2	" 3½ inch Mortise Locks, 3.75
	10½×2½	" 4 " " 4.00
7659	2 × I	Plate Escutcheon,
		Per set (4)
7837	8 ×21/4	Flush Cup Escutcheon for Sliding Door Locks, \$2.00 Per dozen.
7865	7½×2¼	Push Button, Fibre Back,
7865 1/2		" " Hard Rubber Back, 6.75
7857	10½×2½	" Plate, 5.00
7872	,- ,-	Hook Sash Lift,
7854	47/8×15/8	Flush "
7825	53/4	Bar " "
7808	I	Shutter Knob,
7830	2	" Bar,
7816		Sash Fastener,
7084		Loose Pin Butts:—
	2 ½×2½	3×3 3½×3½ 4×4 4½×4½ 5×5 5½×5½ inch.
	\$1.25	1.35 1.55 1.75 1.95 2.25 3.00 per pair.
7811	Size, inches.	Cupboard Turn, with Knob, \$2.00
7813	1 1/2	
7013	I 1/2	" Turn Handle, 2.25 Per gross.
7827	2	" Catch,
7805	1	French Window Catch,
78051/4	1 1/4	
7805½	1 1/2	" " 17.00
7194		Coat and Hat Hook, 50.00
7830	3 1/2	Drawer Pull,
7831	4 7/8	" "
7804	3/4×3	Mortise Front Door Bolt,
7836	83/×2½	"Flush Bolts:—
	-/4/\-/2	12 18 24 30 36 inch.
		\$12.00 12.60 13.20 13.80 14.40 per dozen.
		42 48 54 60 66 inch.
		\$15.00 15.60 16.20 16.80 17.40 per dozen.
D	1 171 1 1	. Bronze Plated Antique Copper Finish Furnished in

Regular Finish: Bronze Plated, Antique Copper Finish. Furnished in no other Finish.

For Lock Sets complete with Arabian goods, see page 116.

ARABIAN.

Front Door Set.

Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
7128	$4\frac{34}{3} \times 3\frac{5}{8}$	7687	7851½×7659	\$3.35

Lock No. 7128 is like Lock No. 0128 (page 150), but with Bronze Plated Front and Bolts.

Vestibule Door Set.

Latch No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
7128½	$3\frac{3}{8} \times 3\frac{5}{8}$	7687	78521/2	\$3.20

Latch No. 7128½ is like Latch No. 0128½ (page 151), but with Bronze Plated Front and Bolt.

Inside Door Sets.


Lock No.	C* • •			
LOCK INO.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
01751	3½×3	7687	78581/2	\$1.70
01751	3½×3	7850	78581/2	1.40
01761	4 ×3½	7687	7857½	2.35

Lock No. 01751 is like Lock No. 1751 (page 119), but with Bronze Plated Front and Bolts; Lock No. 01761, like No. 1761 (page 120), but with Bronze Plated Front and Bolts.

Lock No.			Slidi	ng Door	Sets.			
01330	Flush	Escutcheon	No.	7837 (4	Escutche	ons),		Per set. \$5.00
013301/2	6.6	6.6	4.4	7837 (2	4.4),		
01330¾	4.4	6.6	4 6	7837 (4	6.6),		6.00

For Locks Nos. 01330, etc., see page 137.

BRUNSWICK.



Escutcheon No. 7888 ½
B—Knob No. 7681

Escutcheon No. 7881 1/2

C — Escutcheon No. 7847 D — Sash Lift No. 7848

E-Push Button No. 7885

Brunswick.

Per doz. pairs.

BRUNSWICK. Bronze Plated.

7848

No.	Size, inches.		pairs.
7681	$2\frac{1}{4} \times 2\frac{1}{4}$	Door Knob, 5-16 inch Plain Spindle,	\$11.00
	F	or Swivel Spindles, add \$3.60 per doz. to list pric	es.
		Deepe the Freezeways Company	
		Roses and Escutcheons Combined.	Per dozen.
7881 ½	10½×23/8	For Front Door Locks,	\$4.00
7882 ½	9 ×23/8	" Vestibule Latches,	3.75
7888 ½	9 ×23/8	" 3½ inch Inside Locks,	3.75
7887 ½	9 ×23/8	. 4	3.75
7889	2½×1¼	Plate Escutcheon,	1.50 Per set (4).
7847	7 5/8 × 2 3/8	Flush Cup Escutcheon for Sliding Door Locks,	
7885	53/4×23/8	Push Button, Fibre Back,	(h)
7885 ½	$5\frac{3}{4} \times 2\frac{3}{8}$	" Hard Rubber Back,	6.75
7881	12 ×3½	" Plate,	7.00
7842	I 1/8	Hook Sash Lift,	1.00

Regular Finish: Antique Copper Finish. Furnished in no other Finish.

For Lock Sets complete with Brunswick goods, see page 116 D.

BRUNSWICK.

Front Door Set.

Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
7128	$4\frac{3}{4} \times 3\frac{5}{8}$	7681	7881½×7889	\$3.35

Lock No. 7128 is like Lock No. 0128 (page 150), but with Bronze Plated Front and Bolts.

Vestibule Door Set.

Latch No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
71281/2	$3\frac{3}{8} \times 3\frac{5}{8}$	7681	78821/2	\$3.20

Latch No. 7128 1/2 is like Latch No. 0128 1/2 (page 151), but with Bronze Plated Front and Bolt.

Inside Door Sets.

Lock No.	Size, inches.	Knobs No.	Escutcheons No.	Per set.
01751	$3\frac{1}{2}\times3$	7681	78881/2	\$1.70
01751	3½×3	7850 (Jet)	78881/2	1.40
01761	4 ×3½	7681	78871/s	2.35

Lock No. 01751 is like Lock No. 1751 (page 119), but with Bronze Plated Front and Bolts; Lock No. 01761, like No. 1761 (page 120), but with Bronze Plated Front and Bolts.

Lock No.			Slidir	ng Do	oor	Sets.			D
01330	Flush	Escutcheon	No.	7847	(4	Escutcheor	ıs),		Per set. \$5.00
013301/2	4.6	4.4		7847					3.50
0133034	4 4	• •	6 6	7847	(4				

For Locks Nos. 01330, etc., see page 137.

Mortise Knob Locks.





No. 00551/4.

No. 0057.

FOR FRENCH WINDOWS.

With Nickel Plated Steel Keys.

THICKNESS OF CASE, 1/2 INCH; WIDTH OF FRONT, 13-16 INCH.

No. Size, inches.

No. Size, inches.

Per dozen.

0055 4 334 × 156 Bronze Front and Bolts, Reversible Latch Bolt,

Key Class No. 405½, 24 Changes, . . \$20.00

Distance from Center of Hub to Front, 1 inch.

To change the Hand, TAKE OFF the Cap and turn over the Latch.

Rabbeted Front: One-half inch Rabbet.

THICKNESS OF CASE, 1/2 INCH; WIDTH OF FRONT, I INCH.


Distance from Center of Hub to Front, short side, 34 inch.

When ordering, be particular to state HAND wanted.

One-half dozen in a box.

For Lever Handles for use with these Locks, see pages 183 and 184.

Mortise Knob Locks.



No. 739.

FOR FRENCH WINDOWS.

Reversible Latch Bolt, with Nickel Plated Steel Keys.

THICKNESS OF CASE, 1/8 INCH; WIDTH OF FRONT, 1/8 INCH.

		Easy Spring.	
No.	,		Per dozen.
738	$3\frac{1}{2}\times 2$	Bronze Front and Bolts, Key Class No. 3981/2,	
		I Tumbler, 12 Changes,	\$27.00
739	3½×2½	Bronze Front and Bolts, Key Class No. 3981/2,	
		I Tumbler, 12 Changes,	27.00
	Distance	from Center of Hub to Front, 738, 11/2 inches.	
	4 6	"	
,	To change the	Hand mayor and the	

To change the Hand, TAKE OFF the Cap and turn over the Latch.

Distance from Center of Hub to Front, 21/8 inches.

To change the Hand, PULL OUT the Latch Bolt and turn it around.

One-half dozen in a box.

Wrought Steel Mortise Knob Locks.



Nos. 1750 to 02006 N. Reversible Latch Bolt, Nickel Plated Keys. IVORY BLACK CASES.

THICKNES	SOF	CASE,	1/2	INCH;	WIDTH	OF	FRONT, I	INCH.
Size, inches.	Front	and Bolt	is.	Key	Class No.		Tumblers.	Changes

No.	Size, inches.	Front and Bolts.	Key Class No.	1 umbiers.	Changes.	Per doz.
1750	3½×3	Steel,	Iron, 142	I	4	\$4.60
1753	$3\frac{1}{2}\times 3$	Brass,	" 142	I	4	9.50
1721	3½×3	Steel,	Steel, 4163/4	I	12	6.50
1724	3½×3	Brass,	" 41634	I -	12	10.50
17243/	3½×3	4.4	" 417	3	24	15.50
1751	$3\frac{1}{2}\times 3$	Steel,	" 416½	I	4	6.00
1754	$3\frac{1}{2}\times 3$	Brass,	" 416½	I	4	10.00

Distance from Center of Hub to Front, 23/8 inches.

THICKNESS OF CASE, 1/2 INCH; WIDTH OF FRONT, No. 2004, 7/8 INCH; OTHERS, I INCH.

No.	Size, inches.	Front and Bolts.	Key Class No.	Tumblers.	Changes.	Per doz.
2004	$3\frac{1}{2}\times 3\frac{1}{4}$	Brass,	Steel, 4163/4	I	12	\$10.50
2004N		6.6	" 4163/4	1	12	10.50
02004N		Bronze,	" 4163/4	I	12	15.00
2006N	3½×3¼	Brass,	" 417	3	24	15.50
02006N	31/2×31/4	Bronze,	" 417	3	24	20.00

Distance from Center of Hub to Front, 2004, 23/8 inches.

2004N, etc., 21/2 inches. 6.6 To change the Hand, TAKE OFF the Cap and turn over the Latch. One-half dozen in a box.

Packed complete with Screws and Escutcheons.

Master-Keved Locks.

No.	Size, inches.	Front and Bolts.	Key Class No.	Tumblers.	Changes.	Per doz.
11243/	3½×3	Brass,	Steel, 4171/2	3	25	\$22.00
0112434	$3\frac{1}{2}\times 3$	Bronze,	" 4171/2	3	25	26.00
70%	ana I anlen	are the country	rnort in other roct	poots of T	ools No	THO 42/

These Locks are the counterpart in other respects of Lock No. 172434. Can be furnished in two sets of 25 (or less) each, making 50 Locks, all different, with Steel Master-Key to fit each set of 25.

Master-Keys, Class No. 652.



Wrought Steel Mortise Knob Locks.



Nos. 1761 to 017643/4.
BRIGHT STEEL CASE.

Reversible Latch Bolt, Nickel Plated Patent Solid Steel Keys.

THICKNESS OF CASE, 1/2 INCH; WIDTH OF FRONT, I INCH.

No.	Size, inches.	Front and Bolts.	Key Class No.	Tumblers.	Changes.	Per doz.
1761	4×3½	Steel,	505	I	12	\$11.00
1761 34	4×3½	"	507	3	48	14.00
1764	$4\times3\frac{1}{2}$	Brass,	505	I	12	19.00
17643/	$4\times3\frac{1}{2}$		507	3	48	22.00
01764	$4\times3\frac{1}{2}$	Bronze,	505	I	12	22.20
017643/	4×3½	4.6	507	3	48	25.20

Distance from Center of Hub to Front, 23/4 inches.

To change the Hand, TAKE OFF the Cap and turn over the Latch.

One-half dozen in a box.

Packed complete with Screws and Escutcheons.

Master-Keyed Locks.

			Tumblers.	Changes.	Per doz.
1164¾ 4×3½	Brass,	508	3	100	\$27.50
01164¾ 4×3½	Bronze,	508	3	100	31.20


These Locks are the counterparts in other respects of Locks Nos. 1764¾ and 01764¾, respectively.

Can be furnished in two sets of 100 (or less) each, making 200 Locks, all different, with Steel Master-Key to fit each set of 100.

Master-Keys, Class No. 654.

Wrought Steel Mortise Knob Locks.

EASY SPRING.



Nos. 1784 to 17843/4.

IVORY BLACK FINISH CASE.

Reversible Latch Bolt, Nickel Plated Steel Keys.

THICKNESS OF CASE, 1/2 INCH; WIDTH OF FRONT, 7/8 INCH.

No.	Size, inches.	Front and Bolts.	Key Class No.	Tumblers.	Changes.	Per doz.
1784	$3\frac{1}{2}\times 3\frac{1}{4}$	Brass,	4163/4	I	12	\$12.00
01784	3½×3¼	Bronze,	4163/4	I	12	18.00
017843/	$3\frac{1}{2}\times 3\frac{1}{4}$	4.6	417	3	48	20.00

Distance from Center of Hub to Front, 21/2 inches.

To change the Hand, TAKE OFF the Cap and turn over the Latch.

One-half dozen in a box.

Packed complete with Screws.

Master-Keved Locks.

No.	Size, inches.	Front and Bolts.	Key Class No.	Tumblers.	Changes.	Per doz.
01184	$3\frac{1}{2}\times 3\frac{1}{4}$	Bronze,	551	I	40	\$20.00
011843/	$3\frac{1}{2}\times 3\frac{1}{4}$	6.6	553	3	100	23.00

These Locks are the counterparts in other respects of Locks Nos.

01784 and 017843/4, respectively.

No. 01184 can be furnished in five sets of 40 (or less) each, making 200 all different, with Steel Master-Key to fit each set of 40; No. 0118434, in two sets of 100 each (or less), making 200 all different, with Steel Master-Key to fit each set of 100.

Master-Key for Lock No. 01184, Class No. 684; for Lock No. 0118434, Class No. 686.



Mortise Knob Locks.

EASY SPRING.



Nos. 390 to 3943/4.

REVERSIBLE LATCH BOLT, NICKEL PLATED STEEL KEYS.

THICKNESS OF CASE, 9-16 INCH; WIDTH OF FRONT, I INCH.

No. 390	Size, inches. $3\frac{1}{2}\times3\frac{1}{4}$	Front and Bolts. Bronze,	Key Class No. 408 ½ (436)	Tumblers.	Changes.	Per doz. \$20.00
3903/	$3\frac{1}{2}\times 3\frac{1}{4}$	4.4	409 (437)	3	48	22.00
	Distance	from Center	of Hub to Fr	ont. 21/2	inches	

No. 394 394 ₃₄	Size, inches. 4×3½ 4×3½	Front and Bolts. Bronze,	Key Class No. 408 ½ (436) 409 (437)	Tumblers. I	Changes. 24 48	Per doz. \$25.00 27.00
---------------------------------	-------------------------------	-----------------------------	-------------------------------------	-------------	----------------------	------------------------------

Distance from Center of Hub to Front, 23/4 inches. To change the Hand, TAKE OFF the Cap and turn over the Latch.
One-half dozen in a box. Packed with Screws.

Master-Keved Locks

				701101		
No.	Size, inches.	Front and Bolts.	Key Class No.	Tumblers.	Changes.	Per doz.
1390	$3\frac{1}{2}\times 3\frac{1}{4}$	Bronze,	554 (438)	I	60	\$22.00
13903/	$3\frac{1}{2}\times 3\frac{1}{4}$	4.4	555 (439)	3	100	24.00
1394	4 ×3½	4.4	554 (438)	I	60	28.00
13943/	4 ×3½	4.6	555 (439)	3	100	30.00

These Locks are the counterparts in other respects of Locks Nos. 390,

390¾, 394, and 394¾, respectively.


Nos. 1390 and 1394 can be furnished in five sets of 60 each (or less), making 300 all different, with Steel Master-Key to fit each set of 60; Nos. 1390¼ and 1394¼, in three sets of 100 each (or less), making 300 all different, with Steel Master-Key to fit each set of 100.

Master-Keys for Locks Nos. 1390 and 1394; Class No. (680) 681; for

Locks Nos. 13903/4 and 13943/4, Class No. (682) 683.

Note.—Key Class numbers given in parenthesis are old; since July 1st, 1897, these Locks have been fitted with Key Class No. 4081/2, etc.

Upright Mortise Knob Locks.



Nos. 014 and 018.

REVERSIBLE LATCH BOLT, NICKEL PLATED STEEL KEYS.

THICKNESS OF CASE, 3/8 INCH; WIDTH OF FRONT, I INCH.

No.	Size, inches.	Front and Bolts.	Key Class No.	Tumblers.	Changes.	Per doz.
014	5×4	Brass,	408 1/2	I	24	\$21.00
018	5×3¾	4.6	409 1/2	3	36	27.00
	Distance	from Center	of Hub to	Front, 3	inches.	

To change the Hand, TAKE OFF the Cap and turn over the Latch and Hub.

One-half dozen in a box, without Knobs; One-quarter dozen, with Knobs.

NON-REVERSIBLE LATCH BOLT, NICKEL PLATED KEYS.

THICKNESS OF CASE, 3/4 INCH; WIDTH OF FRONT, 11/4 INCH.

No. 00173	Size, inches. $5\frac{1}{2}\times4\frac{1}{4}$	Front and Bolts. Bronze,	Key Class No. 410½	Tumblers.	Changes. 50	Per doz. \$57.80
	Distance	from Center	of Hub to	Front. 31/	inches.	

No. 00173½	Size, inches. $5\frac{3}{8} \times 4\frac{1}{2}$	Front and Bolts. Bronze,	Key Class No.	Tumblers.	Changes, 36	Per doz. \$60.00
		from Conton			in ahaa	

One-twelfth dozen in a box.

Packed complete with Screws.

When ordering above Locks, please specify HAND wanted.



Mortise Knob Lock.



No. 71534.

WITH REVERSIBLE LATCH BOLT AND NICKEL PLATED STEEL KEYS.

THICKNESS OF CASE, 9-16 INCH; WIDTH OF FRONT, 11/8 INCH.

No. Size, inches.

5×3½ Bronze Front and Bolts, 3 Tumblers, Key Class

No. 407, 36 Changes, \$55.00

Distance from Center of Hub to Front, 2¾ inches.

To change the Hand, TAKE OFF the Cap and turn over the Latch.

One-half dozen in a box.

Packed complete with Screws.

Master-Keyed Locks.


This Lock is the counterpart in other respects of Lock No. 715¾.

Master-Key, Class No. 692.



Upright Mortise Knob Locks.

THICKNESS OF CASES: Nos. Roots, R001334, R017834, Ro7181/2, R 7301/2, R7321/2, R736, R762. R764, R764, 5% inch: No. 00174, 3/4 inch; Nos. R 770, R 775, 7/8 inch.



WIDTH OF FRONTS: Nos. R 7301/2, R 7321/2, I inch; No. R 736, 11/2 inch: Nos. R 0013, R 001334, Ro7181/2, R 762, R 764, R 766, 11/4 inch; Nos. Ro17834, R 770, R 775, 11/2 inch; No. co174, 13/ inch.

No. 762.

Anti-friction Latch Bolts and Nickel Plated Steel Keys. REAL BRONZE FRONTS AND POLTS

DIVOLUDE LICOTATO THAT EODIO.											
2.7	01 1	Distance from Cer									
No.	Size, inches.	of Hub to Front.	Key Class No.	Tumblers.	Changes.	Per doz.					
R0013	$4\frac{1}{2} \times 3\frac{1}{2}$	23/4 inches,	405 1/2	I	24	\$34 00					
R001334	$4\frac{1}{2} \times 3\frac{1}{2}$	23/4	407 1/2	3	24	38.00					
R00174	5 ×4	31/4	411	4	75	75.00					
R017834	$4\frac{3}{4} \times 4$	23/4	4091/2	3	36	55.00					
07181/2	5 × 33/4	3 "	409	3	50	39.60					
R730 1/2	41/4×35/8	2 3/4	405 1/2	I ·	24	36.00					
R732 1/2	41/4×35/8	23/4 "	407	3	40	42.00					
R736	5 ×4½	31/2	409	3	42	60.00					
R762	5 ×33/4	27/8 "	405	I	24	40.00					
R764	5 ×31/4	23/8	405	T	24	10.00					
R766	5 ×21/8	I 1/2	405	ī	2.1	40.00					
R770	6 X3	2	410	Ė	100	165.00					
R775	6 ×43/4	2 11	410	5	100	210.00					
14,,0	×474		+10	5	100	210.00					

Master-Keyed Locks.

Distance from Center Size, inches. of Hub to Front. Key Class No. Tumblers. No. Changes. Per doz. R 01174 5 X4 3¼ inches, 41134 100 \$80.00 R 0117834 434×4 23/4 4105/8 30 60.00

These Locks are the counterparts in other respects of Locks Nos.

Roo174 and Ro1783/4, respectively.


No. Ro1174 can be furnished in four sets of 100 (or less) each, making 400 all different, with Steel Master-Key to fit each set of 100; No. Ro117834, in two sets of 30 each (or less), making 60 all different, with Steel Master-Key to fit each set of 30.

Master-Keys for Lock No. Rolli74, Class No. 658; for Lock No. Rolli7834, Class No. 657.

When ordering please specify HAND wanted.

Packed complete with Screws. When ordering, please specify HAND wanted

Three-Bolt Mortise Knob Locks.



Nos. 00121/4 and 00123/4.

WITH REAL BRONZE THUMB-PIECE AND NICKEL PLATED STEEL KEY.

THICKNESS OF CASE, 5% INCH; WIDTH OF FRONT, I INCH.

No.	Size, inches.	Front and Bolts.	Key Class No.	Tumblers.	Changes.	Per doz.
00121/4 00123/4	4 5/8 × 3 1/4	Bronze,	41634	I	12	\$32.00
001274	$4\frac{5}{8}\times 3\frac{1}{4}$		417	3	48	36.00

Distance from Center of Hub to Front, 23% inches.

To change the Hand, TAKE OFF the Cap and turn over the Latch.

WITH PLATED THUMB-PIECE AND NICKEL PLATED STEEL KEY.

THICKNESS OF CASE, 3/4 INCH; WIDTH OF FRONT, 11/4 INCH.

No. 0172	Size, inches. $5\frac{1}{2}\times4\frac{1}{4}$	Front and Bolts. Brass,	Key Class No. 410½	Tumblers.	Changes.	Per doz. \$68.75

Distance from Center of Hub to Front, 3¼ inches, When ordering, please specify HAND wanted,

Master-Keyed Locks.


In addition to the Master-Keyed Locks described on the pages immediately following, others will be found by consulting the references given below:

No.		HOTE	L'RIM	KNOB	LOCK	SS.			Page.
881	Size,	5 × 33/4	inches, .						170
882	6.6	$5 \times 3\frac{3}{4}$	**						170
883	4.4	5 × 3 3/4	**						170
884	4.6	5 × 3 3/4	4.						170
885	4.4	5½×3¾	**						171
886		$5\frac{1}{2} \times 3\frac{3}{4}$							171
COI	UMBI	A HORI	ZONTA	I. RIM	NIGE	TT LA	ТСН	FS	•
C 1290 M		3 5/8 × 2 3/8							173
C01290 M	44	3 1/8 × 2 3/8	"	·					173
C 7290 M	4.4	3 5/8 × 23/8	. 6						173
C1290 4 M	4.4	$2\frac{7}{8} \times 2\frac{3}{8}$		·					173
	OT IIK	IBIA HO	DIZONI	" A T D	INT DI	EADI	OCK		-75
C 1282 M		$\frac{151}{3} \times \frac{1}{8}$					OCK.		176
								•	170
		JGHT S'		ORTIS	E KN	OB LC	CKS.		
112434			inches, .					~	119
0112434	6 6	3½×3	* *						119
116434		4 ×3½							120
0116134	6.6	4 × 3½		•				٠	120
1	WROU	GHT ST	TEEL M	ORTIS	E KN	OB LC	CKS.		
			Easy	Spring.					
01184	Size,	3½×3¼	inches, .						121
0118434	6.6	3½×3¼	4.6						121
			TISE K	NOP I	OCKS	2			
		MOI		Spring.	CICIC	٥.			
1390	Size.	3½×3¼	inches.	Dp. rag.					122
13903/	44	3½×3¼	"						122
1394	6.6	4 ×3½	4.4						122
13943/	6.6	4 ×3½	4.6	·					122
7+	T1	PRIGHT	MODT	ICE VE	NOR I	OCKS			
7153/M		5 ×3½					•		124
R 01174	11	5 × 3 / 2 5 × 4	menes, .	•	•	•			124
R011783/	6.6	43/X4		•	•		٠		125
10777074		.,,					٠	•	125
(05	C.		RTISE D	EAD I	CKS				
685	Size,	3 ×4	inches, .	•	•				141
C 1284 M		$3\frac{1}{2}\times 3\frac{1}{4}$		•	•			٠	142
C 1284 ½ M	4.6	3½×3¼			•		•		142
C 1285 M		3½×3½	• • • • • • • • • • • • • • • • • • • •					٠	142
C 1285 ½ M		$3\frac{1}{2}\times 3\frac{1}{2}$							142
C 1286 M		3½×4		•	•	•		٠	142
· C 1286 ½ M	4.6	3½×4					٠		142
C 1288 ½ M		$3\frac{1}{4}\times3\frac{3}{4}$		•					142
	CO	LUMBIA	MORT	SE NI	GHT	LATC	H.		
C 1294 M	Size,	3 ×3	inches, .						148
And on	v othor	r of our ("alumbia	Looled	oon bo	furnic	had w	rith ?	Magta

And any other of our Columbia Locks can be furnished with Master-Keys, if it be so desired. The number of changes obtainable with Columbia Locks is practically unlimited.



Master-Keyed Mortise Knob Locks.



Nos. 683 and 0683.

Reversible Anti-friction Latch Bolt, Brass Keys.

No.		Front and Bolts.	Key Class No.	Tumblers.	Changes.	Per doz.
683	$4\frac{1}{2}\times3\frac{3}{4}$	Brass,	25	1	112	\$26.50
0683	$4\frac{1}{2} \times 3\frac{3}{4}$	Bronze,	25	I	112	30.25

Reversible Latch Bolt (not Anti-friction), Brass Keys.

					-	
No.	Size, inches.	Front and Bolts.	Key Class No.	Tumblers.	Changes.	Per doz.
693	$4\frac{1}{2} \times 3\frac{3}{4}$	Brass.	25	*	8	_
		,	25	1	112	\$22.50
0693	$4\frac{1}{2} \times 3\frac{3}{4}$	Bronze,	25	I	112	26.25

THREE-BOLT LOCKS.

Reversible Latch Bolt (not Anti-friction), Brass Key, with Thumb Piece.

	C*	Front and		Key Class			
	Size, inches.		T. Piece.	No.	Tumblers.	Changes.	Per doz.
693 1/2	434×334	Brass,	Electro-plated,	25	ī	112	\$29.00
06931/	13/ Y 23/	Bronzo	Bronze,		_	112	Ψ29.00
00/0/2	474 \ 374	Dionze,	Bronze,	25	I	112	34.00

Distance from Center of Hub to Front, 23/4 inches.

To change the Hand, TAKE OFF the Cap and turn over the Latch.


Can be furnished in 7 sets of 112 (or less) each, making 784 all different, with steel bit Master-Key to fit each set of 112.

Master-Keys, Class No. 620.

Packed with screws.



Master-Keyed Mortise Knob Lock.



No. 71/2.

EASY SPRING, DISCONNECTED KEY HOLES, WITH METROPOLITAN BOW BRASS KEYS.

No.	Size, inches.								Per dozen.
71/2	4½×3½	Brass	Front	and	Bolts,	2 Bras	s Tı	ımblers,	
, –	1,,-	K	ey Clas	s No.	6, 80	Change	s, .		\$52.50

Distance from Center of Hub to Front, 23/4 inches.

This Lock is so constructed that no access to the room can be had when locked from the inside, either by false keys or by the key belonging to the lock; and if the door should be locked from the outside while the room is occupied, it can be unlocked from within. No bolts are necessary when this lock is used.

Can be furnished in 6 sets of 300 (or less) each, making 1800 all different, and steel bit Master-Key to fit each set of 300.


Master-Keys, Class No. 630.

Packed with screws.

When ordering, be particular to specify HAND wanted.



Master-Keyed Mortise Knob Locks.



Nos. 8 to 08 1/2.

DISCONNECTED KEY HOLES, WITH BRASS KEY.

No.	Size, inches.	Front.	Bolts.	Key Class No.	Tumblers.	Changes.	Per dozen.
8	5½×3¾	Brass,			2	_	\$30.00
80	5½×3¾	Bronze,	3 Bronze,	7	2	250	35.00
81/2	51/8×33/8	Brass,	3 Iron,	7	2	250	28.00

Distance from Center of Hub to Front, 21/4 inches.

These locks give perfect security when locked from inside the room.

No bolts are necessary.

They can be furnished in 5 sets of 250 each (or less), making 1250 all different, and steel bit Master-Key to fit each set of 250.

Master-Keys for above Locks, Class No. 610.

Packed with screws.

When ordering, be particular to specify HAND wanted.



Master-Keyed Mortise Knob Lock.



No. 608.

DISCONNECTED KEY HOLES, WITH NICKEL PLATED STEEL KEYS.

THICKNESS OF CASE, 3/4 INCH; WIDTH OF FRONT, 1/4 INCHES.

No. Size, inches.

608 61/4 × 31/2 Bronze Front and Bolts, Key Class No. 557,

3 Tumblers, 200 Changes, . . . \$90.00

Distance from Center of Hub to Front, 23/4 inches.

To Change the Hand, TAKE OFF the Cap and turn over the Latch.

This Lock gives perfect security when locked from inside the room.

No bolts are necessary.


It can be furnished in 20 sets of 200 (or less) each, making 4000 all different, with Master-Key to fit each set of 200 and Grand Master-Key to fit the whole number of locks.

Master-Keys for above, Class No. 688.

Packed with screws.



Columbia Master-Keyed Office Door Lock.





Keys Class No. 745.

CYLINDERS

are adjustable as follows:

No. 1 For 15% to 21% inch doors.
" 1½ " 2 " 25% " "
" 2 " 234 " 31% " "

Nos. C 1225 M to C 1226 ½ M.

WITH ANTI-FRICTION LATCH, AND THREE GERMAN

NT 61		SILVER KEYS.	
No. Size	e, inches.	5-16 INCH BRASS HUB.	D 1
C1225 M 51	1/2 × 33/4 Bronze	Front and Bolts, I Cylinder, Bronze	Per doz
- /	T11	I'm Unch to anata Data, I Cyllider, Bronze	
	.1 (1	rn Knob to operate Dead Bolt from	
	ins	ide of door,	STOR OO
C 1225 1/M 51	1/ Y 23/ Bronzo	Front and Bolts, 2 Cylinders, Dead	φ125.00
01==0/2111 3/	72 × 3%4 DIONZE	Front and Boits, 2 Cylinders, Dead	
	150.	II Operated from both sides of dear	
	wit	h Key.	0
THICK	NESS OF CASE	th Key,	158.00
T	Distance from	THEN, WIDTH OF PRONT, 14 INCHE	S
No. Size	ristance from (Center of Hub to Front, 3 inches.	
C 122/ NA	e, inches.	ponds with No. C 1225 M,	Per doz
C 1226 IVI 5 1/3	2X3¾ Correst	ponds with No. C 1225 M.	\$105.00
C1226½M 5½	2×33/	" " C 1225 1/M	φ125.00
THICKNE	ESS OF CASE 3/	INCH; WIDTH OF FRONT, I 1-16 INCH	158.00
			ES.
1	distance from (Center of Hub to Front, 3 inches.	
No. Size	e inches .		Per doz.
C 1227 M 5 1/2	2×31/ Correst	onds with No Crear M	Per doz.
C 1227 1/M = 1	/ Y 2 1/	10. C 1225 III,	\$125.00
THOUSE	2/3/4	conds with No. C 1225 M,	158.00
T III CIVITI	ISS OF CASE, SA	INCH : WIDTH OF PRONT I I-IG INCH	ES.
D_1	istance from Ce	enter of Hub to Front, 21/4 inches.	
		Packed with seven	

Packed with screws.

When ordering, be particular to specify Hand and Thickness of Doors. Can be furnished in any desired number of sets: If with Grand Master-Key, at an extra price.

Master-Keys, per dozen, \$6.00



Columbia Master-Keyed Office Door Latches.





Keys Class No. 745.

CYLINDERS

are adjustable as follows:

No. 1 For 1½ to 1¾ inch doors.

" 1½ " 1¾ " 2¼ " "

" 2 " 2¾ " 2¾ " "

No. C 1256 M.

WITH BRONZE FRONT AND BOLT, AND THREE GERMAN SILVER KEYS.

THICKNESS OF CASE, 34 INCH.

WIDTH OF FRONT: Nos. C 1256 M and C 1266 M, 11/4 inches; Nos. C 1255 M and C 1265 M, 1 1-16 inches.

No.	Size, inches.	Bra	ss Hub, Paten	T SWIVEL S	FINDLE.		Per dozen.
C 1256 M	$5\frac{1}{2} \times 4$	Anti-frictio	n Latch,	Key-hole	above	Knob,	\$132.00
C 1266 M	$5\frac{1}{2} \times 4$	6.6	4 6	4.4	below	6.6	132.00
C 1255 M	5½×4	Latch not	Anti-friction	1, "	above	4.4	132.00
C 1265 M	$5\frac{1}{2} \times 4$	6.6	4.6	4.4	below	6.6	132.00

Distance from Center of Hub to Front, 27/8 inches.

These Locks can be furnished with Guarded Bolt, to order, at special price.

The Fronts of above Latches are beveled 1/8 on 3 inches.


Packed with screws.

When ordering, be particular to specify Hand and Thickness of Doors.

Can be furnished in any desired number of sets: If with Grand Master-Key, at an extra price.

Master-Keys, per dozen, \$6.00

Columbia Master-Keyed Office Door Latches.



C:1456.

BRONZE FRONT AND BOLTS; THREE GERMAN SILVER KEYS, Class No. 745.

BRASS HUB, PATENT SWIVEL SPINDLE.

C 1455 M C 1465 M C 1456 M C 1466 M	Size, inches. 5½×4 5½×4 5½×4 5½×4	5/8 · · · · · · · · · · · · · · · · · · ·	Width of Front. I inch, I '' I 1/4 ''	Position of Key-hole. Above Knob, Below "Above "Below "	Main Latch. Plain, Anti-friction,	Per dozen. \$156.00 156.00 156.00
--	--	---	---------------------------------------	--	---	--

Distance from Center of Hub to Front, 27/8 inches.

The characteristic feature of these Latches is their Supplemental Bolt, which automatically locks the main latch, thus effectually preventing any attempt to force it back.

The Fronts of above Latches are beveled 1/8 on 3 inches.

Packed with screws.


When ordering, be particular to specify Hand and THICKNESS of Doors.

Can be furnished in any desired number of sets: If with Grand Master-Key, at an extra price.

Master-Keys, per dozen, \$6.00



Rabbeted Mortise Knob Locks.



No. 0725.

WITH BRASS OR NICKEL PLATED STEEL KEYS.

1/2 INCH RABBET.

No. 1326 1327 0725	Size, inches. $4\frac{1}{2} \times 3\frac{1}{2}$ $4\frac{1}{2} \times 3\frac{1}{2}$	Front and Bolts. Iron, Iron Front, Brass Bolts, Bronze,	Key. Steel,	Class No. 405 ½ 405 ½ 407	Tumblers. I I 3	Changes. 24 24 40	Per doz. \$15.00 18.00 58.50
1325	$4\frac{1}{4} \times 4\frac{3}{4}$ 5 × 3\frac{3}{4}	Brass,	"	408 1/2	I	24	35.00
01325	5 ×3¾	Bronze,	6.6	408 1/2	1	24	41.00

Center of Hub to Front: Nos. 1326, 1327, 1325, 01325, 21/4 inches. (Short side), No. 0725, 3 "

ANTI-FRICTION LATCH, NICKEL PLATED STEEL KEYS.


No.	Size, inches.	Front.	Key.	Class No.	Tumblers.	Changes.	Per doz.
	$4\frac{1}{4} \times 3\frac{3}{4}$	· Brass,	Steel,	405 1/2	I	24	\$42.00
R 01324	$4\frac{1}{4} \times 3\frac{3}{4}$	Bronze,	6.6	405 1/2	I	24	48.00

Center of Hub to Front (short side), 21/2 inches.

Packed with screws.

When ordering, be particular to specify HAND wanted.

Sliding Door Locks.



Nos. 0030 and 00301/2.

No. 003034.


REAL BRONZE FRONTS, EXTENSION KEYS.

For Doors 13/4 to 21/2 inches Thick.

No. 0030	Size, inches. $4\frac{3}{4}\times3$	Front. Flat;	requi	ring	4	Escutcheons;	for	Double		ks only. Per set.
0030 1/2	$4\frac{3}{4} \times 3$	4.4	6		2	4.4			4.6	2.25
003034	$4\frac{3}{4}\times3$	Astraga	1;		4	4.4		Double	4.6	4.00
0031	43/×31/2	Flat;	4 (4	4.4	4.4	6.6	4.6	3.00
0031 1/2	4¾×3½	6.6	4 4		2	6 6	4.6	Single	4.4	2.25
00313/	$4\frac{3}{4} \times 3\frac{1}{2}$	Astraga	1; "		4	6.6		Double	4.6	4.00

Distance from Key to Front: Nos. 0030 and 0030½, 2 inches; No. 0030¾, 2¾ inches; Nos. 0031 and 0031½, 2½ inches; No. 0031¾, 2½ inches.

Wrought Steel Sliding Door Locks.



Nos. 01330 and 013301/2.

No. 0133034.

EXTENSION KEYS.

FOR DOORS 11/4 TO 21/2 INCHES THICK.


	BR	ONZE	PLATE	D	FRONT AN	DO	CASE.		Locks only.
No. 01330	Size, inches. $5\frac{1}{2} \times 3\frac{1}{2}$	Front. Flat;	requiring	3 4	Escutcheons;	for	Double	Doors,	Per set. \$3.00
013301/2	5½×3½	4.6	6 6	2	4 6	4.4	Single	6.6	2.25
0133034	5½×3½	Astrag	gal; "	4	6 6	4.6	Double	" " .	4.00

Distance from Key to Front: Nos. 01330 and 01330½, 2 inches; No. 01330¾, 2¼ inches.

	REAL BRONZE FRONT, BRONZE PLATED CASE.									
01335	Size, inches.	Front. Flat;	requiring	4	Escutcheons;	for	Double	Doors,	Per set. \$3.80	
013351/2	5½×3½		**	2	4.6		Single	4.4	2.65	
0133534	5½×3½	Astrag	gal; "	4	4.4	6.6	Double	6.6	4.80	

Distance from Key to Front: Nos. 01335 and 01335½, 2 inches; No. 01335¾, 2¼ inches.

Sliding Door Locks.



Nos. 0034 and 00341/2.

No. 00343/4.

REAL BRONZE FRONT, EXTENSION KEYS.

		For D	OORS	13/4	то	21/2 INCHES 'I	'HIC	к.		Locks
No.	Size, inches.									only. Per set.
0034	$5\frac{1}{2}\times3\frac{1}{2}$	Flat;	requ	iring	4	Escutcheons;	for	Double	Doors,	\$6.00
0034 1/2	$5\frac{1}{2}\times3\frac{1}{2}$	6.6	•		2	6.6	4.4	Single	6.6	5.50
00343/	5½×3½	Astraga	al;		4		4.4	Double	- 4.6	7.CO

Distance from Key to Front: Nos. 0034 and 0034½, 2 inches; No. 0034¾, 2¼ inches.

These Locks can be furnished with Key 13/4 to 21/2 inches from Front, at the prices printed above; 25% to 61/8 inches (progression by eighths of an inch), at an additional cost.


Sliding Door Latches and Pulls Combined.











No. 032534.

REAL BRONZE FRONTS AND FLUSH ESCUTCHEONS.

No. 0325	Size, inches.	FLAT FRONT, with 4 Real Bronze Escutcheons,	Per set.
	3/2/13	for Double Doors,	\$3.60
0325 ½	3½×3	FLAT FRONT, with 2 Real Bronze Escutcheons, for Single Doors,	3.10
0325¾	3½×3	ASTRAGAL FRONT, with 4 Real Bronze Escutch-	
		eons, for Double Doors,	4.20

Packed with screws.

When ordering, be particular to specify Finish wanted.

Wrought Steel Horizontal Mortise Dead Locks.



Nos. 1070 to 10731/4.


IVORY BLACK CASE, NICKEL PLATED KEYS.

No.	Size, inches.	Front and Bolts.	Key.	Class No.	Tumblers.	Changes.	Per doz.
1070	1 7/8 × 3 1/4	Lacquered Steel,	Iron,	230	I	4	\$7.00
1071	1 1/8 × 3 1/4	**	Steel,	505	I	12	8.00
1073	17/8×31/4	Brass,	6.6	505	I	12	10.00
10731/2	1 1/8 × 3 1/4	4.	4.4	506	2	24	12.00
1073¾	17/8×31/4	"	4.4	507 1/2	3	24	15.00

Distance from Keyhole to Front, 2 5-16 inches.

Packed with screws and escutcheons,

Horizontal Mortise Dead Locks.



Lock No. 678.

FLAT FRONTS; NICKEL PLATED STEEL KEYS.

No.	Size, inches.	Bolt.	No. of Keys.	Class No.	Tumblers.	Changes.	Per doz.
678	$2\frac{3}{4} \times 3\frac{3}{4}$	Brass,	2	4111/8	3	50	\$43.75
778	21/8×33/4	4.6	I	4091/4	3	30	26.25
790	$2\frac{1}{2} \times 3\frac{3}{4}$	4 4	2	4101/8	5	150	50.00
0790	$2\frac{1}{2} \times 3\frac{3}{4}$	Bronze,	2	4101/8	5	150	52.80

RABBETED FRONTS: TWO NICKEL PLATED STEEL KEYS.

1/1/1		11101110, 11	0 110111			
No.	Size, inches	Front and Bolt.	Key Class No.	Tumblers.	Changes.	Per doz.
790 1/2	21/2×33/4	Brass,	4101/8	5	150	\$73.50
7903/	$2\frac{3}{4} \times 3$	6.6	4101/8	5, Brass,	150	87.50
When	ordering	Locks Nos. 790 1/2	and 7903/4,	please speci	fy HAND	wanted.

Master-Keyed Lock.

No.	Size, inches.	Bolt.	No. of Keys.	Class No.	Tumblers.	Changes.	
	3 ×4	Brass,	2	411	4	75	\$43.75

These Locks are made with one keyhole for the regular key and another for the master-key, so arranged that the regular key cannot be used in that intended for the master-key. We can furnish any requisite number of locks, all differing on the regular keys with a master-key to pass them all. And this master-key is EQUALLY AS SAFE AS THE REGULAR KEY. Moreover, these locks can be made up in any number of sets with regular keys differing and with master-keys different for each set.

Master-keys, Class No. 656.

Upright Mortise Dead Locks.

BRASS FRONT AND BOLT, NICKEL PLATED STEEL KEYS.

DICE	700 11/0141	THILD DODLE, THE	OILLING I DILLI	10 0 1 11111	
No.	Size, inches.	Key Class No.	Tumblers.	Changes.	Per doz.
791	4 ×3	410	5, Brass,	150	\$78.75
792	$2\frac{3}{4} \times 2\frac{1}{4}$	4091/4	5	50	43.75
		Packed wit	h screws.		

Columbia Horizontal Mortise Dead Lock.



FOR RIGHT OR LEFT HAND DOORS, WITH THREE GERMAN SILVER KEYS.

THICKNESS OF CASE, 34 INCH; WIDTH OF FRONT, 11/4 INCHES.

Bronze Front and Bolt.

		-		2011
		Center of	No of	
3.7	Size,	Escutch, to	Cylin-	
No.	inches.	Front, inches.	ders.	Operated from
C 1284	21/1/01/	- V/	ders.	
0 1201	$3\frac{1}{2} \times 3\frac{1}{4}$	21/8	I	Inside with Bronze Turn Vact Co.
C 1284 1/2	$3\frac{1}{2}\times 3\frac{1}{4}$	2 1/8	2	Inside with Bronze Turn Knob, \$80.00
C 1285				Dotti Sides " Rev.
0 1205	3½×3½	2 1/2	I	Inside "Brongo Tunn IZ-1
C 1285 1/2	3½×3½	2 1/2	2	Inside "Bronze Turn Knob, 80.00"
C 1286	01/2/13/2		2	Dom Sides . Key
	$3\frac{1}{2} \times 4$	27/8	I	Inside "Brongo Tunn IZ. 1
C 1286 1/2	3½×4	27/8	0	Inside "Bronze Turn Knob, 80.00
C 1288 1/2			-	
C 1200 /2	$3\frac{1}{4} \times 3\frac{3}{4}$	2 1/2		
	No.	C 1288 1/ ic	RADI	150.00 · . I50.00
		0 1200/2 13	ICADI	BETED; ½ inch Rabbet 150.00
				WITH MASTER-KEY.
				"TITI MASTER-KEY.
C 1284 M	$3\frac{1}{2}\times 3\frac{1}{4}$	21/8		Operated from
C 12841/87	3/2/13/4		I	Inside with Bronze Turn Knob, 91.00
C 1284 ½ M	$3\frac{1}{2} \times 3\frac{1}{4}$	2 1/8	2	Both sides " For
C 1285 M	31/2 × 21/		-	Both sides "Key, 113.00
C 1285 1/87	3/2/\3/2	2 1/2		THISTUE Bronze Turn Knob
C 1285 1/2 M	$3\frac{1}{2} \times 3\frac{1}{2}$	2 1/2	2	
C 1286 M	3½×4	27/8	_	Incide Key,
C 120/1/87	3/2/14		1	THISIQE THEN LINE
C 1286 1/2 M	3½×4	27/8	2	Both sides " Vor
C 1288 1/2 M	31/ × 23/		0	Both sides " Key,
/2111	J/+ 1 374	21/2		
	No. C	1288 1/2 M is	RABI	BETED; ½ inch Rabbet 182.00
		, =		, /2 men Rabbet.

Packed with screws.

When ordering, be particular to specify Thickness of Doors.

Can be furnished in any desired number of sets: If with Grand Master-Key, at an extra price.

Master-Keys, per dozen, \$6.00

Mortise Door Bolts.




FOR OUTSIDE OR INSIDE DOORS.

(Can be operated only from the inside.)

Bronze Front and Bolt.

No. Size, inches. Per doz. 089 $1\frac{1}{2} \times 3\frac{1}{2}$ Without Thumb Piece, \$8.75

Mortise Door Bolts and Latches Combined.





FOR BEDROOMS, WATER CLOSETS, HOTELS, ETC.

Bronze Fronts and Bolts.

No.	Size, inches.						Per dozen.
065	2½×3½	Without	Thumb	Piece,		٠	\$15.00
0651/2	$3 \times 3\frac{1}{2}$	6.6	4.6	6.6			20.00


Packed with screws.

For Knobs and Thumb Pieces, see pages 181 and 182.



Mortise Door Bolts and Latches Combined.

FOR COMMUNICATING DOOR LOCKS.



BRONZE FRONT AND BOLTS.

THICKNESS OF CASE, 5% INCH; WIDTH OF FACE, 11/8 INCHES.
5-16 INCH BRASS HUB.

Size, inches. $5 \times 3 \frac{1}{2}$	Lock Bolts	operated	with	Bronze	Turn	Knob	S,	Per dozen.
		n each sid						\$48.00

Distance from Center of Hub to Front, 27/8 inches.

BRONZE FRONT AND BOLTS, EASY SPRING.

THICKNESS OF CASE, 5% INCH; WIDTH OF FACE, I INCH. 5-16 INCH BRASS HUB.

No. C 235	Size, inches. $4\frac{1}{2} \times 3\frac{1}{2}$	Lock Bolts operated with Bronze Turn Knobs,	Per dozen.
		one from each side of door.	\$42.00

Distance from Center of Hub to Front, 25% inches.

Packed with screws.

For Thumb Pieces, see page 182.

Mortise Knob Latches.





Nos. 1040 to 1041 1/2.

IVORY BLACK CASES.

No. 1040	Size, inches.	Fronts. Steel,	Bolts. Iron,	Per dozen. \$2.00
01040	1 1/×3	Bronze Plated,	Bronze Plated,	4.00
1041 1/2	1 1/4 × 3	Brass,	Brass,	4.00
No. R 045	Size, inches. 2 1/4 × 3 3/4	NTI-FRICTION "R" I Bronze Front and Bolt,		Per dozen. \$20.00
No. 030	Size, inches.	RABBETED FRON Bronze Front and Bolt.	ľΤ . 	Per dozen. \$22.65




No. 047.

No.	Size, inches,							Per dozen.
	2½×2¼	Bronze	Front	and	Bolt,			\$17.00



French Window Latches.





REAL BRONZE FRONT AND BOLT

	REAL BROWLE TROIVE AND BOLL.									
No. 05 0	Size, inches. $2\frac{1}{4} \times 1\frac{1}{2}$	Flat Front,								
095	1 5/8 × 1 1/8	" (For Handle No. 10, used with this	ţO							
0.50	- 1	Latch, see p. 182),	00							
052	$2\frac{1}{4}\times 2$	Rabbeted Front; ½ inch Rabbet,	00							
0591/2	$2\frac{1}{8} \times 1\frac{3}{8}$	Turnbuckle; Flat Front, 7-9								
		FOR CUPBOARDS, Etc.								
No. 096	Size, inches. $1\frac{1}{4} \times 1\frac{3}{4}$	Flat Front,								
Fo	or Knobs, se	ee page 181; Lever Handles, pages 183 and 184.								

Mortise Dutch Door Bolt.



No. 0189.


No. 0189 3½×2¾ inches, Bronze Front and Bolt; ¾ inch Hub, \$36.00°

Packed with screws.

These Bolts may be used either with Knobs or T. Handles.



Columbia Mortise Night Latch.





CYLINDERS

are adjustable as follows:

No. 1 For 1½ to 1½ inch doors.

" 1½ " 1¾ " 2¼ " "

Nos. C 1294 and C 1294 M.

FOR RIGHT OR LEFT HAND DOORS, WITH THREE GERMAN SILVER KEYS.

THICKNESS OF CASE, 3/ INCH; WIDTH OF FRONT, I INCH.

No. Size, inches.
C1294 3×3 Bronze Front and Bolt, WITH STOP, Bronze Knob and Rose, Keys Class No. 745, . . . \$65.00

With Master-Key.

C 1294M 3×3 Bronze Front and Bolt, WITH STOP, Bronze Knob and Rose, Keys Class No. 745, 76.00

Distance from Center of Escutcheon to Front, 21/2 inches.

Packed with screws.

When ordering, be particular to specify THICKNESS of Doors.

Master-Keys, per dozen, \$6.00.

Elevator Sliding Door Latches.



Nos. 680 and 681. Right Hand.

No.	Si	ze, i	nches.]	Per dozen.
680		43/4	\times 3	Plain	Bronze,	Bronze	Bolt,	Brass	Key	Class	No.	86,	\$36.00
680	1/4	4 3/4	\times 3	4.4	e 6		4.4	witho	ut Ke	еу, .			33.00
681		5	×3.4		4 4	Steel		Brass	Key	Class	No.	86,	42.00
681	1/	5	×31/	4.4	6.6	4.4	4.4	witho	ut K	ey, .			39.00

Packed with screws.

When ordering above locks, be particular to specify Hand wanted.



Front Door Mortise Knob Locks.



Nos. 0128 and 0127.

Nos. 0102 and 0103

BRONZE FRONT AND BOLTS, REVERSIBLE LATCH, NICKEL PLATED STEEL KEYS, TWO NICKEL PLATED STEEL NIGHT KEYS.

THICKNESS OF CASE, ½ INCH; WIDTH OF FRONT, 1½ INCHES. 5-16 INCH HUB; SWIVEL SPINDLE.

No. Size, inches. Latch. Tumblers. 0128 43/4×35/6 Plain, I 0127 43/4×35/6 " 3 0102 43/4×35/6 Anti-friction, I 0103 43/4×35/6 " 3	Bolt Key Class No. 1405 % 398 ½ \$33.00 405 % 399 ¾ 37.00 408 ½ 398 41.50 408 ½ 399 ½ 45.50
--	---


Distance from Center of Hub to Front, 23/4 inches.

To change the Hand TAKE OFF the Cap and turn over the Latch.

Packed with screws.

For Vestibule Mortise Latches to match, see page 151.

Vestibule Mortise Knob Latches.



Nos. 01281/2 and 01271/2.

Nos. 01021/2 and 01031/2.

BRONZE FRONT AND BOLT, REVERSIBLE LATCH, TWO NICKEL PLATED STEEL KEYS.

THICKNESS OF CASE, ½ INCH; WIDTH OF FRONT, 1½ INCHES. 5-16 INCH HUB; SWIVEL SPINDLE.

No. 0128½	Size, inches. 33/8 × 35/8	Latch. Plain,	Tumblers.	Keys Class No. 398 ½	To match Lock No. 0128	Per dozen. \$26.00
0127 1/2	$3\frac{3}{8} \times 3\frac{5}{8}$	6.6	3	39934	0127	30.00
0102 1/2	$3\frac{3}{8} \times 3\frac{5}{8}$	Anti-friction,	I	398	0102	34.50
01031/2	$3\frac{3}{8} \times 3\frac{5}{8}$	4.6	3	399 1/2	0103	38.50

Distance from Center of Hub to Front, 23/4 inches.

To change the Hand, TAKE OFF the Cap and turn over the Latch.

Packed with screws.

For Front Door Mortise Locks to match, see page 150.



Front Door Mortise Knob Locks.



No. R 0120.

BRONZE FRONT AND BOLT, ANTI-FRICTION LATCH, TWO NICKEL PLATED STEEL NIGHT KEYS.

THICKNESS OF CASE, 3/2 INCH; WIDTH OF FRONT, 11/4 INCHES.
5-16 INCH HUB; SWIVEL SPINDLE.

No. R0120 Size, inches. Tumblers. Bolt Key. Class No. Latch Key. Class No. Steel, 41034 Steel, 399 \$72.00

Distance from Center of Hub to Front, 21/2 inches.

No. R0101 Size, inches. Tumblers. Bolt Key. Class No. Latch Key. Class No. Steel, 401 \$90.00

Distance from Center of Hub to Front, 3½ inches.

Packed with screws.

When ordering, be particular to specify Hand wanted. For Vestibule Mortise Latches to match, see page 153.

Vestibule Mortise Knob Latches.



No. R 0140.

BRONZE FRONT AND BOLT, ANTI-FRICTION LATCH, TWO NICKEL PLATED STEEL KEYS.

THICKNESS OF CASE, 3/4 INCH; WIDTH OF FRONT, 1/4 INCHES. 5-16 INCH HUB; SWIVEL SPINDLE.

No. R 0140	Size, inches. 4 ×3½	Tumblers.	Keys Class No.	Center of Hub to Front.	Per dozen. \$63.00
R 0140 ½	4½×4½	3	401	3 1/4	75.00

Latch No. Ro140 matches Lock No. Ro120; Latch No. Ro1401/2, Lock No. Ro101.


Packed with screws.

When ordering, be particular to specify Hand wanted.

For Front Door Mortise Locks to match, see page 152.



Front Door Mortise Knob Lock.



No. 0151.

WITH THREE NICKEL PLATED STEEL KEYS.

THICKNESS OF CASE, 3/4 INCH; WIDTH OF FRONT, 11/8 INCHES.
5-16 INCH HUB; SWIVEL SPINDLE.

Distance from Center of Hub to Front, 23/4 inches.

Packed with screws.

When ordering, be particular to specify Hand wanted.

Any Escutcheon of suitable size can be made to fit this Lock.

For Vestibule Mortise Latch to match, see page 155.

Vestibule Mortise Knob Latch.



No. 0151 1/2.

WITH THREE NICKEL PLATED STEEL KEYS.

THICKNESS OF CASE, 34 INCH; WIDTH OF FRONT, 11/8 INCHES.
5-16 INCH HUB; SWIVEL SPINDLE.

No. Size, inches.

0151½ 4×3¾ Bronze Front and Bolt, 4 Tumblers, Keys Class

No. 556, 3000 Changes, Bronze Turn Knob and

Plate, to match Lock No. 0151 (see page 154),

\$63.00

Distance from Center of Hub to Front, 23/4 inches.

Packed with screws.

When ordering, be particular to specify Hand wanted.

Any Escutcheon of suitable size can be made to fit this Latch.

Columbia Front Door Mortise Lock.





Keys Class No. 745.

CYLINDERS

are adjustable as follows:

No. 1 For 1/2 to 1/8 inch doors.

" 2 " 23/5 " 23/4 "

WITH ANTI-FRICTION LATCH AND THREE GERMAN SILVER KEYS.

THICKNESS OF CASE, 34 INCH; WIDTH OF FRONT, 114 INCHES.
BRASS HUB; PATENT SWIVEL SPINDLE.

No. Size, inches.

C 1230 5×3¾ Bronze Front and Bolts, Bronze Turn Knob to operate Dead Bolt from inside of Door,

Both Bolts operated from outside with Key, \$132.00

Distance from Center of Hub to Front, 3 inches,

The Front of above Lock is beveled 1/8 on 3 inches.

Packed with screws.

This Lock can be furnished with Master-Key, to order, at extra price.

When ordering, be particular to specify Hand and Thickness of Doors.

For Vestibule Latch to match above Lock, see page 157.

~

Columbia Vestibule Mortise Knob Latch.





Keys Class No. 745.

CYLINDERS

are adjustable as follows:
No. 1 For 1½ to 1½ inch doors.
" 1½ " 1¾ " 2½ "

WITH ANTI-FRICTION LATCH AND THREE GERMAN SILVER KEYS.

THICKNESS OF CASE, 34 INCH; WIDTH OF FRONT, 14 INCHES.

Brass Hub; Patent Swivel Spindle.

No.	Size, inches.									Per dozen.
C 1232	$3\frac{3}{4} \times 3\frac{3}{4}$	Bronze	Front	and	Bolt,	to	match	Front	Door	
		Loc	ek No.	C 12	30 (se	e p	age 150	5),		\$96.00

Distance from Center of Hub to Front, 3 inches.

The Front of above Latch is beveled 1/8 on 3 inches.

Packed with screws.

This Latch can be furnished with Master-Key, to order, at extra price.

When ordering, be particular to state Hand and Thickness of Doors.

For Front Door Mortise Lock to match, see page 156.



Columbia Front Door Mortise Knob Locks.





Keys Class No. 745.

CYLINDERS

are adjustable as follows:

No. 1 For 15% to 21% inch doors " 11/2 " 2 " 25/8 " 2 " 234 " 31/8

WITH ANTI-FRICTION LATCH AND THREE GERMAN SILVER KEYS.

THICKNESS OF CASE, 3/4 INCH; WIDTH OF FRONT, 11/4 INCHES. Brass Hub; PATENT SWIVEL SPINDLE.

Keyhole above Knob. No. Size, inches. Per dozen. Bronze Front and Bolts, Bronze Turn Knob to operate Dead Bolt from inside of Door, C 1250 5½×4 both Bolts operated from outside with Key, \$144.00 Distance from Center of Hub to Front, 27% inches. C 1252 5½×3¼ Bronze Front and Bolts, Bronze Turn Knob to operate Dead Bolt from inside of Door, both Bolts operated from outside with Key, 144.00 Distance from Center of Hub to Front, 21/4 inches.

Keyhole below Knob. C 1260 5½×4 Identical with Lock No. C 1250, except that the Keyhole is below the Knob, 144.00 Distance from Center of Hub to Front, 2% inches. 5½×3¼ Identical with Lock No. C1252, except that the C 1262 Keyhole is below the Knob, . 144.00

Distance from Center of Hub to Front, 21/4 inches. Packed with screws.

The Front of above Locks are beveled 1/8 on 3 inches. These Locks can be furnished with Master-key, to order, at extra price. When ordering, be particular to state Hand and Thickness of Doors, For Vestibule Latches to match above Locks, see page 159.

Columbia Vestibule Mortise Knob Latch.





Keys Class No. 745.

CYLINDERS

are adjustable as follows:

No. 1 For 11/2 to 17/8 inch doors.

" 1½ " 1¾ " 2¼ "
" 2 " 2¾ " 2¾ "

No. C 1254.

WITH ANTI-FRICTION LATCH AND THREE GERMAN SILVER KEYS.

THICKNESS OF CASE, 3/2 INCH; WIDTH OF FRONT, 1/4 INCHES.

Brass Hub; Patent Swivel Spindle.

C 1254	Size, inches. $3\frac{3}{4} \times 3\frac{3}{4}$	Keyhole above Knob. Bronze Front and Bolt,
C 1264	$3\frac{3}{4} \times 3\frac{3}{4}$	Keyhole below Knob. Identical with Lock No. C 1254, except that the Keyhole is below the Knob,
		the Reyhole is below the Khob, 90.00

Distance from Center of Hub to Front, 2% inches. Packed with screws.

These Latches can be furnished with Master-Key, to order, at extra price.

When ordering, be particular to state Hand and Thickness of Doors.

For Front Door Mortise Locks to match, see page 158.

1

Columbia Front Door Mortise Knob Lock.





Keys Class No. 745.

CYLINDERS

are adjustable as follows:

No. 1 For 2 to 2½ inch doors.

"1½" 2½" 3 ""

"2" 3½" 3½" ""

WITH ANTI-FRICTION LATCH AND THREE GERMAN SILVER KEYS.

THICKNESS OF CASE, 15-16 INCH; WIDTH OF FRONT, 13% INCHES.
BRASS HUB; PATENT SWIVEL SPINDLE.

No. Size, inches. 7½×43%

Bronze Front and Bolts, Bronze Turn Knob to operate Dead Bolt from inside of Door, both Bolts operated from outside with Key, \$175.00

Distance from Center of Hub to Front, 3 inches.

Packed with screws.


The Front of above Lock is beveled ½ on 3 inches.

This Lock can be furnished with Master-Key, to order, at extra price.

When ordering, be particular to state Hand and Thickness of Doors.

For Vestibule Latch to match above Lock, see No. C1264, page 159.

Rabbeted Front Door Mortise Knob Lock.



No. R0110.

WITH ANTI-FRICTION LATCH, BRASS BOLT KEY, AND TWO NICKEL PLATED STEEL NIGHT KEYS.

THICKNESS OF CASE, 5% INCH; WIDTH OF FRONT, I 5-16 INCHES.
5-16 INCH HUB; PLAIN SPINDLE.

No. Size, inches.

R0110 5½×4 Bronze Front and Bolts, 3 Tumblers, Bronze

Thumb Piece and Rose, \$87.00

Distance from Center of Hub to Front, Short Side, 21/2 inches.

Packed with screws.

Bolt Keys for above Lock, Class No. 22. Night Keys, Class No. 401.

When ordering, be particular to state Hand wanted.

1.

Rabbeted Vestibule Mortise Knob Latch.



No. R 0115.

WITH ANTI-FRICTION LATCH AND TWO NICKEL PLATED STEEL KEYS.

THICKNESS OF CASE, 5/8 INCH; WIDTH OF FACE, I 5-16 INCHES.
5-16 INCH HUB; PLAIN SPINDLE.

No. Size, inches.

R0115 4×4 Bronze Front and Bolt, 3 Tumblers, Bronze
Thumb Piece and Rose, \$72.00

Distance from Center of Hub to Front, Short Side, 21/2 inches.


Packed with screws.

Keys for above Latch, Class No. 401.

When ordering, be particular to state HAND wanted.



Columbia Rabbeted Front Door Mortise Knob Lock.





Keys Class No. 745.

CYLINDERS

are adjustable as follows:

No. 1, for 1½ to 1½ inch doors.

" 1½, " 1¾" 2¼" "

" 2, " 23/8 " 23/4 " "

WITH ANTI-FRICTION LATCH AND THREE GERMAN SILVER KEYS.

THICKNESS OF CASE, 34 INCH; WIDTH OF FRONT, 138 INCHES, 1/2 INCH RABBET.

Brass Hub; Patent Swivel Spindle.

No. Size, inches. C 1234 5×33/4

Per dozen.

Bronze Front and Bolts, Bronze Turn Knob to operate Dead Bolt from inside of Door, both Bolts operated from outside with Key, \$168.00

Distance from Center of Hub to Front, short side, 23/4 inches.

Packed with screws.

The Front of above Lock is beveled 1/8 on 3 inches.

Can be furnished with Master-Key, to order, at extra price.

When ordering, be particular to state HAND and THICKNESS of Doors.

For Vestibule Latch to match above Lock, see page 164.

5-.

Columbia Rabbeted Vestibule Mortise Latch.





Keys Class No. 745.

CYLINDERS

are adjustable as follows:

No. 1, for 11/2 to 17/8 inch doors. " 11/2, " 13/4 " 21/4 1 2, " 23/8 " 23/4 "

WITH ANTI-FRICTION LATCH AND THREE GERMAN SILVER KEYS.

THICKNESS OF CASE, 34 INCH; WIDTH OF FRONT, 13/8 INCHES, 1/2 INCH RABBET. Brass Hub; Patent Swivel Spindle.

No. Size, inches, Per dozen. Bronze Front and Bolt, to match Front Door C 1236 $3\frac{3}{4} \times 3\frac{3}{4}$ Lock No. C 1234 (see page 163),

Distance from Center of Hub to Front, short side, 23/4 inches.

Packed with screws.


The Front of above Latch is beveled 1/8 on 3 inches.

Can be furnished with Master-Key, to order, at extra price. When ordering, be particular to state HAND and THICKNESS of DOORS.

Front Door Mortise Knob Locks

FOR RABBETED DOORS.

REVERSIBLE.



BRONZE FRONT AND BOLTS. REVERSIBLE LATCH, NICKEL PLATED STEEL KEYS, AND TWO NICKEL PLATED STEEL NIGHT KEYS.

THICKNESS OF CASE, 1/2 INCH; WIDTH OF FRONT, 11/8 INCHES. 5-16 INCH HUB.

No. 0104	Size, inches. 4 \(\frac{7}{8} \times 3 \(\frac{5}{8} \)	Spindle. Plain,	Tumblers.	Bolt Key Class No. 405 %	Night Keys.	Per dozen. \$48.00
0108	47/8×35/8	Swivel,	I	405 5/8	398 1/2	48.00

Distance from center of Hub to Front, 2% inches.

Lock No. 0104 is packed with Real Bronze Thumb Piece. To change the Hand, TAKE OFF the Cap and turn over the Latch.

Vestibule Mortise Knob Latches

FOR RABBETED DOORS.

REVERSIBLE.



No. 01041/2.

No. 01081/2.

BRONZE FRONT AND BOLT. REVERSIBLE LATCH, TWO NICKEL PLATED STEEL KEYS.

THICKNESS OF CASE, ½ INCH; WIDTH OF FRONT, 11/8 INCHES.
5-16 INCH HUB.

No.	Size, inches.	Spindle.	Tumblers.	Keys Class	To match Lock No.	Per doz.
01041/2	$3\frac{3}{8} \times 3\frac{5}{8}$	Plain,	I	3981/2	0104	\$41.00
01081/2	$3\frac{3}{8}\times 3\frac{5}{8}$	Swivel,	I	3981/2	0108	41.00

Distance from center of Hub to Front, 25% inches.

To change the Hand, TAKE OFF the Cap and turn over the Latch.



Wrought Steel Upright Rim Knob Locks.





Nos. 3800 to 3806.

Nos. 3820 to 3826.

IVORY BLACK FINISH.

Janus Face, Reversible Latch Bolt, Nickel Plated Keys.

With Stop.

No.	Size, inches.	Bolts.	Key.	Class No.	Changes.	Per dozen.
3800	4 ×31/8	Iron,	Iron,	220	4	\$4.60
3802	4 ×3½	6.6	Steel,	520	4	5.95
3804	4 ×3½	Brass,	Iron,	220	4	8.15
3806	4 ×3½	4.4	Steel,	520	.1	9.15
3820	$4\frac{1}{4} \times 3\frac{3}{8}$	Iron,	Iron,	225	12	5.70
3822	$4\frac{1}{4} \times 3\frac{3}{8}$	4.4	Steel,	525	12	7.80
3824	$4\frac{1}{4} \times 3\frac{3}{8}$	Brass,	Iron,	225	12	8.65
3826	$4\frac{1}{4} \times 3\frac{3}{8}$	6.6	Steel,	525	12	9.65

With Slide Bolt.

Style of Nos. 3820 to 3826.

		Diyie Oi	1 4000 0000	0 00=0.		
No.	Size, inches.	Bolts.	Key.	Class No.	Changes.	Per dozen.
3830	$4\frac{1}{4} \times 3\frac{3}{8}$	Iron,	Iron,	225	12	\$6.75
3832	$4\frac{1}{4} \times 3\frac{3}{8}$	64	Steel,	525	12	9.20
3834	$4\frac{1}{4} \times 3\frac{3}{8}$	Brass,	Iron,	225	12	10.00
3836	$4\frac{1}{4} \times 3\frac{3}{8}$	4.4	Steel,	525	12	11.00

With Double-throw Bolt and Stop.

Style of Nos. 3820 to 3826.

		Style O.	1 1403. 3020 1	0 3020.		
No.	Size, inches.	Bolts.	Key.	Class No.	Changes.	Per dozen.
3920	$4\frac{1}{4} \times 3\frac{3}{8}$	Iron,	Polished !	Iron, 524	12	\$5.70
3922	$4\frac{1}{4} \times 3\frac{3}{8}$	6.6	Steel,	525	12	7.80


To change the Hand, TAKE OFF the Cap and turn over the latch.

Packed complete with screws and escutcheons.

Will be furnished with Reverse Bevel Strikes, if so ordered.



Wrought Steel Horizontal Rim Knob Locks.



Nos. 3200 to 3206.

IVORY BLACK FINISH.

Janus Face, Reversible Latch Bolt, Nickel Plated Keys.

With Stop.

No. 3200	Size, inches. $4\frac{1}{2} \times 3\frac{1}{4}$	Bolts. Iron,	Keys. Iron,	Class No.	Changes.	Per dozen. \$5.00
3202	$4\frac{1}{2}\times3\frac{1}{4}$	6 6	Steel,	520	4	6.25
3204	$4\frac{1}{2}\times3\frac{1}{4}$	Brass,	Iron,	220	4	9.50
3206	$4\frac{1}{2}\times3\frac{1}{4}$	4.4	Steel,	520	4	10.50

With Slide Bolt.

Style of Nos. 3200 to 3206.

2.2		•		10 0200		
No. 3210	Size, inches.	Bolts.	Keys.	Class No.	Changes.	Per dozen.
	4/2 × 3/4	Iron,	Iron,	220	4	\$6.50
3212	$4\frac{1}{2}\times 3\frac{1}{4}$	6 6	Steel,	520	4	8.25
3214	$4\frac{1}{2}\times3\frac{1}{4}$	Brass,	Iron.	220	•	2
3216	11/1/01/	6.6	,	220	4	11.00
3216	$4\frac{1}{2} \times 3\frac{1}{4}$	• • •	Steel,	520	4	12.00

To change the Hand, TAKE OFF the Cap and turn over the Latch.

Packed complete with screws and escutcheons.

Will be furnished with Reverse Bevel Strikes, if so ordered.

Wrought Steel Horizontal Rim Knob Locks.



Nos. 3240 to 3246.

IVORY BLACK FINISH.

Ianus Face, Reversible Latch Bolt, Steel Tumblers, Nickel Plated Keys.

With Stop.

No.	Size, inches.	Bolts.	Keys.	Class No.	Changes.	Per dozen.
3240	5×3 ¹ / ₄	Iron,	Iron,	225	I 2	\$6.60
3242	5×31/4	- 46	Steel,	525	· 12	8.75
3244	5×31/4	Brass,	Iron,	225	12	9.60
3246	5×31/4	6.6	Steel,	525	12	11.15

With Slide Bolt.

Style of Nos. 3240 to 3246.

No.	Size, inches.	Bolts.	Keys.	Class No.	Changes.	Per dozen,
3250	5×3¼	Iron,	Iron,	225	12	\$8.10
3252	5×31/4	4.4	Steel,	525	12	10.25
3254	5×31/4	Brass,	Iron,	225	12	12.00
3256	5×31/4	6 6	Steel,	525	12	13.00

With Double-throw Bolt and Stop.

Style of Nos. 3240 to 3246.

No.	Size, inches.	Bolts.		Keys.	Class No.	Tumblers.	Changes.	Per dozen.
3340	5×3¼	Iron,	Steel	, not plated	d, 524	I	12	\$6.60
3342	5×3¼	4.6	4.4		525	I	12	8.75
3360	$6 \times 3\frac{3}{4}$	4 6	6.6	not plated	1, 526	2	12	10.60
3362	$6 \times 3\frac{3}{4}$	4.4	4.4		527	2	12	12.75


To change the Hand, TAKE OFF the Cap and turn over the Latch.

Packed complete with screws and escutcheons.

Will be furnished with Reverse Bevel Strikes, if so ordered.



Hotel Rim Knob Locks.



Nos. 881 and 882.

JANUS FACE, REVERSIBLE LATCH BOLT.

No. 881 882	Size, inches. 5×3¾	² Iron Bolts, 1 Tumbler, Brass Key, Class No. 45, 50 Changes,	Per dozen. \$15.00
No.	5×4¾ Size, inches.	2 Brass Bolts, I Tumbler, Brass Key, Class No. 45, 50 Changes,	16.50
	5×3¾	3 Iron Bolts, t Tumbler, Key Class No. 45, 50 Changes,	Per dozen.
884	5×3¾	3 Brass Bolts, I Tumbler, Key Class No. 45, 50 Changes,	\$16.00

To change the Hand, PULL OUT the Latch and turn it around.

Packed complete with screws and escutcheons.

Above Locks can be furnished in 7 sets of 50 each, making 350 all different, and Steel Bit Master-Key to fit each set of 50.

Master-Keys for above Locks, Class No. 622.

Hotel Rim Knob Locks.



Nos. 885 and 886.

DISCONNECTED KEY-HOLES.

		3 Iron Bolts, 2 Tumblers, Brass Key, Class No. 46, 50 Changes,	\$18.00
886	$5\frac{1}{2} \times 3\frac{34}{4}$	3 Brass Bolts, 2 Tumblers, Brass Key, Class No. 46,	20.00

Packed complete with screws and escutcheons.


These Locks require no bolts on the doors. They give perfect security when locked from inside of room, and cannot be opened from outside when locked on inside. They can be furnished in one set of 500 (or less) with Steel Bit Master-Key.

Master-Keys for above Locks, Class No. 624.

When ordering, be particular to state HAND wanted.



Wrought Steel Horizontal Rim Closet or Dead Locks.



Nos. 3600 to 3632.

IVORY BLACK FINISH.

Janus Face, Nickel Plated Keys.

No. 3600	Size, inches. $2\frac{3}{4} \times 2$	Bolts. Iron,	Keys. Iron,	Class No.	Tumblers.	Changes.	Per dozen. \$3.40
3602	$2\frac{3}{4}\times2$	6.6	Steel,	433	I	12	5.00
3606	$2\frac{3}{4}\times 2$	Brass,	6.6	433	I	12	7.00

With Double-Throw Bolt.

No. 3610	Size, inches. $3\frac{1}{2}\times2\frac{1}{2}$	Bolts. Steel,	Keys. Iron,	Class No.	Tumblers.	Changes.	Per dozen. \$5.00
3612	$3\frac{1}{2} \times 2\frac{1}{2}$	6.6	Steel,	433	I	12	7.00
3612 1/2	$3\frac{1}{2}\times 2\frac{1}{2}$	4.4	4.4	433 1/2	2	12	8.00
36123/	$3\frac{1}{2} \times 2\frac{1}{2}$	6.6	4.4	4333/	. 3	12	9.00
3616	$3\frac{1}{2} \times 2\frac{1}{2}$	Brass,	4.6	433	I	12	9.50
36161/2	$3\frac{1}{2} \times 2\frac{1}{2}$	4.4	6.6	433 1/2	2	12	10.50
36163/	$3\frac{1}{2}\times2\frac{1}{2}$	6 6	4.4	4333/4	3	12	11.50
3632	$4\frac{1}{2}\times 3$	Steel,	6 6	521	2	12	10.00

Packed complete with screws and escutcheons,

Columbia Horizontal Rim Night Latch.



Nos. C 1290 to C 1290 1/4 M. Keys Class No. 745.

FOR RIGHT OR LEFT HAND DOORS, WITH THREE GERMAN SILVER KEYS.

With Stop.

FOR 1 1-4 to 3 INCH DOORS.

		ADJUSTABLE.				
No.	Size, inches.		Per dozen.			
C 1290	$3\frac{5}{8} \times 2\frac{3}{8}$	Japanned Case, Bronze Bolt and Turn Knob,	\$36.00			
C7290	$3\frac{5}{8} \times 2\frac{3}{8}$	Bronze Plated Case, Antique Copper Finish; Bronze Bolt and Turn Knob,.	48.00			
C01290	$3\frac{5}{8} \times 2\frac{3}{8}$	ALL Bronze,	50.00			
		With Master-Key.				
C 1290 M	$35/8 \times 23/8$	Japanned Case, Bronze Bolt and Turn				
G 7270 III	3/0/1-/0	Knob,	52.00			
C 7290 M	$3\frac{5}{8} \times 2\frac{3}{8}$	Bronze Plated Case, Antique Copper Finish; Bronze Bolt and Turn Knob,	64.00			
C01290 M	35/8×23/8	ALL Bronze,	66.00			
I	Distance fro	om Keyhole to Edge of Door, 21/2 inches.				
	FC	OR NARROW STILE DOORS.				
C 1290 1/4	$2\frac{7}{8} \times 2\frac{3}{8}$	Japanned Case, Bronze Bolt and Turn Knob,	36.00			
		With Master-Key.				
		Japanned Case, Bronze Bolt and Turn	52.00			
I	Distance fro	om Keyhole to Edge of Door, 134 inches.				
Packed complete with screws.						
Can be made Reverse Bevel by removing the Cap, reversing the Bolt, and using the Flat Strike, packed with each Lock.						

Master-Keys, per dozen, \$6.00.

Upright Rim Dead Locks.




Nos. 2458 to 2499.

JANUS FACE, FOR NARROW STILE DOORS, WITH TWO NICKEL PLATED FOLDING STEEL KEYS.

No. 2458	Size, inches. $4\times2\frac{1}{2}$	Iron Bolt, Keys Class No. 487, I Tumbler, 12
		Changes,
2459	4×2½	Iron Bolt, Keys Class No. 488, 3 Tumblers, 24
		Changes,
2498	5×3½	Iron Bolt, Keys Class No. 489, 1 Tumbler, 20
		Changes, 20.00
2499	5×3½	Iron Bolt, Keys Class No. 491, 3 Tumblers, 50
		Changes,

Packed complete with screws and escutcheons.

Columbia Upright Rim Dead Lock.



No. C497.

FOR RIGHT OR LEFT HAND DOORS, WITH THREE GERMAN SILVER KEYS.

For 11/4 to 3 INCH Doors.

No. Size, inches.

C 497 6×3 Iron Bolt, Real Bronze Turn Knob to operate bolt

from inside of door, Keys Class No. 745, . \$57.00

Packed with screws.

1

Columbia Horizontal Rim Dead Lock.



Nos. C 1282 and C 1282 M.

JAPANNED CASE.

FOR RIGHT OR LEFT HAND DOORS, WITH THREE GERMAN SILVER KEYS.

Adjustable: For 11/4 to 3 inch Doors.

No. C 1282	Size, inches. $3\frac{5}{8} \times 2\frac{3}{8}$	Bronze Bolt and Turn Knob, Keys Class No. 745,
C 1282 M	35/8×23/8	With Master-Key. Bronze Bolt and Turn Knob, Keys Class No. 745, 59.20

Distance from Keyhole to Edge of Door, 21/2 inches.

These Locks will be packed with Flat Strikes, if so ordered.

Packed with screws.

Master-Keys, per dozen, \$6.00

Villa Door Set.



3½ INCH WROUGHT STEEL MORTISE KNOB LOCKS.

With Bronze Plated Steel Cases, Reversible Latch Bolt and Nickel Plated Keys.

No. 1893	Ornamented Bronze Plated Front Lock, complete, with	Per set.
	"Aradh" (Black) Knobs, and Bronze Plated	
	Escutcheons,	\$1.20

To change the Hand, TAKE OFF the Cap and turn over the Latch.

Packed with screws.

Villa Door Set.



No. 0893.

3½ INCH WROUGHT STEEL MORTISE KNOB LOCK. With Ivory Black Case, Reversible Latch Bolt, and Nickel Plated Steel Key.

No. 0893	Plain Real Bronze Front Lock, complete with Real	Per set.
	Bronze Knobs and Escutcheons,	\$2.20

To change the Hand, TAKE OFF the Cap and turn over the Latch.

Door Knobs.





No. 410.

No. 310.

JAPANNED SHANK AND ROSE.

5-16 INCH PLAIN SPINDLE.

				J					
					Mineral.				Per doz.
No.	410 M	21/4	inch,	Mortise,	Patent	Rose,			\$2.35
6 6	410 R	21/4		Rim,	6 6	4.6			2.35
4.6	1410 M	2	6.6	Mortise,	6.6	6.6			2.35
6.6	1410 R	2	4 6	Rim,	6 6	6 6			2.35
				I	Porcelain	•			
No.	310 M	21/	inch.	Mortise,	Patent	Rose,			2.70
6.6	310 R	21/4	4.6	Rim,	4.4	6.6			2.70
6.6	1310 M	2	6.4	Mortise,	4 4	6.6			2.70
4 4	1310 R	2	6 6	Rim,	6 6	6.6			2.70
					Jet.				
No.	415 M	21/	inch.	Mortise,	Patent	Rose,			2.60
"	415 R	21/4	6.6	Rim,	4.4	6.6			2.60



No. 7850.

Nos. 848 and 858.

WITH ROUND ROSE.

5-16 INCH PLAIN SPINDLE.												Per doz.
No.	7850	21/4	inch,	Jet	Knob,		Bron	ze Plate	d Shan	k and	Rose,	\$6.00
" 0	7850	21/1	4.6	6.6	6.6			4 4		6.6	4 4	6.00
6.6	8850	21/4	6 6	4 4	4 4	"Ka	hala''	Bronze	4.4	6.6	6.6	4.00
6 6	848	21/4	4.4	6.6	6 6	Bronz	e Plat	ed Shan	k, Real	Bronz	e Rose	, 6.50
6.4	858	21/	6.6	6.6	6 6		Real	Bronze	Shank	and	6.6	8.00
6.6	0858	21/4	6.6	4.4	6.6	Plain	6 6	6 6	6 6	6.6	4.6	8.00



Screwless Knobs.



TO SEPARATE KNOB FROM SPINDLE.

Unscrew outer Sleeve, pull off Knob, unscrew the inner Sleeve (the one with two pins), and remove outer Sleeve and Rose.

TO APPLY KNOB TO DOOR.

Insert Spindle through the hole in door, slip on Rose and outer Sleeve, screw inner Sleeve tight against shoulder of outer Sleeve; this will bring Rose in alignment with Spindle. Screw Rose on door. Turn back inner Sleeve until pins are opposite the squares of Spindle. Slip on Knob, the pins of inner Sleeve to enter holes in Knob Shank. Screw outer Sleeve and Knob Shank together tightly, with wrench.

Any of our better grade of Real Bronze Knobs (see pages 1 to 92 inclusive) will be made up with Screwless Attachment, if so ordered, at an additional cost of \$12.00 per dozen pairs, list.

Swivel Spindles.



5-16 x 3/8 inch.

The construction of this Spindle is shown in the above illustration. The increased diameter of one end of the Spindle permits the Swivel to be made as strong as the threaded portion of a ¾ inch Spindle, and the difference of diameter between the two parts of the Spindle (and the corresponding difference of size in the two parts of the Lock-Hub) greatly facilitates and simplifies the adjustment of Knobs and Spindle to the Lock.

This Spindle is used with all numbers of Columbia Locks which require a Swivel Spindle.



Cupboard Knobs.



No. 15001/4.

5-16 INCH SPINDLES.

		MINERAL.	Per doz.
No.	1500 1/	134 inch; Rim, Japanned Shank and Rose, Mortise, " " "	\$2.25 2.25
	300/4	PORCELAIN.	
No.	1300 1300¼	134 inch; Rim, Japanned Shank and Rose, Mortise, " " " "	\$2.60 2.60

Mortise Bolt or Half Knobs.





No. 377.

No. 0943.


5-16 INCH SPINDLES.

				RE.	AL BI	RONZE	•		I	Per dozen.
No.	377	13/	inch,						٠	\$15.00
6.6	0943	13/	4.4							15.00
4.6	0790 F	13/4×1	6.6	Oval	Knob	Round	Rose,			10.50
		2 XI1/4		4.4	4.4	Oval	6 6			9.60

Packed with screws.

. -

Thumb Pieces and Roses.



T Handles.


Packed with screws.






		No. 010 and 011. REAL BRONZE. No. 12.	
No.	010	Per	r dozen.
44	011	Plate, 23/8 × 7/8 inch, used with Turnbuckle No. 059 1/2,	
4.6	12	see page 146,	6.00

Real Bronze Lever Handles.





No. 0271. Rose, 21/4 inch.

Nos. 071 to 075. Roses, 4×13/4 inch.

No. 070	2	inch.				5-	16	INCII S	SPINDLI per si		doz.	,	With Roses. \$15.00	Without Roses. \$12.50
071		44	for	doors	11/	to	21/	inches	thick,	per	doz.	pairs,	40.00	30.00
072		4.6	"	"	11/4	to	21/	4.4	4.4	4 6 6	6.6	* "	65.00	55.00
073		6.6	4.4	6.6	11/4				6.6	6.6	6.6	4.4	80.00	70.00
	5 1/2	6.6	4 4	4.6	11/4				6.6	4 4	4.4	4.4	100.00	90.00
	61/2		4.4	6.6	I 1/4				6.6	6.6	4 4	4.4	125.00	115.00
0271		6.6	4.4	4.6	11/2				4.4	6.6	e 6	6.6	73.80	64.00

When ordering, please specify THICKNESS OF DOOR.

Packed with screws.



Lever Handle No. 708. Escutcheon No. 0148.



Lever Handle No. 708. Escutcheon No. 0128.

No.	
708	
708	

Size, inches.	With	Escutche	ons N	0.			ocks N		
I 7/8	0148	$(5 \times I)$	inc	eh),	00			0057,	
17/6	0128	(51/4×I	1/8),	00	551/4	4.4	0057,	
For	Locks	Nos. od	0551/4	and	0057,	see	page	2 117.	

For L			single dozen.
00551/4	and	0057,	\$10.00
00551/4	4.4	0057,	12.00

Lever Handles.



Design, Rope.

Lever Handle No. 708. Escutcheon No. 0178.



Design, Verocchio. Lever Handle No. 708. Escutcheon No. 728.

FOR FRENCH WINDOW LOCKS.

5-16 INCH SPINDLE.

Real Bronze.

No. 708	Per single dozen. 17% inch, with Escutcheon No. 0178, 434×114 inches,
	for Locks Nos. 0551/4 and 0057, \$12.50
No. 708	1% inch, with Escutcheon No. 728, 5×1¼ inches, for Locks Nos. 055¼ and 0057, 15.50
	For Locks Nos. 0055¼ and 0057, see page 117.

Electric Push Buttons.



Nos. 64 and 641/2.

REAL BRONZE.

No.	64	4×2	inches,	with	Fibre	Back, .	•		er dozen. \$12.35
4.4	64 1/2	4×2	4.4	6 4	Hard	Rubber	Back,		14.10
4.4	86	47/8×25/8	4.4	6.6	Fibre	Back,			15.50
4.6	86 1/2	47/8×25/8	6.6	4.4	Hard	Rubber	Back,		17.25

Loose Pin Butts.



Nos. 7004 to 4004.

FOR EITHER RIGHT OR LEFT HAND DOORS.

No. 7004. Bronze Plated, Finish No. 11.

Inch, 2×2 $2 \frac{1}{2} \times 2 \frac{1}{2}$ 3×3 $3 \frac{1}{2} \times 3 \frac{1}{2}$ 4×4 $4 \frac{1}{2} \times 4 \frac{1}{2}$ 5×5 $5 \frac{1}{2} \times 5 \frac{1}{2}$ 6×6 Per P'r, \$1.85 1.95 2.10 2.30 2.50 2.75 3.20 3.90 4.60

No. 7804. Bronze Plated. Finish No. 27.

Inch, 2×2 2½×2½ 3×3 3½×3½ 4×4 4½×4½ 5×5 5½×5½ 6×6 Per P'r, \$1.85 1.95 2.10 2.30 2.50 2.75 3.20 3.90 4.60

No. 4004. Barff.

Inch, 2×2 $2 \frac{1}{2} \times 2 \frac{1}{2}$ 3×3 $3 \frac{1}{2} \times 3 \frac{1}{2}$ 4×4 $4 \frac{1}{2} \times 4 \frac{1}{2}$ 5×5 $5 \frac{1}{2} \times 5 \frac{1}{2}$ 6×6 Per P'r, \$1.50 1.90 2.25 2.85 3.55 4.50 5.60 6.80 8.00

Packed with screws.

Loose Pin Butts.



No. 601/2.

Steel Bushed, with Steel Pins.

FOR EITHER RIGHT OR LEFT HAND DOORS.

No. 601/2. Real Bronze.

Inch,	2×2	2½×2½	3×3	$3\frac{1}{2} \times 3\frac{1}{2}$ 2.05	4×4	4½×4½
Per pair,	\$1.65	1.70	1.85		2.60	3.00
Inch, Per pair,	5×5 \$3.70	5½×5½ 5.55	6×6 6.85			

Packed with screws.

When ordering, be particular to state Finish wanted.




Inch,

Per pair,

 4×4

\$2.15

Loose Pin Butts.



Nos. 7060 to 4061.

FOR EITHER RIGHT OR LEFT HAND DOORS.

No. 7060. Bronze Plated, Finish No. 11, Heavy.

					-	
Inch, Per pair,	4×4 \$1.60	$4\frac{1}{2} \times 4\frac{1}{2}$ 2.00	5×5		2×5½ 3.00	6×6 3.60
	No. 7061.	Bronze Plated	, Finish No	. 11, Extra	Heavy.	
		SELF-I	UBRICATING	G.		
Inch,	4×4	$4\frac{1}{2} \times 4\frac{1}{2}$	5×5	5 51/2	×5½	6×6
Per pair,	\$2.00	2.40	2.80		3.40	4.00
		No. 4060.	Barff, He	avy.		
Inch,	4×4	4½×4½	5×5	5½×5½	6×6	6×8
Per pair,	\$1.80	2.30	2.85	3.45	4.00	6.00
		No. 4061. B Self-L	arff, Extra			

Packed with screws.

 5×5

3.00

 $5\frac{1}{2} \times 5\frac{1}{2}$

3.75


6×6

4.50

41/2×41/2

2.60

Loose Pin Butts.



Nos. 060 to 61.

Steel Bushed, with Steel Pins; Self-lubricating. FOR EITHER RIGHT OR LEFT HAND DOORS.

No. 060. Real Bronze, Medium Weight.

Inch, Per pair, Inch, Per pair,	2 ½ × 2 ½ \$2.30 5×5 \$4.75	3×3 2.40 5×6 5·75	$3\frac{1}{2} \times 3\frac{1}{2}$ 2.70 5×7 7.25	4×4 3.25 $5\frac{1}{2} \times 5\frac{1}{2}$ 6.00	4×5 3.90 6×6 7.25	4½×4½ 3.90
ror prom,	* 1.12					

No. 60. Real Bronze, Heavy.

Inch, 2×2 Per pair, \$2.90 Inch, 5×5 Per pair, \$6.00	3.00 5×6	3.10	$3\frac{1}{2} \times 3\frac{1}{2}$ 3.40 $5\frac{1}{2} \times 5\frac{1}{2}$ 6.80	4.23	5.00	$4\frac{1}{2} \times 4\frac{1}{2}$ 5.00 6×8 14.00	5×4 5.70
---	-------------	------	--	------	------	--	-------------


No. 61. Real Bronze, Extra Heavy.

Inch, 4×4 $4\frac{1}{2}\times4\frac{1}{2}$ 5×5 5×6 5×7 $5\frac{1}{2}\times5\frac{1}{2}$ 6×6 6×8 7×7 8×8 Per pair, \$5.50 6.50 7.60 10.50 11.50 9.30 11.00 20.00 18.00 25.00

Packed with screws.

No. 060 60	2×2 6	2½×2½ 9		3½×3½ 19 22½		Screws. 4×5 35 44	4 1/2	2×4½ 33 41 55	5×4 42	OZ.
060 60 61	5×5 45 55 70	5×6 60 68 96	5×7 67 77	5 ½ × 5½ 55½ 68½ 88½	6×6 71 84 112	6×7	6×8 101 120 168	7×7	8×8 219	OZ.

Fast Joint Hinges.



Nos. 7074 and 4074.



No. 70.

No. 7074. Bronze Plated.

Inch, 2×2 2½×2½ 3×3 3½×3½ 4×4 4½×4½ 5×5 5½×5½ 6×6 Per pair, \$1.85 1.95 2.10 2.30 2.50 2.75 3.20 3.90 4.60

No. 4074. Barff.

 Inch,
 2×2
 2½×2½
 3×3
 3½×3½
 4×4
 4½×4½
 5×5

 Per pair,
 \$1.20
 1.60
 2.00
 2.60
 3.20
 3.60
 4.50

No. 70. Real Bronze, Steel Bushed, with Steel Pins.

Inch, $2\frac{1}{2} \times 2\frac{1}{2}$ 3×2 3×3 $3\frac{1}{2} \times 3\frac{1}{2}$ 4×3 4×4 $4\frac{1}{2} \times 4\frac{1}{2}$ 5×4 5×5 Per pair, \$2.25 2.40 2.80 3.40 4.25 4.25 5.00 5.70 6.00

Real Bronze Hinge Plates.

Prices of these goods will be furnished upon application.

Kick Plates.

We are prepared to furnish these goods in either

CAST OR WROUGHT BRASS OR BRONZE.

Prices will be furnished upon application.



Shutter Butts.







Nos. 1071/4 and 1071/2.

No. 107. Real Bronze. Fast Joint.

·. 2×11/4 2×13/4 2×2 21/4×15/8 21/4×21/4 21/2×21/2 3×21/2 3×3 Per doz. pairs, \$6.50 7.00 7.50 8.25 8.50 9.00 10.00 12.50

> No. 1071/4. Real Bronze. Fast Joint. No. 1071/2. Real Bronze. Loose Pin.

Inch, 2×2 21/2×21/2 3×2½ 3×3 Per doz. pairs, \$9.50 II.00 12.00 14.50

Wrought Brass Butts.



No. 110.



No. 11012.

134×11/4

1.40

No. 110. Bronze Plated. Polished, Finish 10 or 11. $I \times I$ $I_{4}^{I_{4}} \times I_{\frac{1}{32}}^{1}$ 1½×1¼

 $\frac{34}{50.75}$ - Per doz. pairs, 1.00 1.10 1.20 Inch. $2 \times 13/8$ 21/4 × 17 21/2×13/4 $3 \times 1\frac{29}{32}$ Per doz. pairs, \$1.80 2.25 2.00 2.50

No. 1101/2. Polished, Finish 10 or 11.

3.50

 $1\frac{1}{4} \times 1\frac{1}{32}$ \$1.00 11/2×11/4 13/X11/4 2×13/8 Per doz. pairs, 1.20 1.40 1.80 21/2 × 13/4 23/4×13/4 $3 \times 1\frac{29}{32}$ Per doz. pairs, \$2.25 2.75

Back Flaps.



No. 056. Real Bronze.

Packed with screws.

Real Bronze Pocket Hinges.



No. 25.

No. 25 Real Bronze, Ornamented Pattern, per dozen pairs, \$21.60
" 125 " " Plain " " " 21.60



Bronze Plated Wrought Brass Shutter Hinges.



No. 100.



No. 101.

No.	100.
TAO	100

Inch, . 1½×	$1\frac{3}{4}$ $1\frac{1}{2} \times 1\frac{1}{2}$	1 ½ × 2	11/2×21/2	2×15%	2×2	2 × 2
Per doz. pairs, \$1.2	20 1.40	1.60	1.80	2.00	2.50	3.50

No. 101.

Inch, . 11/4×13/4	$1\frac{1}{2} \times 1\frac{1}{2}$	$1\frac{1}{2}\times 2$	$1\frac{1}{2} \times 2\frac{1}{2}$	2×15/8	2×2	2×3
Per doz. pairs, \$2.20	2.40	2.60	2.So	3.00	3.50	

Bronze Plated Wrought Brass Inside Blind Butts.



No. 120.



No. 121.

				1100		
		No.	120.			
Inch, Per doz. pairs,	1 \$1.10	1 1/8	1 1/4 1.30	13/8 1.50	1½ 1.70	1 3/4 2.50
		No.	121.			
Inch, Per doz. pairs,	1 \$2.10	1 ½ 2.15	1 ½ 2.30	13/8 2.50	1 ½ 2.70	134 3.50

Bronze Plated Wrought Brass Loose Pin Butts.



No. 130.



No. 1301/4.

No. 130.


Inch,	2×15/8	-	2×2	$2\times2\frac{1}{2}$
Per dozen pairs,	\$2.00		2.50	3.00

No. 130 1/4.

Inch,	2×15/8	2×2	$2\times2\frac{1}{2}$
Per dozen pairs,	\$3.50	3.75	4.00



Columbia Pneumatic Door Check and Spring.



Nos. 450 to 454.

GOLD BRONZE FINISH.

No.		Attached to Door and exerting a Pushing Action.	Each.
450	Fo	r Light Inside Doors,	\$5.50
451	4.4	Inside Doors, not more than 3 feet wide; and for Out-	#3.30
		side Doors, not more than 21/2 feet wide,	6.95
452	6.6	Heavy Inside Doors	
453	6.4	()11tside ()oors not more than a fact: 1.	7.50
454	6.6	Heavy Outside Doors	8.30
455	4.6	" " " (Entry Cture C	11.20
100		" (Extra Strong Spring),	11.20
		Attached to Door and exerting a Pulling Action.	
1450	For	r Light Inside Doors,	Qr =0
1451	4 4	Inside Doors, not more than 3 feet wide; and for Out-	\$5.50
		side Doors, not more than 2½ feet wide,	
1452	4 4	Heavy Inside Doors,	6.95
1453	4.4	Outside Doors, not more than 3 feet wide,	7.50
1454	4.4	Hoavy Outside Deers	8.30
1455	6.6	Heavy Outside Doors,	11.20
1433		" (Extra Strong Spring),	11.20
		Attached to Casing and exerting a Pulling Action.	
2450	For	Light Inside Doors,	00
2451	4.6	Inside Doors, not more than 3 feet wide; and for Out-	\$6.50
		side Doors, not more than 2½ feet wide,	
2452	6.6	Heavy Incide Doors	7.95
2453	4.4	Heavy Inside Doors,	8.50
	4.6	Outside Doors, not more than 3 feet wide, .	9.30
2454		Heavy Outside Doors,	12.20
2455		" (Extra Strong Spring),	12.20
One	in	a box. Packed with screws Full direction for an	nlving
packed	with	each check.	Triving

Door Pulls.





Nos. 232, 0132 and 472.

No. 231	5 1/2	inch,	Japai	ned, .						Per doz. \$0.38
										.67
0132	6	6.6	Real	Bronze,						7.00
472	6		4.4		Hea	VV.				10.00

Nos. 0132 and 472, packed with screws.



Door Pulls.





No. 0123.

No.	REAL BRONZE. 5 inch,											Per doz.		
0120	5	inch,											\$1.65	
													4.00	
0123														

Door Pulls.



No. 0738.



Nos. 0750 and 0751.




No. 0761.

REAL BRONZE.

No. 0738	7½×2 11	nches,					Per doz. \$16.50
0750	$9\frac{1}{2}\times2\frac{1}{2}$	6.6					33.00
0751	9½×1¾	4.6					33.00
0761	15 ×3	4.6					48.00

Packed with machine screws.





STORE DOOR BANDLES.

ELEUSIS.

MAYFLOWER.

CANTERBURY.



STORE DOOR HANDLES.

A-Nos. C960 and C9601/2 B-Nos. C775 and C7751/2 CN 960 " CN 960 1/2 CN 775 " CN 775 1/2 Eleusis. Mayflower. C-Nos. C2151 and C21511/2, Nos. CN2151 and CN21511/2

Canterbury.

Real Bronze Store Door Handles.





Locks Nos. C 9100 and C 9101.

Locks Nos. C 9100 1/2 and C 9101 1/2.

Design, ELEUSIS; School, GRECIAN.

No. C 960 With Flat Front Lock No. C 9100, Per set, \$23.00 Rabbeted Front Lock No. C 91001/4, C 960 1/2 24.75 Size of Plate, 161/4 × 33/8 inches.

Design, MAYFLOWER; School, COLONIAL.

With Flat Front Lock No. C 9101, Rabbeted Front Lock No. C 9101½, No. C775 C775½ Per set, \$23.00 Size of Plate, 211/4×4 inches.

Design, CANTERBURY; School, OLD ENGLISH.

With Flat Front Lock No. C9100, . . . Rabbeted Front Lock No. C9100½, No. C2151 Per set, \$17.50 " C2151 1/2 19.25 Size of Plate, 153/x31/2 inches.

Regular Finish: Nos. C 960 to C 775½, Finish No. 27. Finishes Nos. o2 A, o6, o7, o7½, o7¾, o9, o9½, o9¾, o11, 27½ and 27¾, at the same price. Nos. C 2151 and C 2151½, Finish No. 11.

Barff: Handles of the Eleusis and Canterbury designs can be supplied in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

DESCRIPTION OF LOCKS.

Lock No. Cg100: Size, 5×31/2 inches; Key to Front, 21/2 inches; Flat Bronze Front, beveled, 1/8 on 3 inches. Lock No. C91001/2: Size, 5×4 inches; Key to Front (short side), 21/2

inches; Rabbeted Bronze Front.

Lock No. C 9101: Size, 5×37/8 inches; Key to Front, 27/8 inches; Flat Bronze Front, beveled, 1/8 on 3 inches.

Lock No. C 91011/2: Size, 5×43/8 inches; Key to Front (short side), 27/8 inches; Rabbeted Bronze Front.

Three German Silver Keys, Class No. 745.

Cylinders are adjustable as follows: No. 1, for 11/2 to 21/4 inch doors; No. 2, for 23/8 to 31/4 inch doors.

Packed with screws.

When ordering, be particular to specify HAND and THICKNESS of Doors.

Real Bronze Store Door Handles.



Lock No. C9112.



Lock No. 'C 91121/2.

With Stop.

Design, ELEUSIS; School, GRECIAN.

No. CN 960 With Flat Front Lock No. C 9112, per set, \$25.50 CN 960 1/2 Rabbeted "C C 9112 1/2, Per set, \$25.50 Size of Plate, 16 1/4 × 33/8 inches.

Design, MAYFLOWER; School, COLONIAL.

No. CN 775
"CN 775½"
With Flat Front Lock No. Coll2, Per set, \$25.50
"Rabbeted "" Coll2½, "" 27.25
Size of Plate, 21¼×4 inches.

Design, CANTERBURY; School, OLD ENGLISH.

No. CN2151 With Flat Front Lock No. C 9112, per set, \$20.00 (CN21511/2) Size of Plate, 153/4×31/2 inches.

Regular Finish: Nos. CN 960 to CN 775½, Finish No. 27. Finishes Nos. 02 A, 06, 07, 07½, 07¾, 09 09½, 09¾, 011, 27½ and 27¾, at the same price. Nos. CN 2151 and CN 2151½, Finish No. 11.

Barff: Handles of the Eleusis and Canterbury designs can be supplied in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

DESCRIPTION OF LOCKS.

No. C9112: Size, 5¼×3¾ inches; Key to Front, 2¾ inches; Flat Bronze Front, beveled, ½ on 3 inches.

No. C9112½: Size, 5¼×4¼ inches; Key to Front (short side), 2¾ inches; Rabbeted Bronze Front.

The stop in the fronts of these locks makes it possible to prevent their operation from outside by other means than the key. They may be used as front door locks, with handles instead of knobs.

Three German Silver Keys, Class No. 745.

Cylinders are adjustable as follows: No. 1, for 1½ to 2¼ inch doors; No. 2, for 23/8 to 31/4 inch doors.

Packed with screws.

When ordering, be particular to specify Hand and Thickness of Doors.

STORE DOOR BANDLES.

WALSINGHAM. FRANKFORT. PRUDHON.



STORE DOOR HANDLES.

" CN 620 " CN 620½ Walsingham.

A-Nos. C620 and C6201/2 B-Nos. C785 and C7851/2 " CN 785 " CN 785 /2 Frankfort.

C-Nos. C630 and C630½, Nos. CN 630 and CN 630½ Prudhon.





Locks Nos. C9100 and C9101.

Locks Nos. C9100 1/2 and C9101 1/2.

Design, WALSINGHAM; School, ROMANESQUE.

Front Lock No. C 9100, With Flat per set, \$17.50 No. C620 " C91001/2, " C620 1/2 6.6 Rabbeted Size of Plates, 16×2% inches.

Design, FRANKFORT; School, GERMAN ROCOCO.

With Flat Front Lock No. Color, per set, \$25.00 No. C 785 " C91011/2, " C7851/2 " Rabbeted Size of Plates, 22×4 inches.

Design. PRUDHON: School, EMPIRE.

Front Lock No. C9100, per set, \$17.50 With Flat No. C 630 " C91001/2, " C 630 1/2 " Rabbeted Size of Plates, 171/4×3 inches.

Regular Finish: Finish No. 27. Finishes Nos. 02 A, 06, 07, 07 1/2, 07 3/4, 09, 091/2, 093/4, 011, 271/2 and 273/4 at the same price.

Barff: Handles of the Walsingham and Prudhon designs can be supplied in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

DESCRIPTION OF LOCKS.

Lock No. C 9100: Size, 5×3½ inches; Key to Front, 2½ inches; Flat Bronze Front, beveled, ¼ on 3 inches.

Lock No. C 9100½: Size, 5×4 inches; Key to Front (short side), 2½ inches; Rabbeted Bronze Front.

Locks Nos. Color and Color 1/2, see page 203.

Three German Silver Keys, Class No. 745.

Cylinders are adjustable as follows: No. 1, for 11/2×21/4 inch doors; No. 2, for 23/8 to 31/4 inch doors.

Packed with screws.

When ordering, be particular to specify HAND and THICKNESS of Doors.



Lock No. C9112.



Lock No. C91121/2.

With Stop.

Design, WALSINGHAM; School, ROMANESOUE.

Front Lock No. C 9112, per set, \$20.00 "C 9112½, "21.75 No. CN 620 With Flat CN 620 1/2 Rabbeted Size of Plates, 16×2% inches.

Design, FRANKFORT; School, ROMANESOUE.

• Front Lock No. C9112, per set, \$27.50 ed "C9112½, "30.00 No. CN 785 With Flat " CN 785 1/2 Rabbeted Size of Plates, 22×4 inches.

Design, PRUDHON; School, EMPIRE.

Front Lock No. C 9112, per set, \$20.00 (C 9112½, "' 22.50 No. CN 630 With Flat " CN 630 1/2 " Rabbeted Size of Plates, 171/4×3 inches.

Regular Finish: Finish No. 27. Finishes Nos. 02 A, 06, 07, 071/2, 073/4,

09, 09½, 09¾, 011, 27½ and 27¾ at the same price. Barff: Handles of the Walsingham and Prudhon designs can be supplied in Barff Finish at a reduction of 10 per cent. from the lists printed

above. Special Finishes: Prices for Special Finishes on page VIII.

DESCRIPTION OF LOCKS.

Lock No. C 9112; Size, 5¼×3¾ inches; Key to Front, 2¾ inches; Flat Bronze Front, beveled, ¼ on 3 inches.

Lock No. C 91121/2; Size, 51/4/4 inches; Key to Front (short side), 21/4 inches; Rabbeted Bronze Front.

The stop in the fronts of these locks makes it possible to prevent their operation from outside by other means than the key. They may be used as front door locks, with handles instead of knobs.

Three German Silver Keys, Class No. 745.

Cylinders are adjustable as follows: No. 1, for 11/2 to 21/4 inch doors; No. 2, for 23/8 to 31/4 inch doors.

Packed with screws.

When ordering, be particular to specify HAND and THICKNESS of DOORS.

STORE DOOR BANDLES.

MOREAU.
PISANO.
VEROCCHIO.



STORE DOOR HANDLES.

" CN 654 " CN 6541/2 Moreau.

A-Nos. C654 and C6541/2 B-Nos. C650 and C6501/2 " CN 650 " CN 6501/2 Pisano.

C-Nos. C720 and C720½, Nos. CN 720 and CN 720½ Verocchio.





Locks Nos. C9100 and C9101.

Locks Nos. C91001/2 and C91011/2.

Design, MOREAU; School, LOUIS XVI.

No. C654 With Flat Front Lock No. C9100, Per set, \$23.00 (C9100)/2, Size of Plates, 1734×3 inches.

Design, PISANO; School, ITALIAN RENAISSANCE.

No. C 650 With Flat Front Lock No. C 9101, "Rabbeted "" "C 9101½, Size of Plates, 203/8×3½ inches." 25.75

Design, VEROCCHIO; School, ITALIAN RENAISSANCE.

No. C720
"C720½"
With Flat Front Lock No. C9100,
Rabbeted "" C9100½,
Size of Plates, 18¾×3¾ inches.

Regular Finish: Finish No. 27. Finishes Nos. 02 A, 06, 07, 071/2, 073/4, 09, 091/2, 093/4, 011, 271/2 and 273/4, at the same price.

Barff: Handles of the Verocchio design can be supplied in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

DESCRIPTION OF LOCKS.

Lock No. C9100: Size, 5×3½ inches; Key to Front, 2½ inches; Flat Bronze Front, beveled, ½ on 3 inches.

Lock No. C9100½: Size, 5×4 inches; Key to Front (short side), 2½ inches; Rabbeted Bronze Front.

Locks Nos. Cgioi and Cgioi 1/2, see page 203.

Three German Silver Keys, Class No. 745.

Cylinders are adjustable as follows: No. 1, for 1½ to 2¼ inch doors; No. 2, for $2\frac{3}{2}$ inch doors.

Packed with screws.

When ordering, be particular to specify HAND and THICKNESS of DOORS.







Lock No. C91121/2.

With Stop.

Design, MOREAU; School, LOUIS XVI.

No. CN 654 "CN 6541/2 Front Lock No. C 9112, per set, \$25.50 "C 9112½, "28.00 With Flat Rabbeted Size of Plates, 173/×3 inches.

Design, PISANO; School, ITALIAN RENAISSANCE.

With Flat Front Lock No. C 9112, per set, \$26.50 (C 9112½, "29.00 No. CN 650 " CN 6501/2 Rabbeted Size of Plates, 203/8×31/2 inches.

Design, VEROCCHIO; School, ITALIAN RENAISSANCE.

Front Lock No. C 9112, per set, \$25.50 No. CN 720 With Flat " C 9112½, Rabbeted CN 720 1/2 28.00 Size of Plates, 183/×33/ inches.

Regular Finish: Finish No. 27. Finishes Nos. 02 A, 06, 07, 071/2, 073/4, 09, 09 1/2, 09 3/4, 011, 27 1/2 and 27 3/4 at the same price.

Barff: Handles of Verocchio design can be supplied in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

DESCRIPTION OF LOCKS.

Lock No. C 9112: Size, $5\frac{1}{4} \times 3\frac{3}{4}$ inches; Key to Front, $2\frac{3}{4}$ inches; Flat Bronze Front, beveled, $\frac{1}{6}$ on 3 inches.

Lock No. C 9112 $\frac{1}{2}$: Size, $5\frac{1}{4} \times 4\frac{1}{4}$ inches; Key to Front (short side), $2\frac{3}{4}$ inches; Rabbeted Bronze Front.

The stop in the fronts of these locks makes it possible to prevent their operation from outside by other means than the key. They may be used as front door locks, with handles instead of knobs.

Three German Silver Keys, Class No. 745.

Cylinders are adjustable as follows: No. 1, for 11/2 to 21/4 inch doors; No. 2, for 23/8 to 31/4 inch doors.

Packed with screws.

When ordering, be particular to specify Hand and Thickness of Doors.

STORE DOOR BANDLES.

BRUNSWICK.

BAVARIAN.




Nos. 7815 to 7845 1/2.
BRUNSWICK.



Nos. 7916 to C986½.

BAVARIAN.





Lock No. 049. BRUNSWICK

Lock No. 149.

			DKI	DINO W.	ICK .	DESI	GIN.				
			Bronze P	lated:	Antiqu	10 C	nner Fi	inich			
No.	7815	With	Flat	Front	Lock	No	O40	1111311+	toor	cot	0-00
4.6	78151/	64	Pabhatad	1 1 0111	LOCK	110.	049,	•		set,	
4.6		4.4	Rabbeted		• •	• • •	$049\frac{1}{2}$,				6.00
	1010		Flat		4.4	6.6	149,		4.4	6 6	5.00
	7845 1/2	4 4	Rabbeted Flat Rabbeted	6.6	4.6	4.1	1491/2		6.6	6.6	6.00
			Size of	Plates.	143/8	× 3 1/3	inches	š.			0,00
			BA	VARL	ANT	FSI	W				
							No. 3.				
No	7916	With	Flot	Thatec	T 1	IIISII	140. 2.				
110.	7016-7	WILL	Flat	rront	LOCK	No.	049,			set,	\$5.00
	19161/2	• •	Rabbeted		4.4		049 1/2,		4.4	4.4	6.00
4.4	7946	6 6	Flat	4.4	6.6	4.4	149,		4.4	4.4	5.00
	79461/2	6.6	Rabbeted Flat Rabbeted	4.4	6.4	4.6	1491/2,			4.4	6.00
	/ -							•			0.00
NT.	01/	3371/1	Real	Bronze	: Fin	ish I	Vo. 3.				
	916	With	Flat	Front	Lock	No.	049,		per	set,	\$10.50
6.6	110/2	6.6	Rabbeted	4.4	4.4	4.4	0491/2.		- 6.6		11.60
6 6	946	6 6	Flat	6.6	6 6	6 6	140.		6.4	6.6	10.50
4.4	946 1/2	4.4	Rabbeted Flat Rabbeted	4.6	6.6	6.6	1491/2,	•	6.6	66	11.60
	C 986	4.4	Columbia 1	Flat	Fron	T.oc	k No C	'OTOT	6.6		15.00
	C986 1/2	6.6	6.6	Rabbet	ii bo	11	" C	grovi/		4.6	-
	0/00/2		Cino of	Dietes	eu - ()	- 7/	1	9101/2	,		16.75
	D 1	T21 1 1	Size of	Flates	5, 10×	2/8	inches.				
			es: As spe								
	Barff:	These	goods cant	not he	sunnli	ed i	n Rarff	Rinie!	h		

Barff: These goods cannot be supplied in Barff Finish.

Special Finishes: Prices for Special Finishes on page VIII.

DESCRIPTION OF LOCKS. Lock No. 049: Size, 4½×3½ inches; Key to Front, 2½ inches; Flat Bronze Front, beveled, ½ on 3 inches.

Lock No. 049½: Size, 4½×4 inches; Key to Front, 2½ inches;

Rabbeted Bronze Front.

Two Nickel Plated Steel Keys, Class No. 413.

Lock No. 149: Size, 4½×3½ inches; Key to Front, 2½ inches; Flat

Bronze Front, beveled, ⅓ on 3 inches. Reversible.

Lock No. 149½: Size, 4½×4 inches; Key to Front, 2½ inches; Rabbeted

Bronze Front. Not Reversible.

Two Flat Steel Keys, Class No. 540. Locks Nos. Cotor and Cotor 1/2, see page 203.

Packed with screws.

When ordering, be particular to specify HAND and THICKNESS of DOORS.



Nos. 018 to C0881/2.



Nos. 019 to C 0891/2





Lock No. 048.

Lock No. 148.

WROUGHT BRONZE

No		With	Flat	Front	Lock	No.	048, .		per	set,	\$5.25
	0181/2	4 4	Rabbeted	4.4	4.4	6 6	0181/2.		- 4.6	4.4	6.15
6.6	048	4 4	Flat	6 4	6.6	4.4	148.		4.4	4.4	5.25
4 6	048 1/2		Rabbeted	6 6	4.4	4.4	1481/2.		4 4	4.6	6.15
4.4	C 088						ck No.	C 0100.	6 6	6.6	12.00
6.6	C 086 1/2	4.4	6.6	Rabbet	ted "	6.6	6.6	C 9100 1/2,	6.6	6 6	13.75
			Size of	Plates,	1234	×23/8	inche	s.			

					//+	/-/0					
	019		Flat	Front	Lock	No.	048,		per	set.	\$5.25
	019 1/2	6.6	Rabbeted	4.4	4.4	4.4	048 1/2	, .	4.4		6.15
6 6	049	4 4	Flat		4 4	4.6	148,		4 6	6.6	5.25
4.6	049 1/2		Rabbeted		4 6		148 1/2	,	4 6	6.6	6.15
	C 089	6 6	Columbia	Flat	Fron	t Lo	ek No.	C 9100,	6.6	4.4	12.00
	C 089 ½	4.6	4.4	Rabbet	ted "	4.4	6.6	C 9100 1/2,	4.4	4.6	13.75

Size of Plates, 123/ ×23/8 inches.

Regular Finish: Finish No. 11.

Barff: Handles Nos. 019 to Co89½ can be furnished in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

DESCRIPTION OF LOCKS.

Lock No. 048: Size, 4½×3 inches; Key to Front, 2 inches; Flat Bronze Front, beveled, ⅓ on 3 inches.

Lock No. 048½: Size, 4½×3½ inches; Key to Front, 2 inches; Rabbeted Bronze Front.

Two Nickel Plated Steel Keys, Class No. 413.

Lock No. 148: Size, $4\frac{1}{2} \times 3$ inches; Key to Front, 2 inches; Flat Bronze Front, beveled, $\frac{1}{8}$ on 3 inches. Reversible.

Lock No. $148\frac{1}{2}$: Size, $4\frac{1}{2} \times 3\frac{1}{2}$ inches; Key to Front, 2 inches; Rabbeted Front. Not Reversible.

Two Flat Steel Keys, Class No. 540.

Locks Nos. C 9100 and C 9100 1/2, see page 211. When ordering, be particular to specify HAND and THICKNESS of DOORS.



Nos. 015 to C 0451/2.



Nos. 074 to C 0751/2.





Locks Nos. 048 and 049. With Flat

Locks Nos. 148 and 149.

No. 015 '' 015½	With	Flat Rabbeted	Front	Lock		048,		- 44	4.4	\$8.00
" 145	4.6	Flat	4.4	4.4	4.6	148, .			4.6	8.00
" 145 1/2	6.6	Rabbeted	4.6	4.6	6.6	148 1/2		6.6		9.50
" C 045	4.4	Columbia	Flat	Fron	nt Lo	ck No.	C 9100,	6.6	4.6	12.75
" C045½	6 6	6.6	Rabbe	ted "	6	6 6 6	C 9100 1/2	, "	6.6	15.00
		Size of	Plates	, 121/4	×2¼	inche	es.			
No. 074	With	Flat	Front	Lock	No.	049, .		per	set,	\$7.15
" 074 ½	6.6	Rabbeted	6.4	4.4	4.4	/				
		removered				$049\frac{1}{2}$		6.6		8.65
" 175	4 4	Flat	6.6	6.6	6.6			"	4.6	8.65 7.15
	4.6		6.6	6.6		149,		4.4		7.15
" 175		Flat	6 6	6.6	66	149,		4 4	6 6	7.15 8.65
" 175 " 175½	4.6	Flat Rabbeted Columbia	6 6	Fron	it Lo	149, 149½, ck No.		"	66	7.15

Size of Plates, 13×3 inches.

Regular Finish: Finish No. 11.

Barff: These goods can be supplied in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

DESCRIPTION OF LOCKS.

Lock No. 048: Size, 4½×3 inches; Key to Front, 2 inches; Flat Bronze Front, beyeled, ½ on 3 inches.

Lock No. 048½: Size, 4½×3½ inches; Key to Front, 2 inches; Rabbeted Bronze Front.

Locks Nos. 049 and 0491/2, see page 215.

Two Nickel Plated Steel Keys, Class No. 413.


Lock No. 148: Size, $4\frac{1}{2} \times 3$ inches; Key to Front, 2 inches; Flat Bronze Front, beveled, $\frac{1}{2}$ on 3 inches. Reversible.

Lock No. 148\forall : Size, $4\frac{1}{2} \times 3\frac{1}{2}$ inches; Key to Front, 2 inches; Rabbeted Bronze Front. Not Reversible.

Locks Nos. 149 and 1491/2, see page 215.

Two Nickel Plated Flat Steel Keys, Class No. 540.

Locks Nos. C 9100 and C 9100 1/2, see page 211. When ordering, be particular to specify HAND and THICKNESS of Doors.



Nos. C 085 and C 085 1/2.

Nos. C0114 and C'01141/2. Nos. C076 and C0761/2.







Lock No. C91001/2.

No. C085 With Flat Front Lock No. C9100, per set, \$16.00 " " C9100½, Size of Plates, 16×3 inches.

No. C0114 With Flat Front Lock No. C9100, per set, \$19.25 " Rabbeted " " C9100½, Size of Plates, 15½×3 inches.

No. C076
With Flat Front Lock No. C9100,
Rabbeted "" C9100½,
Size of Plates, 19%×3 inches.

Regular Finish: Finish No. 11.

Barff: Handles Nos. Co85 and Co85½ can be supplied in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

DESCRIPTION OF LOCKS.

Lock No. C9100: Size, 5×3½ inches; Key to Front, 2½ inches; Flat Bronze Front, beveled, ½ on 3 inches.

Lock No. C9100½: Size, 5×4 inches; Key to Front, short side, 2½ inches; Rabbeted Bronze Front.

Three German Silver Keys, Class No. 745.

Cylinders are adjustable as follows: No. 1, for 1½ to 2¼ inch doors; No. 2, for 23% to 3¼ inch doors.

When ordering, be particular to specify Hand and Thickness of Doors.



Lock No. C 9112.



Lock No. C 91121/2.

With Stop.

With Flat Front Lock No. C 9112, per set, \$18.50
"Rabbeted " " C 9112½, " " 21.00 No. CN 085 With Flat CN 085 1/2 Size of Plates, 16×3 inches.

Flat . Front Lock No. C 9112, per set, \$21.75 Rabbeted " " C 9112 1/2, " " 24.25 No. CN 0114 With Flat. " CN 01141/2 Size of Plates, 15 1/8 × 3 inches.

"Tith Flat Front Lock No. C 9112, per set, \$21.80 "Rabbeted " " C 9112½, " " 24.30 With Flat No. CN 076 CN 0761/2 Size of Plates, 1978×3 inches.

Regular Finish: Finish No. 11.

Barff: Handles Nos. CN 085 and CN 085 1/2 can be supplied in Barff Finish at a reduction of 10 per cent. from the lists printed above.

Special Finishes: Prices for Special Finishes on page VIII.

DESCRIPTION OF LOCKS.

Lock No. C 9112: Size, 51/4×33/4 inches; Key to Front, 23/4 inches; Flat Bronze Front, beveled, 1/8 on 3 inches.

Lock No. C9112½: Size, 5¼×4¼ inches; Key to Front, short side, 234 inches; Rabbeted Bronze Front.

The stop in the fronts of these locks makes it possible to prevent their operation from outside by other means than the key. They may be used as front door locks, with handles instead of knobs.

Three German Silver Keys, Class No. 745.

Cylinders are adjustable as follows: No. 1, for 11/2 to 21/4 inch doors; No. 2, for 23/8 to 31/4 inch doors.

Packed with screws.

When ordering, be particular to specify HAND and THICKNESS of DOORS.

Sliding Shutter and Door Sheaves.



Sliding Door Sheave.

SLIDING SHUTTER SHEAVES.

Japanned Case, Iron Axle.

		No.							
134 inch, Iron Wheel,						per	set	(4),	\$0.45
21/4 " " "				•		4.4	4 4	(4),	1.00
		No.							
134 inch, Brass Wheel,			•			per	set	(4),	\$1.00
21/4 " " "				٠		4.4	4.6	(4),	1.75
	Japanned	Case,	Ant	i-Fric	tion.				
		No.	12						
2¼ inch, Brass Wheel,						per	set	(4),	\$1.90
2¼ inch, Brass Wheel,						per	set	(4),	\$1.90

SLIDING DOOR SHEAVES.

No. 4. Japanned Case, Turned Iron Wheel, Brass Axle.

Size of Wheel,	. 3	4	5	6 inches.
Per set (4), .	. \$1.50	1.95	2.80	4.15

Shutter Sheave.



No. 02.

No. 02 1½ inch, Japanned Case, Brass Wheel, Flat Face, Per set (4). \$1.00

For ¾ inch Brass Rail, see page 227.

Russell's Anti-friction Sliding Door Sheaves. WITH STEEL AXLES AND PINS.



Nos. 10 and 15. Astragal Face.

No. 10. JAPANNED CASE, IRON WHEEL.

WHEEL, 3/8 INCH THICK.

No. 15. JAPANNED CASE, IRON WHEEL.

WHEEL, 5/8 INCH THICK.

Size of Wheel, . . . 3 4 5 6 inches. Per set (4), . . . \$2.60 3.50 4.90 7.65

Extra Heavy, for School Houses

JAPANNED CASE, 6 INCH IRON WHEEL.

No. 15½ Astragal Face, 11½×2½ inches, Wheel, ¾ inch thick, \$8.00
" 20 " " 12½×2½ " " ¾ " " 10.00

Hatfield Pattern Sliding Door Sheaves.



No. 30.

No. 30. JAPANNED CASE, IRON WHEEL.

Turned Wheel and Axle.

Size of Wheel,	2 1/2	3	4	5	6 inches.
Length of Run,	30	42	46	51	66 "
Per set (4), .	\$2.10	2.80	3.50	4.20	5.60

Flush Wardrobe Sheave.



No. 9. JAPANNED CASE, IRON WHEEL.

Flush Sheave, especially adapted for School House use.

No. 9 4 inch, per set (4), \$4.00

Hatfield Pattern Hanging Sheaves.



Nos. 35 and 235.

FOR ELEVATOR DOORS.

SIZE OF WHEEL, 21/4 INCHES; LENGTH OF RUN, 27 INCHES.

	No. 3	5. J.	APA	NNE	D C	ASE,	IRO	NW	HE	EL.	
Per pair (2),							٠				\$6.00
	No.	235.	BRC	NZE	E CA	SE	AND	WH	HEEI		
Per pair (2),											\$9.00

No. 235, packed with screws.



Sliding Door Rail.



14	inch,	Iron,	Painted,	in	lengths	of	2	feet,		per	foot,	\$0.09
11/	4.4	Cast	Brass,	4.4	6.6	4 4	2	6.6		6.6	4.6	1.00

Wrought Polished Brass Sliding Door Rail.



34 inch, for Shutter Sheaves, 3, 4, 5, 6, 7, and 8 foot lengths, per foot, \$0.14

1 '' in lengths of 3, 4, 5, 6, 7, and 8 feet, . . '' ''

11/8 '' '' '' 3, 4, 5, 6, 7, '' 8 '' . . . '' ''

11/4 inch furnished to order.

Wrought Iron Sliding Door Rail, Brass Plated.

 $1\frac{1}{8}$ inch, in lengths of 4, 5, 6, 7, and 8 feet, . . per foot, \$0.12

Patent Half-round Lap-joint Sliding Door Rail.



This rail is made in such a manner that the joints lap and conceal the screws, as is shown by the illustration. A much neater finish may be made with this than with common rail, since the carpet may be laid close up to it.

Per set of 16 feet.

10 Cast Brass, in lengths of 2 feet; for Wheels of 3% inch thickness, \$12.60

15 """ " 2"" "" " 5% "" " 12.60

16 Iron, Painted," " " 2" " " " " " " " " " " " " 2.50

Rail No. 10 will fit Sheaves Nos. 1 to 10 and No. 30. Nos. 15 and 16 are made expressly for Sheaves No. 15.

Sash Cord Irons.



No. 1.



No. 3.

No.	1	Common Size, 7/8 inch diameter,		per g	ross,	\$0.85
4 6	2	Extra Large, 11/4 " "		6.6	4.4	2.35
"	3	For use without Screws, .		6.6	4.6	1.00

Noiseless Pulleys.





Nos. 660, etc. Square End. Nos. 6601/2, etc. Round End.

LACQUERED IRON FRONT.

Iron Wheel.

No.	Size of Wheel.	Size of Front.		Per dozen.
360	2 inches,	$4\frac{1}{8} \times 1\frac{1}{16}$ inches,	SQUARE END,	\$1.85
361	21/4 "	$5\frac{1}{8} \times 1\frac{1}{16}$ "	44 64	2.25
362	21/2	5½×1½ "	6.6	2.80
370	2 "	45/8×13/6 "	6.6	1.85
371	21/4 "	5 1/4 × 1 3/6 "	4.6 6.6	2.25
372	21/2 "	53/×15/6 "	44 44	2.80
373	3 "	67/8×17/6 "	44 44	5.00
370 ½	2	45/8×13/6 "	ROUND END,	1.85
371 ½	21/4 "	5½×1½ "	11 11	2.25
372 ½	21/2 "	57/8×15/6 "		2.80
373 1/2	3 "	7 × 13/8 "	44 44	5.00
		/ 0		5.00

FLORENTINE BRONZE (Boston Finish) FRONT.

Iron Wheel.

No. 5360 5361 5362	Size of Wheel. 2 inches, 2 1/4 " 2 1/2 "	Size of Front. $4\frac{1}{8} \times 1\frac{1}{16}$ inches, $5\frac{1}{8} \times 1\frac{1}{16}$ " $5\frac{1}{4} \times 1\frac{1}{8}$ "	Square End,	Per dozen. \$2.35 2.70 3.20
-----------------------------	---	--	-------------	--------------------------------------



Noiseless Pulleys.—Continued.

BRONZE PLATED FRONT.

Iron	Wheel.
------	--------

No.	Size of Wheel.	Size of Front.		Per dozen.
7370	2 inches,	$4\frac{5}{8} \times 1\frac{3}{6}$ inches,	SQUARE END,	\$2.80
7371	2 1/4 "	5 1/4 × 1 3/6 "	66 66	3,20
7372	21/2	534×15/6 "		3.60
7373	3	67/8×17/6 "	6.6	6.10
7370 1/2	2 "	45/8 × 13/6	ROUND END,	2.80
7371 1/2	2 1/4 "	5½×1½ "	4.6	3.20
7372 1/2	2 1/2	57/8×15/6 "	44 44	3.60
7373 1/2	3 "	7 × 13/8 "	66 66	6.10
/-	WID	OLICHT DD ACC ET	OBIT	

WROUGHT BRASS FRONT.

Iron Wheel.

No.	Size of Wheel.	Size of Front.		Per dozen.
660	2 inches,	$4\frac{5}{8}\times1\frac{1}{8}$ inches,	SQUARE END,	\$3.60
661	21/4	5 1/8 × 1 3/6 "	4.6	4.10
662	2 1/2 "	5 5/8 × 1 1/4 "	66 66	4.65
663	3	6%6×13/8 "	4.6	7.50
660 1/2	2	4½×116 "	ROUND END,	3.75
661 1/2	2 1/4 "	5 1/4 × 1 1/8 "	6.6	4.20
662 1/2	2 1/2 "	5¾×1¼ "	6.6	4.65
663 1/2	3	6½×1½6 "	6.6	7.50
, -	-	D 797(1		, ,

Brass Wheel. Size of Front. 45% × 11% inches, Dia. of Wheel. No.

Din of Wheel

		Drass wheel.		
No.	Dia. of Wheel.	Size of Front.		Per dozen.
665	2 inches,	$4\frac{5}{8} \times 1\frac{1}{8}$ inches,	SQUARE END,	\$5.95
666	2 1/4	5½×1¾6 "	66 66	7.20
667	2 1/2	5 5/8 × 1 1/4 "	66 66	8.00
668	3 ''	6%6×13/8 "	4.6	12.00
665 1/2	2	$4\frac{1}{2} \times 1\frac{1}{16}$ "	ROUND END,	5.95
666 1/2	2 1/4 "	5 1/4 × 1 1/8 "	6.6	7.20
667 1/2	2 1/2	534×11/4 "		8.00
668 1/2	3 ''	6½×1¾6 "	6.6	12.00

WROUGHT BRONZE FRONT.

Iron Wheel.

No.	Dia. of Wheel.	Size of Front.		Per dozen.
1660	2 inches,	$4\frac{5}{8}\times1\frac{1}{8}$ inches,	SQUARE END,	\$3.95
1661	21/4 "	5 1/8 × 13/6 "	4.4 4.4	4.40
1662	2 1/2	5 3/8 × 1 1/4 "	4.6	4.85
1663	3	6%6×13/8 "	4.4 4.4	7.70
1660 1/2	2	$4\frac{1}{2} \times 1\frac{1}{16}$ "	ROUND END,	3.95
1661 1/2	2 1/4 "	51/4×11/8 "	6.6 6.6	4.40
1662 1/2	21/2	534×114 "	6.6	4.85
1663 1/2	3 "	6½×1¾6 "	6.6	7.70
, –		D 1000		


Brass Wheel. Cinc of Found

INO.	Dia. of wheel.	Size of Front.		Per dozen.
1665	2 inches,	$4\frac{5}{8}\times1\frac{1}{8}$ inches,	SQUARE END,	\$6.15
1666	21/4 "	5½×1¾6 "	6.6	7.40
1667	2 1/2	5 5/8 × 1 1/4 "	6.6	8.20
1668	3 "	6%×13/8 "	6.6	12.20
1665 1/2	2	4½×118 "	ROUND END,	6.15
1666 1/2	2 1/4	5 1/4 × 1 1/8 "	6.6	7.40
1667 1/2	21/2 "	534×114 "	4.6	8.20
1668 1/2	3	6½×17/6 "	44	12.20

Either Round or Square Groove. For Chain Groove or Ribbon Groove, add 12 cents per dozen, list.

Russell's Anti-friction Axle Pulleys.

STEEL AXLES AND PINS.



Square Ends.

Nos. 680, 685, 1680, 1685, etc. Nos. 680 ½, 685 ½, 1680 ½, 1685 ½, etc. Round Ends.

LACQUERED IRON FRONT.

		Iron Wh	eel.		
No.	Dia. of Wheel.	Size of Fro	nt.		Per dozen.
380	2 inches,	45/8×11/4 inc	hes, SQUARE	END,	\$2.40
381	2 14 "	$5\frac{3}{6} \times 1\frac{3}{6}$		4.6	2.60
382	2 1/2	$5\frac{1}{2} \times 1\frac{5}{16}$	4.6	6.6	3.35
383	3	$634 \times 13/8$	44	6 6	5.00
61	3	$6\frac{15}{16} \times 1\%$	" Extra 1		12.00
380 1/2	4	$4\frac{5}{8} \times 1\frac{3}{10}$	Round	,	2.40
381 ½ 382 ½	474	$5\frac{3}{6} \times 1\frac{1}{8}$	66 66		2.60
383 1/2	4 /2	$5\frac{7}{8} \times 1\frac{5}{16}$	66 66	6.6	3.35
303/2	3	$7 \times 13/8$			5.00

BRONZE PLATED IRON FRONT.

Iron Wheel.

		TION WILCO		
No.	Dia. of Wheel.	Size of Front.		Per dozen.
7380	2 inches,	45/8×11/4 inche	s, Square En	D, \$3.30
7381	.2 14	53/6×13/6 "		3.50
7382	2 1/2	5 1/2 × 15/6 "	4.4 4.6	
7383	3	634×138 "	66 66	
7380 ½	2	45/8×13/6 "	ROUND EN	
7381 ½	214	53/6×11/8	66 66	
7382 ½	21/2 "	57/8×15/6 "	4.4 4.4	
7383 1/2	3	7 × 13/8 "		6.30

Russell's Anti-friction Axle Pulleys .- Continued.

WROUGHT BRASS FRONT.

	Iron	W	heel.
--	------	---	-------

No. 680 681 682 683 680 ½ 681 ½ 682 ½ 683 ½	Dia, of Wheel. 2 inches, 21/4 " 21/2 " 3 " 2 1/4 " 2 1/4 " 2 1/4 " 3 "	Size of Front. 45% × 1½ inches, 5½ × 1½ 5½ × 1½ 6½ × 1½ 6½ × 1½ 5½ × 1½ 5½ × 1½ 6½ × 1½ 6½ × 1½ 6½ × 1½ 6½ × 1½ 6½ × 1½ 6½ × 1¾	SQUARE END,	Per dozen. \$4.30 4.75 5.20 8.05 4.30 4.75 5.20
000/2	3	Brass Wheel.		
No. 685 686 687 688 685 ½ 686 ½ 687 ½ 688 ½	Dia, of Wheel. 2 inches, 2 1/4 " 2 1/2 " 3 " 2 1/4 " 2 1/2 " 3 "	Size of Front. 4 1/8 inches, 5 1/8 13/6 " 5 1/8 13/6 " 5 1/8 13/6 " 6 1/8 13/8 " 4 1/2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	SQUARE END,	Per dozen. \$6.50 7.75 8.55 12.55 6.50 7.75 8.55 12.55
		BRASS FRONT. Brass Wheel.		
No. 50 51 52	Dia. of Wheel. 2¼ inches, 3	Size of Front. 5 1/6 × 1 1/6 inches, 7 1/6 × 1 1/2 " 8 1/8 × 1 1/6 "	Square End,	Per dozen, \$24.00 27.60 42,00

WROUGHT BRONZE FRONT.

Iron Wheel.

No. 1680	Dia. of Wheel. 2 inches,	Size of Front. 45/8 × 11/8 inches,	SQUARE END,	Per dozen. \$4.50
1681	21/4 "	5 1/8 × 13/6 "	4.4 6.6	4.95
1682	21/2 "	5 5/8 × 1 1/4 "	6.6	5.40
1683	3	6%6×13/8 "	6.6	8.25
1680 1/2	2	$4\frac{1}{2} \times 1\frac{1}{16}$ "	ROUND END,	4.50
1681 1/2	21/4	5 1/4 × 1 1/8 "	6.6	4.95
1682 1/2	21/2	534×114 "	4.6	5.40
1683 1/2	3 . "	6½×1½ ···	6.6	8.25


Brass Wheel.

No. 1685	Dia. of Wheel. 2 inches,	Size of Front. 45/8 × 11/8 inches,	SQUARE END,	Per dozen. \$6.70
1686	21/4 "	51/8×13/6 "		7.95
1687	21/2 "	55/8×11/4 "	6.6	8.75
1688	3 "	6%×13/8 "	6.6	12.75
1685 1/2	2	4½×116 "	ROUND END,	6.70
1686 1/2	214 "	5 14 × 1 1/8 "	6.6	7.95
1687 1/2	21/2 "	534×114 "	6.6	8.75
1688 1/2	3	6½×1½ ···	4.6	12.75

Either Round or Square Groove. For Chain Groove or Ribbon Groove, add 12 cents per dozen, list.

Packed with screws.

Screw Pulleys.



No. 245. JAPANNED.

Size, inch,	1½	1 3/4	2	2½	3	4,00	5
Per dozen,	\$0.45	·55	·75	1.10	1.55		7.10
		K	T- 14E	DD ACC			

 Size, inch,
 %
 ¾
 ¼
 1
 1¼
 1½
 Ex. Heavy.
 1½
 1¾
 2

 Per dozen,
 \$1.20
 1.35
 1.60
 1.65
 2.00
 12.90
 3.60
 4.00
 4.70

Window Stop Bead Screws and Washers.



SCREWS, 11/X 10.

No. 11 Barff (Rustless Iron) Screws and Washers, . per gross, \$0.80

2 Bronze Plated Screws, Real Bronze Washers, . " 2.75

Polished Real Bronze Screws, Real Bronze Washers, " 3.15

Reversible Shutter Bars.





	Nos.	716	0½ ai	nd 160.	Nos. 030 and 031.							
No.	7160½ 160	2 2	inch,	Bronze Wrough	Plated, t Bronz	е.				per	dozen,	\$1.25
6.6	030		4 6	Real	4 4					6.6	6 c	4.45
4.6	031	2 1/2	6.6	4.6	4 4					6 6	4.4	4.60

Shutter Knobs.



No. 051.



No. 055.



Nos. 080 to 083.

REAL BRONZE.

No.	051	I	inch,				per	dozen,	\$1.30
6.6	055	1 1/8	6.6				6.6	6 6	5.60
6.6	080	34	4 4				4.4	4 4	3.00
4.6	081	7/8	4 6				6 6	4.6	4.50
	082	I	6.6				6 6	4.6	5.25
4.4	083	11/4	4 k				4.4	4.4	6.75



No. 085.



Nos. 087 and 088.

REAL BRONZE.

No.	085	1 1/4	inch,				per	dozen,	\$4.50
6.6	087	13/4	6.6				6 6	4.4	6.75
4 4	088	2	6.6			,	4 4	4.6	8.25

Sash Fasteners.







Nos. 8310 to 310.

					60
		Kahala Bronze,	per	doz.,	\$1.00
4.6	8215	" Wrought Steel Hook and Strike.	4.6	6.6	1.15
4.4	8316	" Real Bronze Rivet	4.4	4.4	1.30
4.4	6315	Ivory Black,	4 4	4.6	2.25
6.6	7316	Bronze Plated, Finish No. 3,	4.4	4.6	2.70
6.6	7216	" " 3, Wr't St'l Hook & St'ke	2 66	4.6	2.85
4.6	315	Real Bronze,	"	4.4	5.60
6.6	8310	Kahala Bronze,	6.6	4.6	-
4.4	8210	" Wrought Steel Hook and Strike,	4 6		1.10
6.6	8311	" Real Bronze Rivet,	6.6	4.4	1.25
4.6	5311	Florentine Bronze (Boston Finish),	6.6	4.4	1.45
4.6		Florentine Bronze (Boston Finish),		• • •	2.50
••	6310	Ivory Black,	4 6	4.6	2.50
4.6	7310	Bronze Plated,	6.6	4.4	1.65
6.6	7210	" Wrought Steel Hook and Strike,	4.4	6.6	1.80
6.6	7311	" and Polished,	4.4	4.4	3.40
4.4	7211	" Wrought Steel Hook and Strike,	4.4	4.6	3.40
4.6	310	Real Bronze,	6.6	4.4	5.40
					5.40







Nos. 8175 to 385.

		1 (0.5 0)/5 (0 000.	
	8320 7320	Kahala Bronze, per dozen, \$ Bronze Plated,	
	, 020	Diolize Tiateu,	2.75
6.6	7321	" and Polished, " "	5.00
	320	Real Bronze,	8.40
	8175	Kahala Bronze,	1.85
4.4	5175	Florentine Bronze (Boston Finish), "	2.90
4.4	7175	Bronze Plated,	3.70
4.4	375	Real Bronze.	6.35
	385	" Extra Heavy, " "	7.65
		Packed with screws.	

Sash Fasteners.—Continued.



No. 600 Real Bronze,

per dozen, \$8.00

Packed with screws.

Sash Lifts.








Nos. 8075 and 7075.

Nos. 7179 to 74.

No. 0172.

4 4	7075
4.4	7179
4.4	179
4.4	055
6.6	74
4.4	0172

No. 8075



Packed with screws.

Sash Lifts and Locks Combined.





No. 0100.

No. 0100 Real Bronze,

No. 0101.

per dozen, \$6.00

Flush Sash Lifts.



Nos. 8012 to 11.

No.	8012	3½×15/8	inches,	Kahala Bronze, per doz	en, \$0.70
4.6	7012	3½×15%	6.6	Bronze Plated, Finish No. 3, "	1.15
"	11	3½×15/8	4.4	Real Bronze, "	4.60

Packed with screws.



Nos. 154 and 1115.

No.	154	3½×1½	inches,	Wrought Bronze,		per	dozen,	\$1.35
4.4	1115	3¾×17/8	4.4	Real Bronze, .		4 6	6.6	7.00

Flush Sash Lifts and Locks Combined.



Nos. 0776 and 0777.

No. 0776 3 ×1¾ inches, Real Bronze, . . per dozen, \$12.00 " 0777 3¾×1¾ " " " . . " " 15.00

Packed with screws.

Bar Sash Lifts.



No. 07025 45% inches, Bronze Plated, . . . per dozen, \$3.00
" 025 45% " Real Bronze, . . . " " 7.40

Packed with screws.



No. 125 41/8 inches, Wrought Bronze, . . . per dozen, \$5.00



Bar Sash Lifts.



No. 135.

WROUGHT BRONZE.

No. 135 5 inches, per dozen, \$7.50

Packed with screws.



No. 136.

REAL BRONZE.

No. 136 5% inches, Heavy, per dozen, \$21.00

Packed with screws.




No. 035.

REAL BRONZE.

No. 035 51/8 inches, per dozen, \$14.50

Sash Pull Plates.



Nos. 059 and 051.

REAL BRONZE.

No.	059	2	\times I	inches,				per	dozen,	\$1.25
6.6	051	33/8	6×134	4 4				* 66	6.6	2.85

Packed with screws.

Sash Pull Sockets.



Nos. 8031 to 31.



No. 020.

No.	8031	Kahal	a Bronze,				per	dozen,	\$0.45
	7031		e Plated,						1.00
	31	Real I	Bronze,				6.6	4.6	1.90
	020	4.6	6 6				6.6	4.4	3.60

Packed with screws.

Pull Down Hooks.



No. 7026

No. 7026. Bronze Plated.

Real Bronze,




Nos. 7027 and 27.

per dozen, \$5.00 2.15 7.10



Sash Centers or Transom Plates.



Nos. 210 to 20.

								loz, sets.
$2\frac{3}{4} \times 1\frac{3}{8}$	inches,	Japanned,			set of	4	pieces,	\$1.25
23/4 × 13/8	6 6	Kahala Bronze,.			6.6	4		1.35
21/4 × 7/8	6 6	Japanned,			6.6	4	4.76	.50
21/4 × 7/8	6.6	Brass,			6.6	4	4.4	4.80
23/4 × 13/8	6 6	Bronze Plated,			6.6	4	4.4	1.75
23/4 × 13/8	4.4	" and I	Polishe	ed,	4.4	4	4.4	4.00
23/4 × 13/8	4 6	Brass,			6.6	4	6.6	11.50
23/4 × 13/8	6.6	Polished Brass,			6.6	4	4.4	12.50
$2\frac{3}{4} \times 1\frac{3}{8}$	6 6	Real Bronze, .				4	4.4	12.50
	2¾×1¾ 2¼×¼ 2¼×¼ 2¾×1¾ 2¾×1¾ 2¾×1¾ 2¾×1¾ 2¾×1¾	$2\frac{3}{4} \times 1\frac{3}{8}$ $2\frac{1}{4} \times \frac{7}{8}$ $2\frac{1}{4} \times \frac{7}{8}$ $2\frac{3}{4} \times 1\frac{3}{8}$ $2\frac{3}{4} \times 1\frac{3}{8}$ $2\frac{3}{4} \times 1\frac{3}{8}$ $2\frac{3}{4} \times 1\frac{3}{8}$	2¼ × ½ " Japanned,	2¾ × 1¾ "Kahala Bronze, 2¼ × ½ "Japanned, 2¾ × 1½ "Brass, 2¾ × 1½ "Bronze Plated, 2¾ × 1½ ""and Polishe 2¾ × 1½ "Brass, 2¾ × 1½ "Polished Brass,	2¾ × 1¾ "Kahala Bronze,	2¾ × 1¾ "Kahala Bronze, " 2¼ × ½ "Japanned, . " 2½ × ½ "Brass, " 2¾ × 1¾ "Bronze Plated, . " 2¾ × 1¾ "Bronze Plated, . " 2¾ × 1¾ "Polished Brass, . "	2¾ × 1¾ "Kahala Bronze,	2¾ × 1¾ inches, Japanned, set of 4 pieces, 2¾ × 1¾

Nos. 8010, 7010, 7011, 15, and 20, packed with screws; others without screws.


Sash Centers.



Nos. 110 to 113.

No.	110	13/4	inch,	Real	Bronze,					pieces),	
6.6	111	2	4.4	6.6	4 6		6.6	6 .	(4	''),	3.50
	112	21/4	6.6	6.6	6 6					''),	
4.6	113	21/2	4.6	4.4	4.4		6.6	4.4	(4	"),	6.00

Surface Sash Centers.



Nos. 43, 44, 7043, 7044, 143 and 144.

COPPERED.

No. 43 44 45	Size of Plate. 23/8 × 7/8 inches, 23/4 × 1 " 33/8 × 13/6 "	Diameter of Stem. 3/8 inch, 1/2 " 9/6 "	Back of Plate to Center of Stem. 34 inch, 78 "	

Packed without screws.

BRONZE PLATED. Finish No. 11.

No.	Size of Plate.	Diameter of Stem.	Back of Plate to Center of Stem.	(4 pieces to set).
7043	$2\frac{3}{8}$ × $\frac{7}{8}$ inches,	$\frac{3}{8}$ inch.	3/4 inch,	\$1.80
7044	23/4×1	1/2 "	7/8	2.95
7045	33/8×13/6 "	%6 ''	1 44	5.20

Packed with screws.

REAL BRONZE.

No.	Size of Plate.	Diameter of Stem.	Back of Plate to Center of Stem.	
143	$2\frac{3}{8}$ × $\frac{7}{8}$ inches,	3/8 inch,	3/4 inch,	\$3.75
144	23/4 × I	1/2 "	7/8 "	6.50
145	33/8×13/6 "	%6 **	I "	11.00
	P	acked with screws.		

These goods can be furnished in Barff finish at the same price as Nos.

7043, 7044 and 7045.

No.			Per	lozen sets.
8030	Kahala Bronze,	set of 4	pieces,	\$1.10
30	Polished Brass,	" 4		2.60

Nos. 8030 and 30.



Transom Pins.



23/4 inch, per single gross, \$5.60

Transom Chains.



No	8053	Valuate D.		10	12	15	inch.	
IVO.		Kahala Bronze,		\$3.00	3.15	3.30	per do	zen.
	7053	Bronze Plated.		3.80	4.00	4.20	4.6	6.6
6.6	4053	Barff,	-	9		1		
6.6				4.95	5.20	5.40		
	53	Real Bronze, .		5.50	5.75	6.00	4.4	6 6

Packed with screws.



N.T.	0055	** * *	*		- 9	12	15	18	inch	
		Kahala			\$5.20	5.80	7.40	8.00	per	dozen.
6.6	7055	Bronze	Plated	1.	6.90	7.50	8.10	8.70	-	44
4.6	4055	Barff,			8.00	9.00	10.00	11.00	6.6	6.6





For Transoms Hinged at Top, Center, or Bottom.

14 INCH RODS.

No. 100. COPPER BRONZED.

Length, feet,	3	4	5	6
Each,	\$0.45	.50	.55	.60

No. 1001/2. BRONZE PLATED.

Length, feet,	3	4	5	6
Each,	\$0.60	.65	.70	.75

No. 101. BRONZE PLATED AND POLISHED.

Length, feet,	3	4	5	6
Each,	\$1.10	1.20	1.40	1.60

No. 103. REAL BRONZE (Finish No. 11).

Length, feet,	3	4	5	6
Each	\$2.60	2.85	3.05	3.30

REACH, 21/4 inches. RECESS, 11/2 inches or less.

Reach is distance from center of rod in position to nearest edge of transom.

Recess is distance from face of door casing to face of transom.

Barff: These goods can be furnished in Barff Finish at the price of No. 101.

Special Finishes: Prices for Special Finishes on page VIII.





For Transoms Hinged at Top, Center, or Bottom.

5/6 INCH RODS.

No. 110. COPPER BRONZED.

Length	, :	feet	,	3	4	5	6
Each,	٠			\$0.55	.60	.65	.70

No. 1101/2. BRONZE PLATED.

Length, feet,	3	4	5	6
Each,	\$0.80	.95	1.10	1.25

No. 111. BRONZE PLATED AND POLISHED.

Length, feet,	3	4	5	6
Each,	\$1.40	1.55	1.70	1.85

No. 113. REAL BRONZE (Finish No. 11).

Length, feet,	3	4	5	6
Each,	\$3.00	3.25	3.45	2 70

REACH, 21/2 inches. RECESS, 11/2 inches or less.

Reach is distance from center of rod in position to nearest edge of transom.

Recess is distance from face of door casing to face of transom.

Barff: These goods can be furnished in Barff Finish at the price of No. 111.

Special Finishes: Prices for Special Finishes on page VIII.





For Transoms Hinged at Top, Center, or Bottom.

3/8 INCH RODS.



Length,	fe	eet,	3	4	5	6
Each,			\$0.70	.75	.80	.85

No. 1201/2. BRONZE PLATED.

Length,	feet	,	3	4	5	6
Each,			\$1.00	1.15	1.30	1.45

No. 121. BRONZE PLATED AND POLISHED.

Length, feet	3	4	5	6
Each, .	. \$1.70	1.90	2.00	2.20

No. 183. REAL BRONZE (Finish No. 11).

Length,	fe	et,	3	4	5	6
Each,			\$3.80	4.50	5.20	5.90

REACH, 21/2 inches. RECESS, 11/2 inches or less.

Reach is distance from center of rod in position to nearest edge of transom.

Recess is distance from face of door casing to face of transom.

Nos. 120 to 121.

No. 183.

Barff: These goods can be furnished in Barff Finish at the price of No. 121.

Special Finishes: Prices for Special Finishes on page VIII.









For Transoms Hinged at Top, Center, or Bottom.

1/4 INCH RODS.

No. 130. COPPER BRONZED.

Length, feet,	3	4	5	6
Each,	\$0.40	-45	.50	-55

No. 1301/2. BRONZE PLATED.

Length, feet,	3	4	5	6
Each,	\$0.55	.60	.65	.70

No. 131. BRONZE PLATED AND POLISHED.

Length,	feet	,	3	4	5	6
Each,			\$1.00	1.10	1.20.	1.40

No. 133. REAL BRONZE (Finish No. 11).

Length, feet,	3	4	5	6
Each,	\$1.60	1.75	1.90	2.05

REACH, 13/4 inches. RECESS, 13/4 inches or less.

Reach is distance from center of rod in position to nearest edge of transom.

Recess is distance from face of door casing to face of transom.

Barff: These goods can be furnished in Barff Finish at the price of No. 131.

Special Finishes: Prices for Special Finishes on page viii.









For Transoms Hinged at Top, Center, or Bottom.

5/6 INCH RODS.

No. 140. COPPER BRONZED.

Length, feet,	3	4	5	6
Each,	\$0.50	.55	.60	.65

No. 1401/2. BRONZE PLATED.

Length, feet,	3	4	5	6
Each,	\$0.65	.80	.95	1.10

No. 141. BRONZE PLATED AND POLISHED.

Length, feet,	3	4	5	6
Each,	\$1.25	1.40	1.55	1.70

No. 143. REAL BRONZE (Finish No. 11.)

Length, feet,	3	4	5	6
Each,	\$2.00	2.15	2.36	2 15

REACH, 134 inches. RECESS, 2 inches or less.

Reach is distance from center of rod in position to nearest edge of transom.

Recess is distance from face of door casing to face of transom.

Barff: These goods can be furnished in Barff Finish at the price of No. 141.

Special Finishes: Prices for Special Finishes on page VIII.







For Transoms Hinged at Top, Center, or Bottom.

1/4 INCH RODS.

No. 30. COPPER BRONZED.

Length, feet,	3	4	5	6
Each,	\$0.35	.40	.45	.50

No. 301/2. BRONZE PLATED.

Length, feet,	3	4	5	6
Each,	\$0.55	.60	.65	.70

No. 31. BRONZE PLATED AND POLISHED.

Length, feet,	3	4	5	6
Each,	\$1.00	1.10	1.20	1.40

No. 33. REAL BRONZE (Finish No. 11).

Length, feet,	3	4	5	6
Each	\$1.60	1.75	1.90	2.05

REACH, 134 inches. RECESS, 134 inches or less.

· Reach is distance from center of rod in position to nearest edge of transom.

Recess is distance from face of door casing to face of transom.

Barff: These goods can be furnished in Barff Finish at the price of No. 31.

Special Finishes: Prices for Special Finishes on page VIII.





Top,

For Transoms Hinged at Top, Center, or Bottom.

5/6 INCH RODS.

No. 40. COPPER BRONZED.

Length, feet,	3	4	5	6
Each,	\$0.50	.55	.60	.65

No. 40½. BRONZE PLATED.

Length	, fee	et,	3	4	5	6
Each,			\$0.65	.So	.95	1.10

No. 41. BRONZE PLATED AND POLISHED.

Length, feet,	3	4	5	6
Each,	\$1.25	1.40	1.55	1.70

No. 43. REAL BRONZE (Finish No. 11).

Length, feet,	3	4	5	6
Each,	\$2.00	2.15	2,30	2.45

REACH, 13/4 inches. RECESS, 2 inches or less.

Reach is distance from center of rod in position to nearest edge of transom.

Recess is distance from face of door casing to face of transom.

Barff: These goods can be furnished in Barff Finish at the price of No. 41.

Special Finishes: Prices for Special Finishes on page vIII.

Casement Window Adjusters.



Nos. 7020 and 20.

EITHER RIGHT OR LEFT HAND. BRONZE PLATED.

REAL BRONZE.

No. 20 5% inch Rod, . \$16.50 18.00 19.50 per dozen.

"25 3% " " . 18.35 20.00 21.60 " "

Packed with screws.



Nos. 26 and 27.

REAL BRONZE.

Clearance: No. 26, 1 inch; No. 27, 2 inches.

Packed with screws.



No. 15.

REAL BRONZE.

No. 15 8½ inches, per dozen, \$18.50



Turnbuckles or Casement Fasteners.









No. 10.

Nos. 11 and 111/2.

REAL BRONZE.

No.	10					per	dozen,	\$7.40
4 4	11	Mortise Strike,				6 6	4.4	7.40
		Rim Strike, .						

Packed with screws.

Elbow Catches.



Nos. 602 and 6021/2.


BRASS.

No.	602	Ground, with spring, .			per	gross,	\$31.50
4.6	602 1/2	Unground, with spring,			4.4	6.6	24.00

Cupboard Catches.









No. 052.

No. 047, 2 inch, Real Bronze, Anti-Friction Latch, per gross, \$108.00

Packed with screws.



Nos. 5227 to 227.



Nos. 7246 and 247.

No.											I,	er gross.
5227,	2	inch,	Florentine Bron	ize (Bo	ston	Fir	nish),	Real	Bronz	ze	Knob,	\$28.50
7227,	2	4.4	Bronze Plated,	Real	Bron	ze	Knob	, .				32.00
227,	2	4.6	Real Bronze,									58.00
7246,	2	4 6	Bronze Plated,	Anti-	FRICT	ION	LAT	CII,				52.00
247,	2	6 6	Real Bronze,		6.6		6	6				72.00



French Window Catches.



Nos. 5205 to 07051/2.

With Real Bronze Knobs.

No. 5205.	ı iı	nch.	Florentine Bronze (Boston Finish),				Per gross. \$16.50
7205	_	4.4	D. Til . 1	•	•	•	φ10.50
7205,	1		Bronze Plated,				20.00
0705,	I	6.6	Real Bronze,				38.00
5205 1/4	II	6.6	Florentine Bronze (Boston Finish),				18.00
73051/	- 7/		D. Die de (Boston i imsi),	•	•	•	10.00
/205/4,	1 1/4		Bronze Plated,				21.50
0705¼,	I 1/4	4.4	Real Bronze,				41.35
5205 1/2.	I 1/2	6 6	Florentine Bronze (Boston Finish),				
, - ,	, -		Diene (Doston Timish),				20.00
7205½,	$I \frac{1}{2}$		Bronze Plated,				23.50
07051/2.	T 1/	6.6	Real Bronze,				3.3.
0/03/24	- /2		real Divilee,				48.70

Packed with screws.




Nos. 5304 to 03051/2.

ANTI-FRICTION LATCH.

3.5			
No.			Per gross.
53041/4,	1 1/4 inch,	Florentine Bronze (Boston Finish), Br'ze Pl'd Kno	b. \$32.50
7304¼,	11/4 "	Bronze Plated, Bronze Plated Knob,	36.00
0305¼,	11/4 "		48.65
53041/2,	11/2 "	Florentine Bronze (Boston Finish), Br'ze Pl'd Kno	b, 36.50
73041/2,	11/2 "	Bronze Plated, Bronze Plated Knob,	40.00
03051/2,	I 1/2 "	Real Bronze, Real Bronze Knob,	56.00


Transom Catches.






NT.		Nos.	5250 to 0750.				No.	0755.			
5250,	I 1/4	inch,	Florentine Bronze	(Bos	ton	Finish)	, .			Per gross. \$30.00	
7250, 0750,			Bronze Plated, Real Bronze, .		٠				٠	37.50	
0755,		4.6	11 11							66.00	
Packed with screws.											





			V/						-	
		No.	0751.					No. (0752.	
No.	,			REAL	BRO	NZE	40			Per gross.
0751,	I 1/2	inch,								\$80.00
0752,	17/8	4.4	Plain	Strike,						97.80
0752 1/2,	17/8	4.4	Flang	ed Strike	, .					107.40
, - ,				Packed		scre	ws.			/




Cupboard Turns.


No.				Per doze	en.
5113,	I 1/8	inch,	Florentine Bronze (Bosto	on	
			Finish),	\$2.	25
7113,	I 1/8	4 4	Bronze Plated,	2.	50
1113,	I 1/8	4.4	Real Bronze,	5.	25
5115.	I 5/8	4.4	Florentine Bronze (Bosto	n	
ŕ	, .		Finish),	3.	75
7115,	I 5/8	6.6	Bronze Plated,	-	
1115.		4.4	Real Bronze,		50
,	70		,		J -

*****]

Nos. 5113 to 1115.

Cupboard Turns.






Nos. 5215 to 1220.

Nos. 0115 and 0120.

No.	5215,	13/4	inch,	Flore	ntine Br	onze	(Bosto	n Finis	h),	per d	lozen,	\$3.50
4.4	7215,	I 3/4	4 4	Bronz	ze Plated	1,				- 66	6.6	3.75
6 6	1215,	134	4.4	Real	Bronze,					4.4	4 4	6.50
6.6	5220,	218	6 6	Flore	ntine Br	onze	(Bosto	n Finis	sh),	4.4	4.4	4.00
4 6	7220,		4°	Bron	ze Plated				,	6.4	4.4	4.50
	1220,	21/8	4.4	Real	Bronze,					4.4	6.6	7.80
4.4	0115,	I 5/8	6 6	Real	Bronze,	with	Turn	Knob,		6.6	4.4	7.45
6.6	0120.	2	÷ 4	4.4	6.6	6.6	4.4	4.6		4.4	4.6	9.00
6.6	0116,	I 5/8	4.6	6.6	4 4	ТН	andle,			6.6	6 6	7.45
6.6	0121,	2	4.4	4.4	4.4					6.6	6.6	9.00

Packed with screws.



Nos. 7223 and 1223.

ANTI-FRICTION LATCH.

WITH REAL BRONZE KNOB. No. 7223, 13/ inch. Bronze Plated

1223, 134	"Real Bronze,	₹4.75 7.50
No. 7225, 13/	WITH REAL BRONZE T HANDLE. inch, Bronze Plated, per dozen, "Real Bronze, " "	\$4.75

Packed with screws.

. Square-Cased Bolts.




Nos. 212 and 0212.

No.	212,	3	inch,	Cast	Brass,			per d	loz e n,	\$7.00
	212,	4	4 6	6.6	4 4			6.6	6.6	9.00
	0212,	3	4.4	Real	Bronze,			4 4	4 4	9.20
	0212,	4	4 6	4.4	6 6				4.4	11.70

No. 212, packed without screws; No. 0212, with screws.


Extra Heavy Cast Brass Flush Bolts.



11/8 inch Wide.

Length, inches,	8	10	12	18	20	24	30
Per dozen, .	\$9.25	11.15	12.80	17.60	21.00	24.00	32.00
Length, inches,	36	42		48	54	60	66
Per dozen, .	\$41.60	58.7	0 6	9.75	79.00	88.00	99.00

Flush Bolts.



I inch Wide.

With Sunk Thumb Piece.

No. 5109. FLORENTINE BRONZE (Boston Finish).

Length, inche	s, 6	8	IO	12	15	18	24
Per dozen,	\$3.65	4.35	5.05	5.75	6.45	7.50	8.90

No. 7109. BRONZE PLATED.

Length, inches	6, 6	8	10	12	15	18	24
Per dozen,	\$4.55	5.40	6.30	7.15	8.05	9.35	11.10

With Knob.

No. 5119. FLORENTINE BRONZE (Boston Finish).

Length, inches	5, 6	8	10	12	15	18	24
Per dozen,	\$4.80	5.30	5.85	6.40	7.25	8.15	9.25

No. 7119. BRONZE PLATED.

Length, inches,	6	8	10	12	15	18	24
Per dozen.	\$5.95	6.60	7.30	7.95	9.05	10.15	11.55

Packed with screws.

17.

Real Bronze Flush Bolts.



Nos. 20 and 050.


No. 20: 11/8 inches wide.

Length, inches,	8	10	12	18	20	24	30	36
Per dozen, .	\$10.10	12.25	14.00	18.00	21.60	25.20	32.40	46.00
Length, inches,	42	48	54	60	66	72	120	
Per dozen, .	\$59.40	66.50	82.80	94.00	103.70	120.00	201.50	

No. 050: 11/4 inches wide.

Length, inches,	12	IS	24	30	36	42	48
Per dozen.	\$28.80	35,30	47.55	60.00	74.90	115.20	129.60

Real Bronze Flush Bolts.



No. 22.

No. 183.

No. 22: Plate, $5\frac{3}{4} \times 1\frac{3}{8}$ inches wide.

Length, inches, . 12 18 24 30 36 42 48 Per dozen, . \$18.60 18.60 18.60 22.20 22.20 25.80 25.80

No. 183: 11/4 inches wide.

Length, inches, 9 12 18 24 30 36 42 48 Per dozen, . \$44.00 53.35 71.50 89.65 107.80 125.95 144.10 162.25

Real Bronze Mortise Flush Bolts.







No. 29.

No. 28: Plate, 53/4 × 11/2 inches.


Length, inches, 12 18 24 30 36 42 48 54 60 66 Per dozen, \$18.40 18.40 20.00 20.00 24.00 24.60 25.20 25.80 26.40

No. 29: Plate, 61/2×21/4 inches.

Length, 12 to 48 inches, inclusive, \$55.20 per dozen.



Real Bronze Flush Dutch Door Bolt.



No. 055, Right Hand.

No. 055, 7×1¼ inches, . . \$30.00

Per dozen.

Made to fit any Rabbet.

When ordering, please state HAND and Size of Rabbet.



Espagniolette Bars.



No. 67.

A secure fastening for FRENCH WINDOWS, drawing the sash, top and bottom, close to the rabbet.


No.									Each.
67,	3/8	inch	rods,	Brass	Handles	and	Iron Plates,		\$5.00
671/2,	3/8	4 4	6.6	6.6	6.6	4 4	Brass "		7.50
068,	3/8	6.6	6.6	Bronze	е "	4.6	Iron "		6.25
0681/2,	3/8	6.6	4.6	4.4	4.4	4.6	Bronze "		8.75

When ordering, please state exact height of door.



Water Closet Indicator Bolts.





FOR OUTSIDE OF DOOR.

FOR INSIDE OF DOOR.

No. 0156.


SIZE OF CASE, 21/2×25/8 INCHES; INDICATOR, 31/4 INCHES.

N. 045/ D. 1 D.						Per dozen.
No. 0156, Real Bronze,						\$30.00
" 0156, Nickel Plated,						37.50
					•	37.50

Suitable for doors from 1 to 2 inches thick.

Packed with screws.


Water Closet Latches.



No. 0170.

No	0170	= 1/ \/ a	inches	Real Bronze, .]	Per dozen.
110.	0,,,	3/4/4	menes,	Real Bronze, .				\$14.00
6.6	0170	51/4×2	6.6	Mioleal Dlated				4-4.00
	0110,	3/4/		Nickel Plated,				18.00

Chain Door Fasteners.



Nos. 15 and 16.

No. 15. 6	inch.	Real Bronze,					Per dozen. \$12.00
		Nickel Plated.					24.00

Packed with screws.

Drawer Pulls.



Nos. 8139 to 141.

WROUGHT METAL.

WROUGHT METAL.											
No.										F	er gross.
8139, 234	inch,	Kahala Bro	onze,								\$6.65
5139, 234	4.4	Florentine	Bronze	(Bost	on	Finish)),				10.55
7139, 234	6.6	Bronze Pla									
139. 23/	6.6	Real Bronz	ze, .								
8140, 33/8	4 4	Kahala Bro									
5140, 33/8	6.6	Florentine	Bronze	(Bost	.011	Finish)	,				12.20
7140, 33/8	6.6	Bronze Pla	ited, .								
140, 33/8	4 6	Real Bronz									
8141. 334	6.6	Kahala Br									
5141, 334	6.6	Florentine	Bronze	(Bost	on	Finish)),				
7141, 334	6.6	Bronze Pla									
141. 334	6.6	Real Bron	ze, .								24.40



Drawer Pulls.



Nos. 7150 to 152.

No.										,
7150, 21/2	inch,	Bronze Plated,							1	er gross.
150, 21/	/ · · ·	Wrought Bronze,						·	•	Ψ13.30
7151, 27	, ii	Bronze Plated,			•	•		•	•	14.50
151, 27	ά	Wrought Bronze,		•	•	•	٠	•	٠	14.00
7152, 31/4		Bronze Plated	٠	•	•	•		•	•	15.50
152, 31/4		Bronze Plated,	•		•	•	•			16.00
, 5/A		Wrought Bronze,								18.00


Packed with screws.



Nos. 07028 to 029.

No.						,		D
07028,	31/8	inch,	Bronze Plated,					Per gross.
028,	31/8	4.6	Real Bronze,					36.00
070281/2,	33/4	4.4	Bronze Plated,					18.00
0281/2,	33/4	6.6	Real Bronze,					40.50
07029,	41/4	6.6	Bronze Plated,					10.50
029,	41/4		Real Bronze,					45.00
								45.00

Drop Drawer Pulls.



No. 1076.

No. 1076, 3½×1 inch, Real Bronze, per dozen, \$17.50





Nos. 1185 and 1186.

No. 1185, 43/8 × 25/8 inches, Real Bronze, . . . per dozen, \$27.50

1186, 43/8 × 31/8 " " " 30.00

Coat and Hat Hooks.





Nos. 034 to 036.

Nos. 038 and 039.

No.										Per gross.
034,	Projection,	31/4	inches,	Real	Bronze,					\$42.60
035,	4 4	31/4		4.4	4.6					62.10
5036,	4.4	33/4	4.6	Flore	entine Brz.	(Bos	s. Fi	n.),		35.00
7036,	4.4	33/4	6.4	Bron	ze Plated,					40.00
036,	4.4	33/4	6 6	Real	Bronze,					71.00
038,	6.6	31/4	6.6	4.4	4.6					55.00
039,	4 6	31/2	6.6	6.6	4.4					60.00



No. 037.

No. 037.	Projection,	31/4	inches,	Real	Bronze,				Per gross. \$56.25
,	,	0/4	,		,	-	-		470.27


Coat and Hat Hooks



Nos. 7194 and 194.

No.							Per g	ross.
7194,	Projection,	33/8	inches,	Bronze Plated,	Antique	Copper	Fin., \$5	0.00
194.	6.6	33/8	4.4	Real Bronze,			. 25	0.00

Coat and Hat Hook.



No. 180, Projection, 31/4 inches, Real Bronze, . per gross, \$300.00



Ceiling Hooks.




Nos. 07256 and 0256.

									Per gross.
No.	07256,	Bronze Plated,	-	٠				٠	\$20.00
4.4	0256,	Real Bronze,							47.50

Packed with screws.

School-house Hooks.



No. 50.




No. 60.

No.	50,	27/8	inch,	Japanned,					Per gross. \$4.55
4.6	60,	2 7/8	6.6	6.6					5.75

Real Bronze Numbers.

								\$0.65
23/4	4.4	٠						.70
	4.6							

Columbia Metal Sash Chain.



	Tensile Strength.	For Sashes of	Per foot.
No. 0	370 lbs.	70 lbs. weight,	\$0.06
" 1	420 ''	80 " "	.os
·· 2	625 ''	125 " "	.10
" 3	750 ''	150 " "	.13

Fastenings

(For hanging a window of two sashes).

No.	0				٠.					per	set,	\$0.14
6.6	1.	2	and	3						4 6	4.6	.18

New Idea Double-Acting Spring Hinges,

To Swing Both Ways.



Ornamental Hinge.



Plain Hinge.

Price List Superseding all Previous Lists.

IRON.

TRON.		Price Per	Pair.	
THICKNESS OF DOOR, 76, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	11/8, 11/4,	11/2, 15/8,	17/8, 2, 21/8, 21/4,	2 ³ / ₈ , 2 ¹ / ₂ , 2 ⁵ / ₈ , 2 ³ / ₁ , 2 ⁷ / ₈ , 3.
Number, 21	22	23	24	25
Japanned, Plain, \$1.55	\$2.35	\$2.90	\$4.50	\$6.50
" Ornamental,	*2.95	*3.65		# 9 -
Bronze Plated, Fin. No. 11, Plain. 3.85	5.50		11.00	17.00
" " " 11, Ornam'l,	6.60	8.40	13.20	
Antique Finish, " 7½, Plain, 4.60	6.60	8.60	12.50	19.50
" " 7½, Ornam'l,	7.90	10.30	15.00	
Bower Barff, Plain, 5.50	8.50	11.00	17.00	27.00
" " Ornamental, .	10.20	13.20	21.40	
Oxidized Silver, Plain, *7.50	*11.40	*14.65	*19.15	*28.00
" Ornamental, .	*13.70	*17.60	*23.00	
Bronze Met	AL.			
Bronze Metal, Fin. No. 11, Plain, 7.60	12.00	16.00	23.85	36.10
" " " 11, Ornam'l,	14.40	19.20	28.60	
Antique Finish, " 7½, Plain, 9.00	14.90	21.50	34.50	40.10
" " 7½, Ornam'l,	17.90	25.80	41.45	
Oxidized Silver, Plain, . *12.50	*19.00	*26.50	*40.50	*48.10
" Ornamental, .	*22.80	*31.80	*48.60	
All sizes and finishes are regularly carrie with a star	ed in sto			e marked

All hinges, except japanned, are packed with screws.



Have the Lightest and Most Elastic Movement, Combined with the Greatest Power.



Are Unequaled for Strength, Durability, and Elegance of Appearance.

SINGLE ACTION.

"Bommer" are Inten	ferent Sizes of Spring Hinges add for Doors wing Dimensions.	Length of Flanges.		anned Steel.	Steel, to B Cop Br Nick Bo	shed plated rouze, oper, ass, el or ston ish.	or I	Brass etal, ghly shed.	Steel	olished , plated Copper.	Cop Bras Brass uine	h. Steel, ed to old per, old ss, dull s or gen- rustless k finish.	Bronze or Brass Metal, plated to old Copper, old Brass, dull Brass or Nickel.	
Width.	Thickness.	Use.	No,	Per Pr	No.	Per Pr	No.	PerPr	No.	Per Pr.	No	Per Pr.	No.	Per Pr.
2 ft. 2 1-6" 2 1/4 " 2 1/3 " 2 1/2 " 2 1/2 " 2 1/4 " 3 " Ov.3 ft.	14 to 1 in. 18 to 114 " 1 to 119 " 118 to 134 " 114 to 2 " 114 to 2 " 114 to 24 " 114 to 24 " 114 to 24 " 115 to 24 " 116 to 24 " 117 to 24 " 118 to 3 " 3 to 4 " Single Ac	4 "	1 9 13 17 21 25 27	3.25 4.50 6.00 9.50	51 55 59 68 67 71 75	6.75 9.00 11.50 16.00	101 105 109 113 117 121 125 127	4.00 5.00 6.00 7.50 10.00 13.00 17.50 24.00	301 305 309 313 317 321 325 327	1.60 2.20 2.85 4.10 5.65 7.50	351 355 369 363 367 371 375 377	2.75 3.60 4.70 5.80 7.45 9.90 12.65	401 405 409 413 417 421 425 427	4.40 5.50 6.60 8.25 11.00 14.25 19.00

11/4 to 21/2 inches thick. 57 \$3.75 107 \$6.50 307 \$2.20 357 \$4.15 407 \$7.15 Handrail not over 4 inches wide.

Surface Hinges, in Bronze or Brass Metal, Highly Polished. For Water Closet Doors, Swinging on Wood or Marble Partitions. Can be furnished either to close the door, or hold it open as ordered. Each pair packed with bolts, cap nuts and screws to match. Thickness of marble must be stated when ordering.

> Style A. 3 inch, No. 500, per pair, . \$6.00 4 " 501, 7.00

Style B. 3 inch, No. 0500, per pair, .

\$6.00 0501,

STRIKES In Bronze or Brass, with solid rubber

cushions.

tion Box Flanged Hinges, complete with. bolts, each,

7.00 For Surface or Single Ac-

Style B.



For Nickel, Antique Copper, or Dull Brass Finish on Surface Hinges or Strikes, add 10 per cent.

Packed complete with screws.



"Practically
Unbreakable"
says the
World's Fair
Award.



The Bronze and Brass
Metal Hinges are
Extremely Durable,
Having an Interior
Steel Core from End

DOUBLE ACTION.

"Bommer are Inte	ferent Sizes of "Spring Hinges ended for Doors wing Dimensions.	Length of Flanges.	Japanned on Steel.			Polished Steel, plated to Bronze, Copper, Brass, Nickel or Boston finish.		onze Brass etal, ghly ished.	Steel	olished , plated Copper.	Copper, old Brass, dull		Brass detail plated to old Copper, old Brass,	
Width.	Thickness.	Use.	No.	Per Pr	No.	Per Pr	No.	Per Pr	No.	Per Pr.	No.	Per Pr.	No.	Pr.
2 ft. 2 1-6" 2 1/4 " 2 1/3 " 2 1/2 " 2 1/4 " 2 1/4 " 2 1/4 " 3 " 0 v.3 ft.	34 to 1 in. 78 to 114 " 1 to 1134 " 114 to 1234 " 114 to 24 " 114 to 214 " 114 to 214 " 214 to 234 " 2 to 3 " 3 to 4 "	3 in. 4 " 5 " 6 " 7 " 8 " 10 " 10 " 1141½ "	29 30 33 36 39 42 45 46 48 49	\$1.60 2.00 2.50 3.50 4.50 6.50 9.00 10.50 12.00	80 83 86 89 92 95 96 98	5.00 6.00 7.50 9.00 11.50	130 133 136 139 142 145 146 148	7.50 9.00 11.00 14.00 18.00 24.00 26.50 32.50	330 336 336 339 342 345 346 348	\$2.00 2.50 3.20 4.40 5.70 8.15 11.25 13.15 15.00 23.75	380 386 386 392 395 396 398	5.50 6.60 8.25 9.90 12.65 17.05 18.70 23.00	430 433 436 435 442 445 446 2 446 2 448	7.15 8.25 9.90 2.10 5.40 9.80 6.40 9.15 5.50

Double Action, Extra Wide Spring Hinges, for Office Gates.

1½ to 2½ inches thick. Handrail not over 3½ inches wide. 38 \$4.50 88 \$8.50 138 \$13.50 338 \$5.65 388 \$9.35 438 \$14.85

Box Flanged Hinges, in Bronze or Brass Metal, Highly Polished.

The Single Acting Box Flanged Hinges can be furnished either to close the door or hold it open, as ordered. Each pair packed with bolts, cap nuts and screws to match. Exact thickness of marble must be stated when ordering.



Single Action.

3 inch, No. 600, per pair, . \$8.00 4 " 601, " . 10.00

Double Action.

3 inch, No. 629, per pair, . \$10.00 4 " 630, " . 14.00

or Nickel, Antique Copic, or well Blass Finish on Box Fl ged Hinges, add to per cent.

Packed complete with screws.



The Matchless Double Acting Floor Hinge.

BALL BEARING.

Double Acting
Floor Hinge,
Ball Bearing, for
Vestibule,
Buther's Pantry
and Outside Doors.



Works Easily
and Noiselessly.

BALL BEARING.

Insures
a Minimum of
Friction.

	IFors.		No.	Iron Japanned.		Iron, Pl'd Bronz Copper, e	ze, No.	Iron Bower Barff.	No.	Brass or Bronze Metal Pol'	No.	Bronze Met'l; Silver Plated.
I	to 1 ½	in.	10	\$2.50	21	\$3.25	31	\$4.00	71	\$5.00	81	\$7.00
	to 2		12	·2.75	23	3.75	33	4.75	73	5.50	83	7.50
			14	3.75	25	4.50	35	5.00	75	6.50	85	8.50
21/8	to 2 ½	"	16	4.25	27	5.00	37	6.00	77	7.50	87	9.50

Packed complete with screws.

个 个 个 个 个 个 个

4

7:00

-in

7

~~

~

--

